



# LEADERSHIP FOR LITERACY

## *Codebook for dataset:*

*gr6\_feb\_oct\_clean.dta*

*The related instruments are*

- *gr6\_oraltest\_instrument\_all.pdf*
- *gr6\_writtentest\_feb\_instrument.pdf*
- *gr6\_writtentest\_oct\_instrument.pdf*

### *Name of study:*

Leadership for literacy or officially “Succeeding Against the Odds: Understanding resilience and exceptionalism in high-functioning township and rural primary schools in South Africa”.

### **Funder:**

Economic and Social Research Council [grant ES/N01023X/1]

### **Principal Investigator:**

Servaas van der Berg

### **Study period:**

May 2016 - November 2018

### **Data submission:**

February 2019




---

**studentid** UNIQUE STUDENT IDENTIFIER


---

```

type: numeric (int)
range: [1,2819]
unique values: 2,818
units: 1
missing.: 0/2,818

mean: 1409.93
std. dev: 814.055

percentiles:      10%      25%      50%      75%      90%
                  282      705     1409.5    2115    2538

```

---

**schoolid** UNIQUE school identifier


---

```

type: numeric (int)
label: schoolid, but label does not exist
range: [100,6100]
unique values: 61
units: 100
missing.: 0/2,818

mean: 3143.61
std. dev: 1786.59

percentiles:      10%      25%      50%      75%      90%
                  700     1500     3200     4800     5600

```

---

**paircode2** Original matched pair code


---

```

type: string (str7)
unique values: 60
missing "": 0/2,818

examples: "GP5_B"
           "KZN11_B"
           "KZN17_B"
           "LP23_U"

```

---

**tested** DERIVED: Periods of Gr 6. learner literacy written tests


---

```

type: numeric (byte)
label: tested
range: [1,3]
unique values: 3
units: 1
missing.: 0/2,818

tabulation:  Freq.  Numeric  Label
              274      1  Wrote Feb only
              162      2  Wrote Oct only
              2,382    3  Wrote Feb & Oct

```

---

**tested\_orf** DERIVED: Periods gr6 learner was tested for ORF


---

```

type: numeric (byte)
label: tested_orf
range: [1,4]
unique values: 3
units: 1
missing.: 0/2,818

```

```

tabulation: Freq.  Numeric  Label
            2,085      1  neither
            134       2  Feb only
            599       4  Feb & Oct

```

---

**province\_feb** **Province in which school is located**

---

```

type: string (str3)
unique values: 4 missing "": 0/2,818
tabulation: Freq.  Value
            988  "GP"
            879  "KZN"
            785  "LP"
            166  "NA"

```

---

**province\_oct** **Province in which school is located**

---

```

type: string (str3)
unique values: 4 missing "": 0/2,818
tabulation: Freq.  Value
            912  "GP"
            889  "KZN"
            741  "LP"
            276  "NA"

```

---

**gender** **DERIVED: Gender of the learner**

---

```

type: numeric (byte)
label: gender
range: [1,2] units: 1
unique values: 2 missing .: 4/2,818
tabulation: Freq.  Numeric  Label
            1,420      1  boy
            1,394      2  girl
              4         .

```

---

**lang\_af\_oct** **Language of African ORF assessment (post-test)**

---

```

type: string (str3)
unique values: 4 missing "": 1/2,818
tabulation: Freq.  Value
            1  ""
            2,218  "NA"
              93  "sep"
            110  "tso"
            396  "zul"

```

---

**spectacles\_eng\_oct** **ORF tested learner is wearing spectacles**

---

```

type: numeric (byte)
label: spec

```

```

range: [0,1] units: 1
unique values: 2 missing.: 4/2,818
unique mv codes: 2 missing.*: 2,218/2,818

tabulation: Freq. Numeric Label
             589      0 no
              7      1 yes
              4      .
            2,218      .n not tested

```

---

**LITERACY\_SCORES****OVERALL LITERACY SCORES**

---

```

type: string (str1), but longest is str0
unique values: 0 missing "": 2,818/2,818

tabulation: Freq. Value
            2,818 ""

```

---

**fef\_total\_feb****FEF total pre-test**

---

```

type: numeric (double)

range: [0,16] units: .1
unique values: 32 missing.: 166/2,818

mean: 4.43194
std. dev: 3.06847

percentiles: 10% 25% 50% 75% 90%
              1 2 4 6 9

```

---

**gtm\_total\_feb****GTM total pre-test**

---

```

type: numeric (double)

range: [0,15] units: .1
unique values: 30 missing.: 166/2,818

mean: 3.54713
std. dev: 2.37399

percentiles: 10% 25% 50% 75% 90%
              1 2 3 5 7

```

---

**vocab\_total\_feb****Total Vocab pre-test score**

---

```

type: numeric (double)

range: [0,42.5] units: .1
unique values: 74 missing.: 166/2,818

mean: 5.1083
std. dev: 5.72696

percentiles: 10% 25% 50% 75% 90%
              0 1 3 7.5 13

```

---

**total\_marks\_feb****Total marks obtained on written pre-test**

---

```

type: numeric (double)

```

```

      range: [0,63.5]           units: .1
unique values: 117             missing .: 0/2,818
unique mv codes: 1            missing .*: 166/2,818

      mean: 13.0874
      std. dev: 9.91044

percentiles:      10%      25%      50%      75%      90%
                  4        6        10       17.25     27

```

---

<b>torf_feb</b>	<b>Gr.6 Eng. ORF scores pre-test</b>
-----------------	--------------------------------------

---

```

      type: numeric (int)

      range: [0,202]           units: 1
unique values: 161            missing .: 2,085/2,818

      mean: 81.1487
      std. dev: 38.3809

percentiles:      10%      25%      50%      75%      90%
                  28       59       80       107     130

```

---

<b>torf_feb_p</b>	<b>Gr.6 English lang ORF % of WCPM pre-test</b>
-------------------	---

---

```

      type: numeric (float)

      range: [0,99.507393]     units: 1.000e-08
unique values: 161            missing .: 2,085/2,818

      mean: 39.9747
      std. dev: 18.9069

percentiles:      10%      25%      50%      75%      90%
                  13.7931  29.064  39.4089  52.7094  64.0394

```

---

<b>tcomp_feb</b>	<b>Total Gr6 Eng. ORF comprehension pre-test score</b>
------------------	--

---

```

      type: numeric (byte)

      range: [0,7]           units: 1
unique values: 8            missing .: 2,085/2,818

      tabulation: Freq.  Value
                  66      0
                  188     1
                  172     2
                  115     3
                   98     4
                   65     5
                   27     6
                    2     7
                 2,085    .

```

---

<b>fef_total_oct</b>	<b>FEF total post-test</b>
----------------------	----------------------------

---

```

      type: numeric (double)

      range: [0,16]           units: .1
unique values: 32            missing .: 277/2,818

      mean: 5.19638
      std. dev: 3.49468

```

percentiles:	10%	25%	50%	75%	90%
	1	2	4	7.5	10.5

---

<b>gtm_total_oct</b>	<b>GTM total post-test</b>
----------------------	----------------------------

---

type:	numeric ( <b>double</b> )				
range:	[0,16]	units: .1			
unique values:	31	missing .: 277/2,818			
mean:	4.22786				
std. dev:	2.7969				
percentiles:	10%	25%	50%	75%	90%
	1	2	4	6	8

---

<b>vocab_total_oct</b>	<b>Total Vocab post-test score</b>
------------------------	------------------------------------

---

type:	numeric ( <b>double</b> )				
range:	[0,53]	units: .1			
unique values:	91	missing .: 277/2,818			
mean:	8.57481				
std. dev:	7.94273				
percentiles:	10%	25%	50%	75%	90%
	1	3	6.5	12	19

---

<b>torf_eng_oct</b>	<b>Gr.6 Eng. ORF scores post-test</b>
---------------------	---------------------------------------

---

type:	numeric ( <b>int</b> )				
range:	[0,192]	units: 1			
unique values:	158	missing .: 2,219/2,818			
mean:	93.424				
std. dev:	39.9772				
percentiles:	10%	25%	50%	75%	90%
	40	68	97	121	144

---

<b>torf_eng_oct_p</b>	<b>Gr.6 English lang ORF % of WCPM Post-test</b>
-----------------------	--

---

type:	numeric ( <b>float</b> )				
range:	[0,94.581284]	units: 1.000e-08			
unique values:	158	missing .: 2,219/2,818			
mean:	46.0217				
std. dev:	19.6932				
percentiles:	10%	25%	50%	75%	90%
	19.7044	33.4975	47.7833	59.6059	70.936

---

<b>tcomp_eng_oct</b>	<b>Total Gr6 Eng. ORF comprehension post-test score</b>
----------------------	---

---

type:	numeric ( <b>byte</b> )	
range:	[0,7]	units: 1
unique values:	8	missing .: 2,219/2,818

```

tabulation:  Freq.  Value
              31    0
              132    1
              104    2
               89    3
              113    4
               70    5
               50    6
               10    7
            2,219    .

```

---

<b>torf_af_oct</b>	<b>Gr.6 African lang. ORF scores Oct.</b>
--------------------	---

---

```

type:  numeric (int)

range:  [0,166]          units:  1
unique values: 117      missing .: 2,219/2,818

mean:    52.1419
std. dev: 29.5425

percentiles:      10%      25%      50%      75%      90%
                  23       32       49       64       84

```

---

<b>torf_af_oct_p</b>	<b>Gr.6 African lang ORF % of WCPM - by language</b>
----------------------	--

---

```

type:  numeric (float)

range:  [0,100]          units:  1.000e-08
unique values: 204      missing .: 2,219/2,818

mean:    25.6802
std. dev: 14.5128

percentiles:      10%      25%      50%      75%      90%
                  11.3636  16.8675  24.6988  33.1325  37.9518

```

---

<b>tcomp_af_oct</b>	<b>Total Afr. lang. Gr.6 ORF comprehension post-test score</b>
---------------------	--

---

```

type:  numeric (byte)

range:  [0,9]           units:  1
unique values: 10      missing .: 2,219/2,818

mean:    2.94491
std. dev: 1.6777

percentiles:      10%      25%      50%      75%      90%
                  1        2        3        4        5

```

---

<b>BACKGROUND_FEB</b>	<b>BACKGROUND WRITTEN PRE-TEST VARIABLES</b>
-----------------------	--

---

```

type:  string (str1), but longest is str0

unique values: 0          missing "": 2,818/2,818

tabulation:  Freq.  Value
              2,818  ""

```

---

<b>age_feb</b>	<b>Q2 How old are you?</b>
----------------	----------------------------

---

```

type: numeric (byte)
range: [9,17]
unique values: 9
units: 1
missing .: 197/2,818

```

```

tabulation: Freq. Value
              1 9
             177 10
            1,068 11
             917 12
             340 13
              83 14
              23 15
              10 16
               2 17
             197 .

```

---

<b>birth_month_feb</b>	<b>Q3 What is the date of your birthday? Day</b>
------------------------	--

---

```

type: string (str9)
unique values: 13
missing "": 0/2,818
examples: "december"
           "july"
           "may"
           "november"

```

---

<b>month_spelt_feb</b>	<b>Q3 Exact way in which month of birth was spelled</b>
------------------------	---

---

```

type: string (str20)
unique values: 424
missing "": 0/2,818
examples: "April"
           "JULY"
           "MAY"
           "NOVEMBER"
warning: variable has embedded blanks

```

---

<b>correct_month_spelt_feb</b>	<b>DERIVED: Spells month of birth correctly</b>
--------------------------------	---

---

```

type: numeric (byte)
label: correct_month_spelt
range: [0,2]
unique values: 3
units: 1
missing .: 165/2,818
tabulation: Freq. Numeric Label
              494      0 incorrect
            1,974      1 correct
              185      2 Uses a number
              165      .

```

---

<b>gender_feb</b>	<b>Q2: Are you a boy or a girl?</b>
-------------------	-------------------------------------

---

```

type: numeric (byte)
label: temp_gender_feb
range: [1,2]
unique values: 2
units: 1
missing .: 170/2,818

```



```

tabulation:  Freq.  Numeric  Label
              1,318      1    Boy
              1,330      2    Girl
              170        .

```

---

**grade\_r\_feb**                      **Q4 Did you attend grade R or creche before grade 1? (feb & oct)**

---

```

type:  numeric (float)
label:  yesno2

range:  [1,2]
unique values:  2

units:  1
missing .:  203/2,818

tabulation:  Freq.  Numeric  Label
              2,228      1    Yes
              387        2    No
              203        .

```

---

**live\_mother\_feb**                      **Q5 Do you live with your mother?**

---

```

type:  numeric (float)
label:  yesno2

range:  [1,2]
unique values:  2

units:  1
missing .:  185/2,818

tabulation:  Freq.  Numeric  Label
              2,084      1    Yes
              549        2    No
              185        .

```

---

**lang\_mother\_feb**                      **Q6 What language does your mother speak?**

---

```

type:  string (str24)

unique values:  61

missing "":  0/2,818

examples:  "Sepedi"
           "Xitsonga"
           "isiZulu"
           "isiZulu"

warning:  variable has embedded blanks

```

---

**live\_father\_feb**                      **Q7 Do you live with your father?**

---

```

type:  numeric (float)
label:  yesno2

range:  [1,2]
unique values:  2

units:  1
missing .:  193/2,818

tabulation:  Freq.  Numeric  Label
              1,284      1    Yes
              1,341      2    No
              193        .

```

---

**lang\_father\_feb**                      **Q8 What language does your father speak?**

---

```

type:  string (str26)

```

unique values: 66 missing "": 0/2,818

examples: "Sepedi"  
"Xitsonga"  
"isiZulu"  
"isiZulu"

warning: variable has embedded blanks

---

<b>anyone_read_feb</b>	<b>Q9 Does anyone ever read to you at home?</b>
------------------------	---

---

type: numeric (float)  
label: **yesno2**

range: [1,2] units: 1  
unique values: 2 missing .: 179/2,818

tabulation:	Freq.	Numeric	Label
	2,009	1	Yes
	630	2	No
	179	.	

---

<b>helps_homework_feb</b>	<b>Q10 Who helps you with your homework? Coded</b>
---------------------------	--

---

type: string (str30)

unique values: 16 missing "": 0/2,818

examples: "Other"  
"Parent"  
"Parent"  
"Sibling"

warning: variable has embedded blanks

---

<b>helps_spelt_feb</b>	<b>Q10 Who helps you with your homework? Raw data</b>
------------------------	---

---

type: string (str55)

unique values: 802 missing "": 0/2,818

examples: "MY FATHER"  
"My aunt and mother"  
"NA"  
"mother"

warning: variable has embedded blanks

---

<b>own_storybooks_feb</b>	<b>Q11 How many of your own story books do you have at home?</b>
---------------------------	--

---

type: numeric (int)  
label: **missing**, but 44 nonmissing values are not labeled

range: [0,12118] units: 1  
unique values: 44 missing .: 69/2,818  
unique mv codes: 2 missing .\*: 337/2,818

examples: 0  
2  
4  
10

---

**booksathome\_feb****Q12 How many books do you have in your home?**

---

```

      type: numeric (float)
      label: booksathome

      range: [0,4]
unique values: 5
                        units: 1
                        missing .: 351/2,818

      tabulation: Freq.  Numeric  Label
                   658      0  I have no books
                   1,453    1  A few books (10)
                   273     2  Enough to fill one shelf (20)
                   70      3  Enough to fill one bookcase (50)
                   13      4  Enough to fill two or more
                        bookcases (100)
                   351     .

```

---

**feel\_school\_feb****Circle face a) This is how I feel about school**

---

```

      type: numeric (long)
      label: happy

      range: [1,5]
unique values: 5
                        units: 1
                        missing .: 199/2,818

      tabulation: Freq.  Numeric  Label
                   24      1  very sad
                   5       2  sad
                   68      3  neutral
                   443     4  happy
                   2,079    5  very happy
                   199     .

```

---

**feel\_reading\_feb****Circle face (b) This is how I feel about reading**

---

```

      type: numeric (long)
      label: happy

      range: [1,5]
unique values: 5
                        units: 1
                        missing .: 192/2,818

      tabulation: Freq.  Numeric  Label
                   24      1  very sad
                   30      2  sad
                   138     3  neutral
                   812     4  happy
                   1,622    5  very happy
                   192     .

```

---

**feel\_readingteacher\_feb****Circle face (c) This is how I feel about my reading teacher**

---

```

      type: numeric (long)
      label: happy

      range: [1,5]
unique values: 5
                        units: 1
                        missing .: 195/2,818

```

tabulation:	Freq.	Numeric	Label
	44	1	very sad
	56	2	sad
	214	3	neutral
	774	4	happy
	1,535	5	very happy
	195	.	

---

**feel\_maths\_feb****Circle face (e) This is how I feel about maths**

---

type: numeric (long)  
 label: **happy**  
 range: [1,5] units: 1  
 unique values: 5 missing .: 196/2,818

tabulation:	Freq.	Numeric	Label
	128	1	very sad
	68	2	sad
	237	3	neutral
	626	4	happy
	1,563	5	very happy
	196	.	

---

**socio\_e1\_newideas\_feb****1. New ideas sometimes distract me from what I am currently doing.**

---

type: numeric (long)  
 label: **socio**  
 range: [1,4] units: 1  
 unique values: 4 missing .: 200/2,818

tabulation:	Freq.	Numeric	Label
	365	1	That's not at all like me
	494	2	That's not really like me
	1,219	3	That's sometimes like me
	540	4	That's a lot like me
	200	.	

---

**socio\_e2\_problems\_feb****2. Problems and challenges don't discourage me.**

---

type: numeric (long)  
 label: **socio**  
 range: [1,4] units: 1  
 unique values: 4 missing .: 205/2,818

tabulation:	Freq.	Numeric	Label
	417	1	That's not at all like me
	480	2	That's not really like me
	688	3	That's sometimes like me
	1,028	4	That's a lot like me
	205	.	

---

**socio\_e3\_interest\_feb****3. I am sometimes very interested in one thing but only for a short time**

---

type: numeric (long)  
 label: **socio**  
 range: [1,4] units: 1  
 unique values: 4 missing .: 200/2,818

```

tabulation:  Freq.  Numeric  Label
              519      1  That's not at all like me
              574      2  That's not really like me
              796      3  That's sometimes like me
              729      4  That's a lot like me
              200      .

```

---

**socio\_e4\_workhard\_feb** **4. I work hard to do things well.**

---

```

type: numeric (long)
label: socio

range: [1,4]          units: 1
unique values: 4      missing .: 202/2,818

tabulation:  Freq.  Numeric  Label
              217      1  That's not at all like me
              256      2  That's not really like me
              493      3  That's sometimes like me
            1,650      4  That's a lot like me
              202      .

```

---

**socio\_e5\_samething\_feb** **5. I find it difficult to stick to the same thing.**

---

```

type: numeric (long)
label: socio

range: [1,4]          units: 1
unique values: 4      missing .: 229/2,818

tabulation:  Freq.  Numeric  Label
              465      1  That's not at all like me
              549      2  That's not really like me
              882      3  That's sometimes like me
              693      4  That's a lot like me
              229      .

```

---

**socio\_e6\_longtime\_feb** **6. I find it difficult to keep working on the same thing...**

---

```

type: numeric (long)
label: socio

range: [1,4]          units: 1
unique values: 4      missing .: 237/2,818

tabulation:  Freq.  Numeric  Label
              417      1  That's not at all like me
              544      2  That's not really like me
              901      3  That's sometimes like me
              719      4  That's a lot like me
              237      .

```

---

**socio\_e7\_finish\_feb** **7. I finish whatever I start.**

---

```

type: numeric (long)
label: socio

range: [1,4]          units: 1
unique values: 4      missing .: 240/2,818

```

```

tabulation:  Freq.  Numeric  Label
              279      1  That's not at all like me
              286      2  That's not really like me
              658      3  That's sometimes like me
            1,355      4  That's a lot like me
              240      .

```

---

**socio\_e8\_sitstill\_feb 8. I can sit still for longer than other children in the class.**

---

```

type:  numeric (long)
label:  socio

range:  [1,4]          units:  1
unique values:  4      missing .:  231/2,818

tabulation:  Freq.  Numeric  Label
              454      1  That's not at all like me
              443      2  That's not really like me
              817      3  That's sometimes like me
              873      4  That's a lot like me
              231      .

```

---

**socio\_e9\_careful\_feb 9. I do my schoolwork carefully.**

---

```

type:  numeric (long)
label:  socio

range:  [1,4]          units:  1
unique values:  4      missing .:  230/2,818

tabulation:  Freq.  Numeric  Label
              172      1  That's not at all like me
              218      2  That's not really like me
              532      3  That's sometimes like me
            1,666      4  That's a lot like me
              230      .

```

---

**wash\_machine\_feb Has wash\_machine in household (1 = ticked)**

---

```

type:  numeric (byte)
label:  yesno

range:  [0,1]          units:  1
unique values:  2      missing .:  166/2,818

tabulation:  Freq.  Numeric  Label
            1,507      0  no
            1,145      1  yes
              166      .

```

---

**radio\_feb Has radio in household (1 = ticked)**

---

```

type:  numeric (byte)
label:  yesno

range:  [0,1]          units:  1
unique values:  2      missing .:  166/2,818

tabulation:  Freq.  Numeric  Label
            1,009      0  no
            1,643      1  yes
              166      .

```

---

**pc\_feb** **Has pc in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
unique values: 2
               units: 1
               missing.: 166/2,818

      tabulation: Freq.   Numeric   Label
                  1,675       0      no
                  977        1      yes
                  166         .

```

---

**cell\_feb** **Has cell in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
unique values: 2
               units: 1
               missing.: 166/2,818

      tabulation: Freq.   Numeric   Label
                  163       0      no
                  2,489     1      yes
                  166         .

```

---

**hot\_water\_feb** **Has hot\_water in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
unique values: 2
               units: 1
               missing.: 166/2,818

      tabulation: Freq.   Numeric   Label
                  1,981       0      no
                  671        1      yes
                  166         .

```

---

**cold\_water\_feb** **Has cold\_water in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
unique values: 2
               units: 1
               missing.: 166/2,818

      tabulation: Freq.   Numeric   Label
                  904       0      no
                  1,748     1      yes
                  166         .

```

---

**tv\_feb** **Has TV in household**

---

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
unique values: 2
               units: 1
               missing.: 166/2,818

```

tabulation:	Freq.	Numeric	Label
	288	0	no
	2,364	1	yes
	166	.	

---

**internet\_feb** Has internet in household (1 = ticked)


---

type:	numeric (byte)		
label:	yesno		
range:	[0,1]		units: 1
unique values:	2		missing .: 166/2,818
tabulation:	Freq.	Numeric	Label
	2,377	0	no
	275	1	yes
	166	.	

---

**microwave\_feb** Has microwave in household (1 = ticked)


---

type:	numeric (byte)		
label:	yesno		
range:	[0,1]		units: 1
unique values:	2		missing .: 166/2,818
tabulation:	Freq.	Numeric	Label
	904	0	no
	1,748	1	yes
	166	.	

---

**fridge\_feb** Has fridge in household (1 = ticked)


---

type:	numeric (byte)		
label:	yesno		
range:	[0,1]		units: 1
unique values:	2		missing .: 166/2,818
tabulation:	Freq.	Numeric	Label
	299	0	no
	2,353	1	yes
	166	.	

---

**toilet\_feb** Has toilet in household (1 = ticked)


---

type:	numeric (byte)		
label:	yesno		
range:	[0,1]		units: 1
unique values:	2		missing .: 166/2,818
tabulation:	Freq.	Numeric	Label
	1,384	0	no
	1,268	1	yes
	166	.	

---

**car\_feb** Has car in household (1 = ticked)


---

type:	numeric (byte)
label:	yesno



```

      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq.   Numeric   Label
                  1,206       0      no
                  1,446       1      yes
                   166         .

```

---

**newspaper\_feb** **Has newspaper in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq.   Numeric   Label
                  946       0      no
                 1,706       1      yes
                   166         .

```

---

**BACKGROUND\_OCT** **BACKGROUND WRITTEN POST-TEST VARIABLES**

---

```

      type: string (str1), but longest is str0

unique values: 0
      missing "": 2,818/2,818

      tabulation: Freq.   Value
                  2,818   ""

```

---

**age\_oct** **Q2 How old are you?**

---

```

      type: numeric (byte)

      range: [10,18]
unique values: 9
      units: 1
      missing .: 296/2,818

      tabulation: Freq.   Value
                   8      10
                  733      11
                 1,125      12
                  455      13
                  146      14
                   39      15
                   13      16
                    2      17
                    1      18
                  296      .

```

---

**birth\_month\_oct** **Q3 What is the date of your birthday? Month**

---

```

      type: string (str9)

unique values: 14
      missing "": 0/2,818

      examples: "december"
                "july"
                "may"
                "november"

```

---

**month\_spelt\_oct** **Q3: Exact way in which month of birth was spelled**

---

```

      type: string (str19)
unique values: 299                      missing "": 0/2,818
examples:    "August"
              "January"
              "May"
              "November"
warning:     variable has embedded blanks

```

---

<b>correct_month_spelt_oct</b>	<b>DERIVED: Spells month of birth correctly</b>
--------------------------------	---

---

```

      type: numeric (byte)
      label: correct_month_spelt
      range: [0,2]
unique values: 3                      units: 1
                                         missing .: 276/2,818
tabulation:  Freq.  Numeric  Label
              327      0      incorrect
              1,893    1      correct
              322      2      Uses a number
              276      .

```

---

<b>gender_oct</b>	<b>Q2: Are you a boy or a girl?</b>
-------------------	-------------------------------------

---

```

      type: numeric (byte)
      label: temp_gender_oct
      range: [1,2]
unique values: 2                      units: 1
                                         missing .: 278/2,818
tabulation:  Freq.  Numeric  Label
              1,270    1      Boy
              1,270    2      Girl
              278      .

```

---

<b>grade_r_oct</b>	<b>Q4 Did you attend grade R or creche before grade 1? (feb &amp; oct)</b>
--------------------	--

---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]
unique values: 2                      units: 1
                                         missing .: 286/2,818
tabulation:  Freq.  Numeric  Label
              2,277    1      Yes
              255      2      No
              286      .

```

---

<b>live_mother_oct</b>	<b>Q5 Do you live with your mother?</b>
------------------------	---

---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]
unique values: 2                      units: 1
                                         missing .: 286/2,818
tabulation:  Freq.  Numeric  Label
              1,982    1      Yes
              550      2      No
              286      .

```

---

**lang\_mother\_oct** **Q6 What language does your mother speak the most?**


---

```

      type: string (str27)
unique values: 45                               missing "": 0/2,818
examples: "Sepedi"
           "Xitsonga"
           "isiZulu"
           "isiZulu"
warning: variable has embedded blanks

```

---

**live\_father\_oct** **Q7 Do you live with your father?**


---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]                               units: 1
unique values: 2                               missing .: 290/2,818
tabulation: Freq.   Numeric   Label
             1,158         1   Yes
             1,370         2   No
             290           .

```

---

**lang\_father\_oct** **Q8 What language does your father speak the most?**


---

```

      type: string (str29)
unique values: 62                               missing "": 0/2,818
examples: "Sepedi"
           "Xitsonga"
           "isiZulu"
           "isiZulu"
warning: variable has embedded blanks

```

---

**lang\_child\_oct** **Q9 What language do you speak the most?**


---

```

      type: string (str26)
unique values: 45                               missing "": 0/2,818
examples: "Sepedi"
           "Xitsonga"
           "isiZulu"
           "isiZulu"
warning: variable has embedded blanks

```

---

**anyone\_read\_oct** **Q10 Does anyone ever read to you at home?**


---

```

      type: numeric (float)
      label: yesno2
      range: [1,2]                               units: 1
unique values: 2                               missing .: 285/2,818

```

```

tabulation:  Freq.  Numeric  Label
              1,787      1  Yes
              746       2  No
              285       .

```

---

**helps\_hw\_bro\_sis\_oct**                      **Q11 Who helps you with your homework? a) brother sister**

---

```

      type:  numeric (byte)
      label:  yesno

      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 1,452/2,818

      tabulation:  Freq.  Numeric  Label
                   1,366      1  yes
                   1,452      .

```

---

**helps\_hw\_mother\_oct**                      **Q11 Who helps you with your homework? b) mother**

---

```

      type:  numeric (byte)
      label:  yesno

      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 1,679/2,818

      tabulation:  Freq.  Numeric  Label
                   1,139      1  yes
                   1,679      .

```

---

**helps\_hw\_father\_oct**                      **Q11 Who helps you with your homework? c) father**

---

```

      type:  numeric (byte)
      label:  yesno

      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,215/2,818

      tabulation:  Freq.  Numeric  Label
                   603      1  yes
                   2,215      .

```

---

**helps\_hw\_aunt\_unc\_oct**                      **Q11 Who helps you with your homework? d) aunt uncle**

---

```

      type:  numeric (byte)
      label:  yesno

      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,515/2,818

      tabulation:  Freq.  Numeric  Label
                   303      1  yes
                   2,515      .

```

---

**helps\_hw\_grandm\_grandf\_oct**                      **Q11 Who helps you with your homework? e) grandparent**

---

```

      type:  numeric (byte)
      label:  yesno

      range:  [1,1]
unique values: 1
                        units:  1
                        missing .: 2,614/2,818

```



```

      type: numeric (long)
      label: eng_home

      range: [1,3]
      unique values: 3
                        units: 1
                        missing .. 289/2,818

      tabulation: Freq.   Numeric   Label
                   194       1   Always
                   1,876     2   Sometimes
                   459       3   Never
                   289       .

```

---

**parent\_employed\_oct** **Q15 Does your mother or father have a job?**

---

```

      type: numeric (long)
      label: parent_employed

      range: [1,5]
      unique values: 5
                        units: 1
                        missing .. 286/2,818

      tabulation: Freq.   Numeric   Label
                   379       1   Neither my mother nor my father
                                have a job
                   429       2   Only my mother has a job 2
                   734       3   Only my father has a job
                   872       4   Both my mother & my father have
                                a job
                   118       5   I don't know
                   286       .

```

---

**booksathome\_oct** **16. How many books do you have in your home?**

---

```

      type: numeric (float)
      label: booksathome

      range: [0,4]
      unique values: 5
                        units: 1
                        missing .. 297/2,818

      tabulation: Freq.   Numeric   Label
                   749       0   I have no books
                   1,354     1   A few books (10)
                   288       2   Enough to fill one shelf (20)
                   106       3   Enough to fill one bookcase (50)
                   24       4   Enough to fill two or more
                                bookcases (100)
                   297       .

```

---

**wash\_machine\_oct** **Has wash\_machine in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
      unique values: 1
                        units: 1
                        missing .. 1,652/2,818

      tabulation: Freq.   Numeric   Label
                   1,166     1   yes
                   1,652     .

```

---

**radio\_oct** **Has radio in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 1,187/2,818

      tabulation: Freq.   Numeric   Label
                  1,631         1   yes
                  1,187         .

```

---

**pc\_oct** Has pc in household (1 = ticked)

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
unique values: 1
units: 1
missing .: 1,722/2,818

      tabulation: Freq.   Numeric   Label
                  1,096         1   yes
                  1,722         .

```

---

**cell\_oct** Has cell in household (1 = ticked)

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
unique values: 1
units: 1
missing .: 370/2,818

      tabulation: Freq.   Numeric   Label
                  2,448         1   yes
                  370          .

```

---

**hot\_water\_oct** Has hot\_water in household (1 = ticked)

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
unique values: 1
units: 1
missing .: 2,229/2,818

      tabulation: Freq.   Numeric   Label
                  589         1   yes
                  2,229         .

```

---

**cold\_water\_oct** Has cold\_water in household (1 = ticked)

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
unique values: 1
units: 1
missing .: 1,227/2,818

      tabulation: Freq.   Numeric   Label
                  1,591         1   yes
                  1,227         .

```

---

**tv\_flat\_oct** Has flatscreen tv in household

---

```

      type: numeric (byte)
      label: yesno

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 1,402/2,818

```

```

tabulation: Freq.  Numeric  Label
            1,416      1    yes
            1,402      .

```

---

<b>tv_normal_oct</b>	<b>Has Normal TV in household</b>
----------------------	-----------------------------------

---

```

      type: numeric (byte)
      label: yesno

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 1,449/2,818

```

```

tabulation: Freq.  Numeric  Label
            1,369      1    yes
            1,449      .

```

---

<b>internet_oct</b>	<b>Has internet in household (1 = ticked)</b>
---------------------	---

---

```

      type: numeric (byte)
      label: yesno

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 1,678/2,818

```

```

tabulation: Freq.  Numeric  Label
            1,140      1    yes
            1,678      .

```

---

<b>microwave_oct</b>	<b>Has microwave in household (1 = ticked)</b>
----------------------	--

---

```

      type: numeric (byte)
      label: yesno

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 1,109/2,818

```

```

tabulation: Freq.  Numeric  Label
            1,709      1    yes
            1,109      .

```

---

<b>fridge_oct</b>	<b>Has fridge in household (1 = ticked)</b>
-------------------	---

---

```

      type: numeric (byte)
      label: yesno

```

```

      range: [1,1]
unique values: 1
units: 1
missing .: 503/2,818

```

```

tabulation: Freq.  Numeric  Label
            2,315      1    yes
             503      .

```

---

<b>toilet_oct</b>	<b>Has toilet in household (1 = ticked)</b>
-------------------	---

---

```

      type: numeric (byte)
      label: yesno

```



```

      range: [1,1]
unique values: 1
      units: 1
missing .: 1,764/2,818

      tabulation: Freq.  Numeric  Label
                  1,054      1  yes
                  1,764      .

```

---

**car\_oct** **Has car in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
unique values: 1
      units: 1
missing .: 1,336/2,818

      tabulation: Freq.  Numeric  Label
                  1,482      1  yes
                  1,336      .

```

---

**newspaper\_oct** **Has newspaper in household (1 = ticked)**

---

```

      type: numeric (byte)
      label: yesno

      range: [1,1]
unique values: 1
      units: 1
missing .: 996/2,818

      tabulation: Freq.  Numeric  Label
                  1,822      1  yes
                   996      .

```

---

**WRITTEN\_ITEMS** **WRITTEN TEST ITEM LEVEL RESULTS**

---

```

      type: string (str1), but longest is str0

unique values: 0
missing "": 2,818/2,818

      tabulation: Freq.  Value
                  2,818  ""

```

---

**fef\_1\_feb** **FEF question 1 Pre-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq.  Value
                  917  0
                  1,735 1
                   166  .

```

---

**fef\_2\_feb** **FEF question 2 Pre-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

```

```

tabulation:  Freq.  Value
              1,441  0
              1,211  1
              166   .

```

---

**fef\_3\_feb** **FEF question 3 Pre-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 166/2,818

tabulation:  Freq.  Value
              1,759  0
              893  1
              166   .

```

---

**fef\_4\_feb** **FEF question 4 Pre-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 166/2,818

tabulation:  Freq.  Value
              1,076  0
              1,576  1
              166   .

```

---

**fef\_5\_feb** **FEF question 5 Pre-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,2]
unique values: 3
units:  1
missing .: 166/2,818

tabulation:  Freq.  Value
              1,748  0
              254  1
              650  2
              166   .

```

---

**fef\_6\_feb** **FEF question 6 Pre-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 166/2,818

tabulation:  Freq.  Value
              1,817  0
              835  1
              166   .

```

---

**fef\_7\_feb** **FEF question 7 Pre-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,2]
unique values: 3
units:  1
missing .: 166/2,818

```

```

tabulation: Freq. Value
             1,942 0
             498  1
             212  2
             166  .

```

---

**fef\_8\_feb****FEF question 8 Pre-test marks obtained**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 166/2,818

tabulation: Freq. Value
             2,391 0
             261  1
             166  .

```

---

**fef\_9\_feb****FEF question 9 Pre-test marks obtained**

---

```

type: numeric (byte)
range: [0,2]
unique values: 3
units: 1
missing .: 166/2,818

tabulation: Freq. Value
             2,068 0
             437  1
             147  2
             166  .

```

---

**fef\_10\_feb****FEF question 10 Pre-test marks obtained**

---

```

type: numeric (double)
range: [0,1]
unique values: 3
units: .1
missing .: 166/2,818

tabulation: Freq. Value
             1,881 0
             257 .5
             514  1
             166  .

```

---

**fef\_11\_feb****FEF question 11 Pre-test marks obtained**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 166/2,818

tabulation: Freq. Value
             1,813 0
             839  1
             166  .

```

---

**fef\_12\_feb****FEF question 12 Pre-test marks obtained**

---

```

type: numeric (byte)

```

range: [0,2] units: 1  
unique values: 3 missing .: 166/2,818

tabulation: Freq. Value  
2,275 0  
200 1  
177 2  
166 .

---

**gtm\_1\_feb** **GTM question 1 pre-test marks obtained**

---

type: numeric (**byte**)  
range: [0,1] units: 1  
unique values: 2 missing .: 166/2,818

tabulation: Freq. Value  
1,638 0  
1,014 1  
166 .

---

**gtm\_2\_feb** **GTM question 2 pre-test marks obtained**

---

type: numeric (**double**)  
range: [0,1] units: .1  
unique values: 3 missing .: 166/2,818

tabulation: Freq. Value  
1,946 0  
147 .5  
559 1  
166 .

---

**gtm\_3\_feb** **GTM question 3 pre-test marks obtained**

---

type: numeric (**byte**)  
range: [0,1] units: 1  
unique values: 2 missing .: 166/2,818

tabulation: Freq. Value  
1,418 0  
1,234 1  
166 .

---

**gtm\_4\_feb** **GTM question 4 pre-test marks obtained**

---

type: numeric (**byte**)  
range: [0,1] units: 1  
unique values: 2 missing .: 166/2,818

tabulation: Freq. Value  
2,514 0  
138 1  
166 .

---

**gtm\_5\_feb** **GTM question 5 pre-test marks obtained**

---

type: numeric (**byte**)

```

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq. Value
                   1,713 0
                   939 1
                   166 .

```

---

**gtm\_6\_feb** **GTM question 6 pre-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq. Value
                   1,488 0
                   1,164 1
                   166 .

```

---

**gtm\_7\_feb** **GTM question 7 pre-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq. Value
                   2,107 0
                   545 1
                   166 .

```

---

**gtm\_8\_feb** **GTM question 8 pre-test marks obtained**

---

```

      type: numeric (double)

      range: [0,2]
unique values: 5
      units: .1
missing .: 166/2,818

      tabulation: Freq. Value
                   2,252 0
                     74 .5
                   307 1
                     4 1.5
                   15 2
                   166 .

```

---

**gtm\_9\_feb** **GTM question 9 pre-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 166/2,818

      tabulation: Freq. Value
                   1,773 0
                   879 1
                   166 .

```

---

**gtm\_10\_feb** **GTM question 10 pre-test marks obtained**

---

```

      type: numeric (double)
      range: [0,1]
unique values: 3
      units: .1
      missing .: 166/2,818

      tabulation: Freq. Value
                   2,349 0
                   77 .5
                   226 1
                   166 .

```

---

**gtm\_11\_feb****GTM question 11 pre-test marks obtained**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq. Value
                   1,782 0
                   870 1
                   166 .

```

---

**gtm\_12\_feb****GTM question 12 pre-test marks obtained**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq. Value
                   2,528 0
                   124 1
                   166 .

```

---

**gtm\_13\_feb****GTM question 13 pre-test marks obtained**

---

```

      type: numeric (double)
      range: [0,3]
unique values: 7
      units: .1
      missing .: 166/2,818

      tabulation: Freq. Value
                   2,257 0
                   24 .5
                   264 1
                   2 1.5
                   62 2
                   4 2.5
                   39 3
                   166 .

```

---

**gtm\_14\_feb****GTM question 14 pre-test marks obtained**

---

```

      type: numeric (byte)
      range: [0,1]
unique values: 2
      units: 1
      missing .: 166/2,818

      tabulation: Freq. Value
                   1,959 0
                   693 1
                   166 .

```

---

<b>vocab_a_feb</b>	<b>Total obtained vocab. pre-test</b>					<b>section a</b>
--------------------	---------------------------------------	--	--	--	--	------------------

---

```

type: numeric (double)
range: [0,12.5]
unique values: 27
units: .1
missing .: 166/2,818
mean: 2.46308
std. dev: 2.44663
percentiles: 10% 25% 50% 75% 90%
              0 .5 2 4 6

```

---

<b>vocab_b_feb</b>	<b>Total obtained vocab. pre-test</b>					<b>section b</b>
--------------------	---------------------------------------	--	--	--	--	------------------

---

```

type: numeric (double)
range: [0,16]
unique values: 32
units: .1
missing .: 170/2,818
mean: 1.49517
std. dev: 2.09007
percentiles: 10% 25% 50% 75% 90%
              0 0 1 2 4

```

---

<b>vocab_c_feb</b>	<b>Total obtained vocab. pre-test</b>					<b>section c</b>
--------------------	---------------------------------------	--	--	--	--	------------------

---

```

type: numeric (double)
range: [0,10.5]
unique values: 18
units: .1
missing .: 184/2,818
mean: .641648
std. dev: 1.05535
percentiles: 10% 25% 50% 75% 90%
              0 0 0 1 2

```

---

<b>vocab_d_feb</b>	<b>Total obtained vocab. pre-test</b>					<b>section d</b>
--------------------	---------------------------------------	--	--	--	--	------------------

---

```

type: numeric (double)
range: [0,10.5]
unique values: 20
units: .1
missing .: 204/2,818
mean: .522494
std. dev: .987092
percentiles: 10% 25% 50% 75% 90%
              0 0 0 .5 1.5

```

---

<b>fef_1_oct</b>	<b>FEF question 1 Post-test marks obtained</b>				
------------------	--	--	--	--	--

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277/2,818

```

```

tabulation:  Freq.  Value
              876    0
            1,665    1
              277    .

```

---

<b>fef_2_oct</b>	<b>FEF question 2 Post-test marks obtained</b>
------------------	--

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
              1,278    0
            1,263    1
              277    .

```

---

<b>fef_3_oct</b>	<b>FEF question 3 Post-test marks obtained</b>
------------------	--

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
              1,562    0
              979    1
              277    .

```

---

<b>fef_4_oct</b>	<b>FEF question 4 Post-test marks obtained</b>
------------------	--

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
              868    0
            1,673    1
              277    .

```

---

<b>fef_5_oct</b>	<b>FEF question 5 Post-test marks obtained</b>
------------------	--

---

```

type:  numeric (byte)

range:  [0,2]
unique values: 3
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
            1,383    0
              298    1
              860    2
              277    .

```

---

<b>fef_6_oct</b>	<b>FEF question 6 Post-test marks obtained</b>
------------------	--

---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 277/2,818

```



```

tabulation:  Freq.  Value
              1,528  0
              1,013  1
              277   .

```

---

**fef\_7\_oct** **FEF question 7 Post-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,2]
unique values: 3
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
              1,793  0
              575   1
              173   2
              277   .

```

---

**fef\_8\_oct** **FEF question 8 Post-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,1]
unique values: 2
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
              2,117  0
              424   1
              277   .

```

---

**fef\_9\_oct** **FEF question 9 Post-test marks obtained**


---

```

type:  numeric (byte)

range:  [0,2]
unique values: 3
units:  1
missing .: 277/2,818

tabulation:  Freq.  Value
              1,945  0
              363   1
              233   2
              277   .

```

---

**fef\_10\_oct** **FEF question 10 Post-test marks obtained**


---

```

type:  numeric (double)

range:  [0,1]
unique values: 3
units:  .1
missing .: 277/2,818

tabulation:  Freq.  Value
              1,764  0
              106   .5
              671   1
              277   .

```

---

**fef\_11\_oct** **FEF question 11 Post-test marks obtained**


---

```

type:  numeric (byte)

```

```

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,667 0
                  874 1
                  277 .

```

---

<b>fef_12_oct</b>	<b>FEF question 12 Post-test marks obtained</b>
-------------------	---

---

```

      type: numeric (byte)

      range: [0,2]
unique values: 3
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,879 0
                  503 1
                  159 2
                  277 .

```

---

<b>gtm_1_oct</b>	<b>GTM question 1 post-test marks obtained</b>
------------------	--

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,458 0
                  1,083 1
                  277 .

```

---

<b>gtm_2_oct</b>	<b>GTM question 2 post-test marks obtained</b>
------------------	--

---

```

      type: numeric (double)

      range: [0,1]
unique values: 3
      units: .1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,811 0
                   31 .5
                  699 1
                  277 .

```

---

<b>gtm_3_oct</b>	<b>GTM question 3 post-test marks obtained</b>
------------------	--

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,093 0
                  1,448 1
                  277 .

```

---

<b>gtm_4_oct</b>	<b>GTM question 4 post-test marks obtained</b>
------------------	--

---

```

      type: numeric (byte)

```

```

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  2,345 0
                  196 1
                  277 .

```

---

**gtm\_5\_oct** **GTM question 5 post-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,560 0
                  981 1
                  277 .

```

---

**gtm\_6\_oct** **GTM question 6 post-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,276 0
                  1,265 1
                  277 .

```

---

**gtm\_7\_oct** **GTM question 7 post-test marks obtained**

---

```

      type: numeric (byte)

      range: [0,1]
unique values: 2
      units: 1
missing .: 277/2,818

      tabulation: Freq. Value
                  1,948 0
                  593 1
                  277 .

```

---

**gtm\_8\_oct** **GTM question 8 post-test marks obtained**

---

```

      type: numeric (double)

      range: [0,2]
unique values: 5
      units: .1
missing .: 277/2,818

      tabulation: Freq. Value
                  2,205 0
                   29 .5
                  277 1
                   7 1.5
                   23 2
                  277 .

```

---

**gtm\_9\_oct** **GTM question 9 post-test marks obtained**

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,600  0
                   941   1
                   277   .

```

---

**gtm\_10\_oct** **GTM question 10 post-test marks obtained**

---

```

      type:  numeric (double)
      range:  [0,1]
unique values: 3
      units:  .1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   2,103  0
                   54   .5
                   384   1
                   277   .

```

---

**gtm\_11\_oct** **GTM question 11 post-test marks obtained**

---

```

      type:  numeric (byte)
      range:  [0,1]
unique values: 2
      units:  1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   1,683  0
                   858   1
                   277   .

```

---

**gtm\_12\_oct** **GTM question 12 post-test marks obtained**

---

```

      type:  numeric (byte)
      range:  [0,2]
unique values: 3
      units:  1
missing .: 277/2,818

      tabulation:  Freq.  Value
                   2,232  0
                   269   1
                   40    2
                   277   .

```

---

**gtm\_13\_oct** **GTM question 13 post-test marks obtained**

---

```

      type:  numeric (double)
      range:  [0,3]
unique values: 7
      units:  .1
missing .: 277/2,818

```

```

tabulation: Freq. Value
             2,000 0
              77 .5
             240 1
              28 1.5
              82 2
              12 2.5
             102 3
             277 .

```

---

**gtm\_14\_oct****GTM question 14 post-test marks obtained**

---

```

type: numeric (byte)
range: [0,1]
unique values: 2
units: 1
missing .: 277/2,818

tabulation: Freq. Value
             1,806 0
              735 1
              277 .

```

---

**vocab\_a\_oct****Total obtained vocab. post-test section a**

---

```

type: numeric (double)
range: [0,15.5]
unique values: 32
units: .1
missing .: 277/2,818

mean: 3.87485
std. dev: 3.00657

percentiles:      10%      25%      50%      75%      90%
                  .5       1.5       3.5       6        8

```

---

**vocab\_b\_oct****Total obtained vocab. post-test section b**

---

```

type: numeric (double)
range: [0,16]
unique values: 31
units: .1
missing .: 277/2,818

mean: 2.18516
std. dev: 2.65675

percentiles:      10%      25%      50%      75%      90%
                  0        .5       1.5       3        5.5

```

---

**vocab\_c\_oct****Total obtained vocab. post-test section c**

---

```

type: numeric (double)
range: [0,11]
unique values: 24
units: .1
missing .: 277/2,818

mean: 1.229
std. dev: 1.49238

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3

```

---

<b>vocab_d_oct</b>	<b>Total obtained vocab. post-test section d</b>
--------------------	--

---

```

type: numeric (double)
range: [0,11.5]
unique values: 23
units: .1
missing .: 277/2,818
mean: 1.28579
std. dev: 1.68428
percentiles:      10%      25%      50%      75%      90%
                  0        0        .5        2        3.5

```

---

<b>ORF_ITEM_FEB</b>	<b>ORF ITEM LEVEL RESULTS PRE-TEST</b>
---------------------	--

---

```

type: string (str1), but longest is str0
unique values: 0
missing "": 2,818/2,818
tabulation: Freq. Value
             2,818 ""

```

---

<b>date_assessed_feb</b>	<b>Date of assessment pretest</b>
--------------------------	-----------------------------------

---

```

type: string (str10)
unique values: 19
missing "": 0/2,818
examples: "2002/07/17"
           "NA"
           "NA"
           "NA"

```

---

<b>start_time_feb</b>	<b>Time at start of Eng. ORF assessment pretest</b>
-----------------------	---

---

```

type: string (str8)
unique values: 2
missing "": 0/2,818
tabulation: Freq. Value
             733 "1.49E+12"
             2,085 "NA"

```

---

<b>class_feb</b>	<b>Class name if letter</b>
------------------	-----------------------------

---

```

type: string (str5)
unique values: 6
missing "": 0/2,818
tabulation: Freq. Value
             2,094 "NA"
             417 "a"
             180 "b"
             44 "c"
             35 "d"
             48 "other"

```

---

<b>class_other_feb</b>	<b>Other Class name</b>
------------------------	-------------------------

---

```

type: string (str24)
unique values: 7 missing "": 0/2,818
tabulation: Freq. Value
              1 "GR6A"
              32 "Gr6A"
              1 "Grade 6 has only 1 class"
              2 "K"
            2,771 "NA"
              1 "Only one Grade 6"
              10 "k"

warning: variable has embedded blanks

```

---

<b>t1_attempted_feb</b>	<b>Number of words in passage attempted - Pre-test</b>
-------------------------	--

---

```

type: numeric (int)
label: na, but 147 nonmissing values are not labeled

range: [1,202] units: 1
unique values: 147 missing .: 0/2,818
unique mv codes: 1 missing .*: 2,085/2,818

examples: 112
           .n not tested
           .n not tested
           .n not tested

```

---

<b>t1_1_feb</b>	<b>Eng. ORF Word 1 in passage read correctly==1</b>
-----------------	---

---

```

type: numeric (byte)
label: correct

range: [0,1] units: 1
unique values: 2 missing .: 0/2,818
unique mv codes: 1 missing .*: 2,085/2,818

tabulation: Freq. Numeric Label
              53      0 incorrect
              680      1 correct
            2,085      .n not tested

```

---

<b>t1_2_feb</b>	<b>Eng. ORF Word 2 in passage read correctly==1</b>
-----------------	---

---

```

type: numeric (byte)
label: correct

range: [0,1] units: 1
unique values: 2 missing .: 0/2,818
unique mv codes: 2 missing .*: 2,088/2,818

tabulation: Freq. Numeric Label
              30      0 incorrect
              700      1 correct
            2,085      .n not tested
              3      .z not attempted

```

---

<b>t1_3_feb</b>	<b>Eng. ORF Word 3 in passage read correctly==1</b>
-----------------	---

---

```

type: numeric (byte)
label: correct

```

```

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,088/2,818

    tabulation: Freq.  Numeric  Label
                41       0    incorrect
                689      1    correct
                2,085    .n   not tested
                 3       .z   not attempted

```

---

**t1\_4\_feb** **Eng. ORF Word 4 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,088/2,818

    tabulation: Freq.  Numeric  Label
                23       0    incorrect
                707      1    correct
                2,085    .n   not tested
                 3       .z   not attempted

```

---

**t1\_5\_feb** **Eng. ORF Word 5 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,091/2,818

    tabulation: Freq.  Numeric  Label
                20       0    incorrect
                707      1    correct
                2,085    .n   not tested
                 6       .z   not attempted

```

---

**t1\_6\_feb** **Eng. ORF Word 6 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,093/2,818

    tabulation: Freq.  Numeric  Label
                101      0    incorrect
                624      1    correct
                2,085    .n   not tested
                 8       .z   not attempted

```

---

**t1\_7\_feb** **Eng. ORF Word 7 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [0,1]                units: 1
    unique values: 2                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,094/2,818

```



tabulation:	Freq.	Numeric	Label
	110	0	incorrect
	614	1	correct
	2,085	.n	not tested
	9	.z	not attempted

---

**t1\_8\_feb** Eng. ORF Word 8 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,094/2,818

tabulation:	Freq.	Numeric	Label
	130	0	incorrect
	594	1	correct
	2,085	.n	not tested
	9	.z	not attempted

---

**t1\_9\_feb** Eng. ORF Word 9 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,097/2,818

tabulation:	Freq.	Numeric	Label
	57	0	incorrect
	664	1	correct
	2,085	.n	not tested
	12	.z	not attempted

---

**t1\_10\_feb** Eng. ORF Word 10 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,100/2,818

tabulation:	Freq.	Numeric	Label
	123	0	incorrect
	595	1	correct
	2,085	.n	not tested
	15	.z	not attempted

---

**t1\_11\_feb** Eng. ORF Word 11 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,101/2,818

tabulation:	Freq.	Numeric	Label
	100	0	incorrect
	617	1	correct
	2,085	.n	not tested
	16	.z	not attempted

---

t1_12_feb	Eng. ORF Word 12 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,103/2,818

tabulation:	Freq.	Numeric	Label
	82	0	incorrect
	633	1	correct
	2,085	.n	not tested
	18	.z	not attempted

---

t1_13_feb	Eng. ORF Word 13 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,109/2,818

tabulation:	Freq.	Numeric	Label
	98	0	incorrect
	611	1	correct
	2,085	.n	not tested
	24	.z	not attempted

---

t1_14_feb	Eng. ORF Word 14 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,110/2,818

tabulation:	Freq.	Numeric	Label
	9	0	incorrect
	699	1	correct
	2,085	.n	not tested
	25	.z	not attempted

---

t1_15_feb	Eng. ORF Word 15 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,111/2,818

tabulation:	Freq.	Numeric	Label
	15	0	incorrect
	692	1	correct
	2,085	.n	not tested
	26	.z	not attempted

---

**t1\_16\_feb** Eng. ORF Word 16 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,113/2,818

tabulation:	Freq.	Numeric	Label
	118	0	incorrect
	587	1	correct
	2,085	.n	not tested
	28	.z	not attempted

---

**t1\_17\_feb** Eng. ORF Word 17 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,117/2,818

tabulation:	Freq.	Numeric	Label
	23	0	incorrect
	678	1	correct
	2,085	.n	not tested
	32	.z	not attempted

---

**t1\_18\_feb** Eng. ORF Word 18 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,119/2,818

tabulation:	Freq.	Numeric	Label
	38	0	incorrect
	661	1	correct
	2,085	.n	not tested
	34	.z	not attempted

---

**t1\_19\_feb** Eng. ORF Word 19 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,124/2,818

tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	687	1	correct
	2,085	.n	not tested
	39	.z	not attempted

---

t1_20_feb	Eng. ORF Word 20 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,125/2,818

tabulation:	Freq.	Numeric	Label
	34	0	incorrect
	659	1	correct
	2,085	.n	not tested
	40	.z	not attempted

---

t1_21_feb	Eng. ORF Word 21 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,128/2,818

tabulation:	Freq.	Numeric	Label
	15	0	incorrect
	675	1	correct
	2,085	.n	not tested
	43	.z	not attempted

---

t1_22_feb	Eng. ORF Word 22 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,128/2,818

tabulation:	Freq.	Numeric	Label
	83	0	incorrect
	607	1	correct
	2,085	.n	not tested
	43	.z	not attempted

---

t1_23_feb	Eng. ORF Word 23 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,130/2,818

tabulation:	Freq.	Numeric	Label
	101	0	incorrect
	587	1	correct
	2,085	.n	not tested
	45	.z	not attempted

---

**t1\_24\_feb** Eng. ORF Word 24 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,132/2,818

tabulation:	Freq.	Numeric	Label
	13	0	incorrect
	673	1	correct
	2,085	.n	not tested
	47	.z	not attempted

---

**t1\_25\_feb** Eng. ORF Word 25 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,137/2,818

tabulation:	Freq.	Numeric	Label
	273	0	incorrect
	408	1	correct
	2,085	.n	not tested
	52	.z	not attempted

---

**t1\_26\_feb** Eng. ORF Word 26 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,138/2,818

tabulation:	Freq.	Numeric	Label
	21	0	incorrect
	659	1	correct
	2,085	.n	not tested
	53	.z	not attempted

---

**t1\_27\_feb** Eng. ORF Word 27 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,139/2,818

tabulation:	Freq.	Numeric	Label
	40	0	incorrect
	639	1	correct
	2,085	.n	not tested
	54	.z	not attempted

---

<b>t1_28_feb</b>	<b>Eng. ORF Word 28 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,139/2,818

tabulation:	Freq.	Numeric	Label
	93	0	incorrect
	586	1	correct
	2,085	.n	not tested
	54	.z	not attempted

---

<b>t1_29_feb</b>	<b>Eng. ORF Word 29 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,141/2,818

tabulation:	Freq.	Numeric	Label
	12	0	incorrect
	665	1	correct
	2,085	.n	not tested
	56	.z	not attempted

---

<b>t1_30_feb</b>	<b>Eng. ORF Word 30 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,143/2,818

tabulation:	Freq.	Numeric	Label
	20	0	incorrect
	655	1	correct
	2,085	.n	not tested
	58	.z	not attempted

---

<b>t1_31_feb</b>	<b>Eng. ORF Word 31 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,147/2,818

tabulation:	Freq.	Numeric	Label
	28	0	incorrect
	643	1	correct
	2,085	.n	not tested
	62	.z	not attempted

---

t1_32_feb	Eng. ORF Word 32 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,149/2,818

tabulation:	Freq.	Numeric	Label
	21	0	incorrect
	648	1	correct
	2,085	.n	not tested
	64	.z	not attempted

---

t1_33_feb	Eng. ORF Word 33 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,149/2,818

tabulation:	Freq.	Numeric	Label
	10	0	incorrect
	659	1	correct
	2,085	.n	not tested
	64	.z	not attempted

---

t1_34_feb	Eng. ORF Word 34 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,150/2,818

tabulation:	Freq.	Numeric	Label
	67	0	incorrect
	601	1	correct
	2,085	.n	not tested
	65	.z	not attempted

---

t1_35_feb	Eng. ORF Word 35 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,151/2,818

tabulation:	Freq.	Numeric	Label
	26	0	incorrect
	641	1	correct
	2,085	.n	not tested
	66	.z	not attempted

---

<b>t1_36_feb</b>	<b>Eng. ORF Word 36 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,154/2,818

tabulation:	Freq.	Numeric	Label
	68	0	incorrect
	596	1	correct
	2,085	.n	not tested
	69	.z	not attempted

---

<b>t1_37_feb</b>	<b>Eng. ORF Word 37 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,157/2,818

tabulation:	Freq.	Numeric	Label
	74	0	incorrect
	587	1	correct
	2,085	.n	not tested
	72	.z	not attempted

---

<b>t1_38_feb</b>	<b>Eng. ORF Word 38 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,162/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	654	1	correct
	2,085	.n	not tested
	77	.z	not attempted

---

<b>t1_39_feb</b>	<b>Eng. ORF Word 39 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,163/2,818



tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	648	1	correct
	2,085	.n	not tested
	78	.z	not attempted

---

t1_40_feb	Eng. ORF Word 40 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,168/2,818

tabulation:	Freq.	Numeric	Label
	60	0	incorrect
	590	1	correct
	2,085	.n	not tested
	83	.z	not attempted

---

t1_41_feb	Eng. ORF Word 41 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,168/2,818

tabulation:	Freq.	Numeric	Label
	82	0	incorrect
	568	1	correct
	2,085	.n	not tested
	83	.z	not attempted

---

t1_42_feb	Eng. ORF Word 42 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,171/2,818

tabulation:	Freq.	Numeric	Label
	4	0	incorrect
	643	1	correct
	2,085	.n	not tested
	86	.z	not attempted

---

t1_43_feb	Eng. ORF Word 43 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,175/2,818

tabulation:	Freq.	Numeric	Label
	4	0	incorrect
	639	1	correct
	2,085	.n	not tested
	90	.z	not attempted

---

t1_44_feb	Eng. ORF Word 44 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,175/2,818

tabulation:	Freq.	Numeric	Label
	66	0	incorrect
	577	1	correct
	2,085	.n	not tested
	90	.z	not attempted

---

t1_45_feb	Eng. ORF Word 45 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,182/2,818

tabulation:	Freq.	Numeric	Label
	16	0	incorrect
	620	1	correct
	2,085	.n	not tested
	97	.z	not attempted

---

t1_46_feb	Eng. ORF Word 46 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,182/2,818

tabulation:	Freq.	Numeric	Label
	21	0	incorrect
	615	1	correct
	2,085	.n	not tested
	97	.z	not attempted

---

t1_47_feb	Eng. ORF Word 47 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,184/2,818

tabulation:	Freq.	Numeric	Label
	41	0	incorrect
	593	1	correct
	2,085	.n	not tested
	99	.z	not attempted

---

t1_48_feb	Eng. ORF Word 48 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,187/2,818

tabulation:	Freq.	Numeric	Label
	42	0	incorrect
	589	1	correct
	2,085	.n	not tested
	102	.z	not attempted

---

t1_49_feb	Eng. ORF Word 49 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,192/2,818

tabulation:	Freq.	Numeric	Label
	98	0	incorrect
	528	1	correct
	2,085	.n	not tested
	107	.z	not attempted

---

t1_50_feb	Eng. ORF Word 50 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,196/2,818

tabulation:	Freq.	Numeric	Label
	15	0	incorrect
	607	1	correct
	2,085	.n	not tested
	111	.z	not attempted

---

t1_51_feb	Eng. ORF Word 51 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,196/2,818

tabulation:	Freq.	Numeric	Label
	18	0	incorrect
	604	1	correct
	2,085	.n	not tested
	111	.z	not attempted

---

t1_52_feb	Eng. ORF Word 52 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,198/2,818

tabulation:	Freq.	Numeric	Label
	11	0	incorrect
	609	1	correct
	2,085	.n	not tested
	113	.z	not attempted

---

t1_53_feb	Eng. ORF Word 53 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,202/2,818

tabulation:	Freq.	Numeric	Label
	6	0	incorrect
	610	1	correct
	2,085	.n	not tested
	117	.z	not attempted

---

t1_54_feb	Eng. ORF Word 54 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,203/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	613	1	correct
	2,085	.n	not tested
	118	.z	not attempted

---

t1_55_feb	Eng. ORF Word 55 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,204/2,818

tabulation:	Freq.	Numeric	Label
	35	0	incorrect
	579	1	correct
	2,085	.n	not tested
	119	.z	not attempted

---

<b>t1_56_feb</b>	<b>Eng. ORF Word 56 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,215/2,818

tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	596	1	correct
	2,085	.n	not tested
	130	.z	not attempted

---

<b>t1_57_feb</b>	<b>Eng. ORF Word 57 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,217/2,818

tabulation:	Freq.	Numeric	Label
	46	0	incorrect
	555	1	correct
	2,085	.n	not tested
	132	.z	not attempted

---

<b>t1_58_feb</b>	<b>Eng. ORF Word 58 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,219/2,818

tabulation:	Freq.	Numeric	Label
	34	0	incorrect
	565	1	correct
	2,085	.n	not tested
	134	.z	not attempted

---

<b>t1_59_feb</b>	<b>Eng. ORF Word 59 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,221/2,818

tabulation:	Freq.	Numeric	Label
	5	0	incorrect
	592	1	correct
	2,085	.n	not tested
	136	.z	not attempted

---

t1_60_feb	Eng. ORF Word 60 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,223/2,818

tabulation:	Freq.	Numeric	Label
	8	0	incorrect
	587	1	correct
	2,085	.n	not tested
	138	.z	not attempted

---

t1_61_feb	Eng. ORF Word 61 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,225/2,818

tabulation:	Freq.	Numeric	Label
	60	0	incorrect
	533	1	correct
	2,085	.n	not tested
	140	.z	not attempted

---

t1_62_feb	Eng. ORF Word 62 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,236/2,818

tabulation:	Freq.	Numeric	Label
	21	0	incorrect
	561	1	correct
	2,085	.n	not tested
	151	.z	not attempted

---

t1_63_feb	Eng. ORF Word 63 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,244/2,818

tabulation:	Freq.	Numeric	Label
	43	0	incorrect
	531	1	correct
	2,085	.n	not tested
	159	.z	not attempted

---

t1_64_feb	Eng. ORF Word 64 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,251/2,818

tabulation:	Freq.	Numeric	Label
	13	0	incorrect
	554	1	correct
	2,085	.n	not tested
	166	.z	not attempted

---

t1_65_feb	Eng. ORF Word 65 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,255/2,818

tabulation:	Freq.	Numeric	Label
	8	0	incorrect
	555	1	correct
	2,085	.n	not tested
	170	.z	not attempted

---

t1_66_feb	Eng. ORF Word 66 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,265/2,818

tabulation:	Freq.	Numeric	Label
	100	0	incorrect
	453	1	correct
	2,085	.n	not tested
	180	.z	not attempted

---

t1_67_feb	Eng. ORF Word 67 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,279/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	538	1	correct
	2,085	.n	not tested
	194	.z	not attempted

---

<b>t1_68_feb</b>	<b>Eng. ORF Word 68 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,284/2,818

tabulation:	Freq.	Numeric	Label
	6	0	incorrect
	528	1	correct
	2,085	.n	not tested
	199	.z	not attempted

---

<b>t1_69_feb</b>	<b>Eng. ORF Word 69 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,289/2,818

tabulation:	Freq.	Numeric	Label
	84	0	incorrect
	445	1	correct
	2,085	.n	not tested
	204	.z	not attempted

---

<b>t1_70_feb</b>	<b>Eng. ORF Word 70 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,300/2,818

tabulation:	Freq.	Numeric	Label
	131	0	incorrect
	387	1	correct
	2,085	.n	not tested
	215	.z	not attempted

---

<b>t1_71_feb</b>	<b>Eng. ORF Word 71 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,327/2,818



tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	489	1	correct
	2,085	.n	not tested
	242	.z	not attempted

---

t1_72_feb	Eng. ORF Word 72 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,340/2,818

tabulation:	Freq.	Numeric	Label
	10	0	incorrect
	468	1	correct
	2,085	.n	not tested
	255	.z	not attempted

---

t1_73_feb	Eng. ORF Word 73 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,343/2,818

tabulation:	Freq.	Numeric	Label
	14	0	incorrect
	461	1	correct
	2,085	.n	not tested
	258	.z	not attempted

---

t1_74_feb	Eng. ORF Word 74 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,348/2,818

tabulation:	Freq.	Numeric	Label
	16	0	incorrect
	454	1	correct
	2,085	.n	not tested
	263	.z	not attempted

---

t1_75_feb	Eng. ORF Word 75 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,350/2,818

tabulation:	Freq.	Numeric	Label
	55	0	incorrect
	413	1	correct
	2,085	.n	not tested
	265	.z	not attempted

---

t1_76_feb	Eng. ORF Word 76 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,366/2,818

tabulation:	Freq.	Numeric	Label
	16	0	incorrect
	436	1	correct
	2,085	.n	not tested
	281	.z	not attempted

---

t1_77_feb	Eng. ORF Word 77 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,373/2,818

tabulation:	Freq.	Numeric	Label
	18	0	incorrect
	427	1	correct
	2,085	.n	not tested
	288	.z	not attempted

---

t1_78_feb	Eng. ORF Word 78 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,375/2,818

tabulation:	Freq.	Numeric	Label
	10	0	incorrect
	433	1	correct
	2,085	.n	not tested
	290	.z	not attempted

---

t1_79_feb	Eng. ORF Word 79 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,388/2,818

tabulation:	Freq.	Numeric	Label
	19	0	incorrect
	411	1	correct
	2,085	.n	not tested
	303	.z	not attempted

---

t1_80_feb	Eng. ORF Word 80 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,395/2,818

tabulation:	Freq.	Numeric	Label
	37	0	incorrect
	386	1	correct
	2,085	.n	not tested
	310	.z	not attempted

---

t1_81_feb	Eng. ORF Word 81 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,399/2,818

tabulation:	Freq.	Numeric	Label
	42	0	incorrect
	377	1	correct
	2,085	.n	not tested
	314	.z	not attempted

---

t1_82_feb	Eng. ORF Word 82 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,411/2,818

tabulation:	Freq.	Numeric	Label
	9	0	incorrect
	398	1	correct
	2,085	.n	not tested
	326	.z	not attempted

---

t1_83_feb	Eng. ORF Word 83 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,417/2,818

tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	394	1	correct
	2,085	.n	not tested
	332	.z	not attempted

---

t1_84_feb	Eng. ORF Word 84 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,436/2,818

tabulation:	Freq.	Numeric	Label
	20	0	incorrect
	362	1	correct
	2,085	.n	not tested
	351	.z	not attempted

---

t1_85_feb	Eng. ORF Word 85 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,446/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	369	1	correct
	2,085	.n	not tested
	361	.z	not attempted

---

t1_86_feb	Eng. ORF Word 86 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,454/2,818

tabulation:	Freq.	Numeric	Label
	73	0	incorrect
	291	1	correct
	2,085	.n	not tested
	369	.z	not attempted

---

t1_87_feb	Eng. ORF Word 87 in passage read correctly==1
-----------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,470/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	345	1	correct
	2,085	.n	not tested
	385	.z	not attempted

---

t1_88_feb	Eng. ORF Word 88 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,473/2,818

tabulation:	Freq.	Numeric	Label
	9	0	incorrect
	336	1	correct
	2,085	.n	not tested
	388	.z	not attempted

---

t1_89_feb	Eng. ORF Word 89 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,482/2,818

tabulation:	Freq.	Numeric	Label
	5	0	incorrect
	331	1	correct
	2,085	.n	not tested
	397	.z	not attempted

---

t1_90_feb	Eng. ORF Word 90 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,490/2,818

tabulation:	Freq.	Numeric	Label
	20	0	incorrect
	308	1	correct
	2,085	.n	not tested
	405	.z	not attempted

---

t1_91_feb	Eng. ORF Word 91 in passage read correctly==1
-----------	---

---

type:	numeric (byte)
label:	correct
range:	[0,1]
unique values:	2
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,495/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	320	1	correct
	2,085	.n	not tested
	410	.z	not attempted

---

**t1\_92\_feb** Eng. ORF Word 92 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,517/2,818

tabulation:	Freq.	Numeric	Label
	4	0	incorrect
	297	1	correct
	2,085	.n	not tested
	432	.z	not attempted

---

**t1\_93\_feb** Eng. ORF Word 93 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,523/2,818

tabulation:	Freq.	Numeric	Label
	4	0	incorrect
	291	1	correct
	2,085	.n	not tested
	438	.z	not attempted

---

**t1\_94\_feb** Eng. ORF Word 94 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,529/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	286	1	correct
	2,085	.n	not tested
	444	.z	not attempted

---

**t1\_95\_feb** Eng. ORF Word 95 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,536/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	280	1	correct
	2,085	.n	not tested
	451	.z	not attempted

---

<b>t1_96_feb</b>	<b>Eng. ORF Word 96 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,538/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	277	1	correct
	2,085	.n	not tested
	453	.z	not attempted

---

<b>t1_97_feb</b>	<b>Eng. ORF Word 97 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,541/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	274	1	correct
	2,085	.n	not tested
	456	.z	not attempted

---

<b>t1_98_feb</b>	<b>Eng. ORF Word 98 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,544/2,818

tabulation:	Freq.	Numeric	Label
	4	0	incorrect
	270	1	correct
	2,085	.n	not tested
	459	.z	not attempted

---

<b>t1_99_feb</b>	<b>Eng. ORF Word 99 in passage read correctly==1</b>
------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,547/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	269	1	correct
	2,085	.n	not tested
	462	.z	not attempted

---

**t1\_100\_feb** Eng. ORF Word 100 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,553/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	262	1	correct
	2,085	.n	not tested
	468	.z	not attempted

---

**t1\_101\_feb** Eng. ORF Word 101 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,556/2,818

tabulation:	Freq.	Numeric	Label
	8	0	incorrect
	254	1	correct
	2,085	.n	not tested
	471	.z	not attempted

---

**t1\_102\_feb** Eng. ORF Word 102 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,556/2,818

tabulation:	Freq.	Numeric	Label
	11	0	incorrect
	251	1	correct
	2,085	.n	not tested
	471	.z	not attempted

---

**t1\_103\_feb** Eng. ORF Word 103 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,571/2,818



tabulation:	Freq.	Numeric	Label
	6	0	incorrect
	241	1	correct
	2,085	.n	not tested
	486	.z	not attempted

---

**t1\_104\_feb** Eng. ORF Word 104 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,579/2,818

tabulation:	Freq.	Numeric	Label
	6	0	incorrect
	233	1	correct
	2,085	.n	not tested
	494	.z	not attempted

---

**t1\_105\_feb** Eng. ORF Word 105 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,583/2,818

tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	228	1	correct
	2,085	.n	not tested
	498	.z	not attempted

---

**t1\_106\_feb** Eng. ORF Word 106 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,591/2,818

tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	220	1	correct
	2,085	.n	not tested
	506	.z	not attempted

---

**t1\_107\_feb** Eng. ORF Word 107 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,599/2,818

tabulation:	Freq.	Numeric	Label
	8	0	incorrect
	211	1	correct
	2,085	.n	not tested
	514	.z	not attempted

---

t1_108_feb	Eng. ORF Word 108 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,601/2,818

tabulation:	Freq.	Numeric	Label
	25	0	incorrect
	192	1	correct
	2,085	.n	not tested
	516	.z	not attempted

---

t1_109_feb	Eng. ORF Word 109 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,609/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	207	1	correct
	2,085	.n	not tested
	524	.z	not attempted

---

t1_110_feb	Eng. ORF Word 110 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,628/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	187	1	correct
	2,085	.n	not tested
	543	.z	not attempted

---

t1_111_feb	Eng. ORF Word 111 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,634/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	182	1	correct
	2,085	.n	not tested
	549	.z	not attempted

---

**t1\_112\_feb** Eng. ORF Word 112 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,635/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	181	1	correct
	2,085	.n	not tested
	550	.z	not attempted

---

**t1\_113\_feb** Eng. ORF Word 113 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,651/2,818

tabulation:	Freq.	Numeric	Label
	4	0	incorrect
	163	1	correct
	2,085	.n	not tested
	566	.z	not attempted

---

**t1\_114\_feb** Eng. ORF Word 114 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,655/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	161	1	correct
	2,085	.n	not tested
	570	.z	not attempted

---

**t1\_115\_feb** Eng. ORF Word 115 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,657/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	159	1	correct
	2,085	.n	not tested
	572	.z	not attempted

---

**t1\_116\_feb** Eng. ORF Word 116 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,660/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	155	1	correct
	2,085	.n	not tested
	575	.z	not attempted

---

**t1\_117\_feb** Eng. ORF Word 117 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,664/2,818

tabulation:	Freq.	Numeric	Label
	8	0	incorrect
	146	1	correct
	2,085	.n	not tested
	579	.z	not attempted

---

**t1\_118\_feb** Eng. ORF Word 118 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,669/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	146	1	correct
	2,085	.n	not tested
	584	.z	not attempted

---

**t1\_119\_feb** Eng. ORF Word 119 in passage read correctly==1


---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,669/2,818

tabulation:	Freq.	Numeric	Label
	9	0	incorrect
	140	1	correct
	2,085	.n	not tested
	584	.z	not attempted

---

**t1\_120\_feb** **Eng. ORF Word 120 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,689/2,818

  

tabulation:	Freq.	Numeric	Label
	129	1	correct
	2,085	.n	not tested
	604	.z	not attempted

---

**t1\_121\_feb** **Eng. ORF Word 121 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,690/2,818

  

tabulation:	Freq.	Numeric	Label
	7	0	incorrect
	121	1	correct
	2,085	.n	not tested
	605	.z	not attempted

---

**t1\_122\_feb** **Eng. ORF Word 122 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,695/2,818

  

tabulation:	Freq.	Numeric	Label
	5	0	incorrect
	118	1	correct
	2,085	.n	not tested
	610	.z	not attempted

---

**t1\_123\_feb** **Eng. ORF Word 123 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,702/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	114	1	correct
	2,085	.n	not tested
	617	.z	not attempted

---

t1_124_feb	Eng. ORF Word 124 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,703/2,818

tabulation:	Freq.	Numeric	Label
	2	0	incorrect
	113	1	correct
	2,085	.n	not tested
	618	.z	not attempted

---

t1_125_feb	Eng. ORF Word 125 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,705/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	112	1	correct
	2,085	.n	not tested
	620	.z	not attempted

---

t1_126_feb	Eng. ORF Word 126 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,705/2,818

tabulation:	Freq.	Numeric	Label
	113	1	correct
	2,085	.n	not tested
	620	.z	not attempted

---

t1_127_feb	Eng. ORF Word 127 in passage read correctly==1
------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/2,818
unique mv codes:	2	missing .*: 2,725/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	92	1	correct
	2,085	.n	not tested
	640	.z	not attempted

---

**t1\_128\_feb** Eng. ORF Word 128 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,729/2,818

  

tabulation:	Freq.	Numeric	Label
	89	1	correct
	2,085	.n	not tested
	644	.z	not attempted

---

**t1\_129\_feb** Eng. ORF Word 129 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,729/2,818

  

tabulation:	Freq.	Numeric	Label
	89	1	correct
	2,085	.n	not tested
	644	.z	not attempted

---

**t1\_130\_feb** Eng. ORF Word 130 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,732/2,818

  

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	85	1	correct
	2,085	.n	not tested
	647	.z	not attempted

---

**t1\_131\_feb** Eng. ORF Word 131 in passage read correctly==1


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	0/2,818
unique mv codes:	2	missing .*:	2,735/2,818

  

tabulation:	Freq.	Numeric	Label
	83	1	correct
	2,085	.n	not tested
	650	.z	not attempted

---

**t1\_132\_feb** Eng. ORF Word 132 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,738/2,818

      tabulation: Freq.  Numeric  Label
                   80      1 correct
                   2,085    .n not tested
                   653     .z not attempted

```

---

**t1\_133\_feb** Eng. ORF Word 133 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,741/2,818

      tabulation: Freq.  Numeric  Label
                   2      0 incorrect
                   75     1 correct
                   2,085   .n not tested
                   656     .z not attempted

```

---

**t1\_134\_feb** Eng. ORF Word 134 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,742/2,818

      tabulation: Freq.  Numeric  Label
                   1      0 incorrect
                   75     1 correct
                   2,085   .n not tested
                   657     .z not attempted

```

---

**t1\_135\_feb** Eng. ORF Word 135 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,755/2,818

      tabulation: Freq.  Numeric  Label
                   10     0 incorrect
                   53     1 correct
                   2,085   .n not tested
                   670     .z not attempted

```

---

**t1\_136\_feb** Eng. ORF Word 136 in passage read correctly==1

---



```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/2,818
missing .*: 2,764/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          0 incorrect
              53          1 correct
            2,085          .n not tested
              679          .z not attempted

```

---

**t1\_137\_feb** **Eng. ORF Word 137 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/2,818
missing .*: 2,764/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          0 incorrect
              53          1 correct
            2,085          .n not tested
              679          .z not attempted

```

---

**t1\_138\_feb** **Eng. ORF Word 138 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/2,818
missing .*: 2,764/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          0 incorrect
              53          1 correct
            2,085          .n not tested
              679          .z not attempted

```

---

**t1\_139\_feb** **Eng. ORF Word 139 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
units: 1
missing .: 0/2,818
missing .*: 2,765/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          0 incorrect
              52          1 correct
            2,085          .n not tested
              680          .z not attempted

```

---

**t1\_140\_feb** **Eng. ORF Word 140 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,765/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  1          0 incorrect
                  52          1 correct
                2,085        .n not tested
                  680        .z not attempted

```

---

**t1\_141\_feb** **Eng. ORF Word 141 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,769/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  1          0 incorrect
                  48          1 correct
                2,085        .n not tested
                  684        .z not attempted

```

---

**t1\_142\_feb** **Eng. ORF Word 142 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,776/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  2          0 incorrect
                 40          1 correct
                2,085        .n not tested
                 691        .z not attempted

```

---

**t1\_143\_feb** **Eng. ORF Word 143 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,778/2,818

```

```

    tabulation: Freq.  Numeric  Label
                 40          1 correct
                2,085        .n not tested
                 693        .z not attempted

```

---

**t1\_144\_feb** **Eng. ORF Word 144 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,781/2,818

```

```

tabulation:  Freq.  Numeric  Label
              37      1 correct
            2,085    .n not tested
              696    .z not attempted

```

---

**t1\_145\_feb** **Eng. ORF Word 145 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2

                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,782/2,818

      tabulation:  Freq.  Numeric  Label
                    36      1 correct
                  2,085    .n not tested
                    697    .z not attempted

```

---

**t1\_146\_feb** **Eng. ORF Word 146 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2

                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,785/2,818

      tabulation:  Freq.  Numeric  Label
                    33      1 correct
                  2,085    .n not tested
                    700    .z not attempted

```

---

**t1\_147\_feb** **Eng. ORF Word 147 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2

                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,786/2,818

      tabulation:  Freq.  Numeric  Label
                    1      0 incorrect
                    31      1 correct
                  2,085    .n not tested
                    701    .z not attempted

```

---

**t1\_148\_feb** **Eng. ORF Word 148 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2

                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,789/2,818

      tabulation:  Freq.  Numeric  Label
                    29      1 correct
                  2,085    .n not tested
                    704    .z not attempted

```

---

**t1\_149\_feb** Eng. ORF Word 149 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,790/2,818

      tabulation: Freq.   Numeric   Label
                   28         1 correct
                   2,085       .n not tested
                   705         .z not attempted

```

---

**t1\_150\_feb** Eng. ORF Word 150 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,791/2,818

      tabulation: Freq.   Numeric   Label
                   27         1 correct
                   2,085       .n not tested
                   706         .z not attempted

```

---

**t1\_151\_feb** Eng. ORF Word 151 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,792/2,818

      tabulation: Freq.   Numeric   Label
                   26         1 correct
                   2,085       .n not tested
                   707         .z not attempted

```

---

**t1\_152\_feb** Eng. ORF Word 152 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,796/2,818

      tabulation: Freq.   Numeric   Label
                   22         1 correct
                   2,085       .n not tested
                   711         .z not attempted

```

---

**t1\_153\_feb** Eng. ORF Word 153 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,796/2,818

```

```

    tabulation: Freq.  Numeric  Label
                22      1 correct
                2,085  .n not tested
                711    .z not attempted

```

---

**t1\_154\_feb** **Eng. ORF Word 154 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,796/2,818

```

```

    tabulation: Freq.  Numeric  Label
                22      1 correct
                2,085  .n not tested
                711    .z not attempted

```

---

**t1\_155\_feb** **Eng. ORF Word 155 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,796/2,818

```

```

    tabulation: Freq.  Numeric  Label
                22      1 correct
                2,085  .n not tested
                711    .z not attempted

```

---

**t1\_156\_feb** **Eng. ORF Word 156 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,797/2,818

```

```

    tabulation: Freq.  Numeric  Label
                2       0 incorrect
                19      1 correct
                2,085  .n not tested
                712    .z not attempted

```

---

**t1\_157\_feb** **Eng. ORF Word 157 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                    missing .*: 2,800/2,818

```

tabulation:	Freq.	Numeric	Label
	18	1	correct
	2,085	.n	not tested
	715	.z	not attempted

---

<b>t1_158_feb</b>	<b>Eng. ORF Word 158 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,800/2,818

  

tabulation:	Freq.	Numeric	Label
	18	1	correct
	2,085	.n	not tested
	715	.z	not attempted

---

<b>t1_159_feb</b>	<b>Eng. ORF Word 159 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,802/2,818

  

tabulation:	Freq.	Numeric	Label
	16	1	correct
	2,085	.n	not tested
	717	.z	not attempted

---

<b>t1_160_feb</b>	<b>Eng. ORF Word 160 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,802/2,818

  

tabulation:	Freq.	Numeric	Label
	16	1	correct
	2,085	.n	not tested
	717	.z	not attempted

---

<b>t1_161_feb</b>	<b>Eng. ORF Word 161 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,803/2,818

  

tabulation:	Freq.	Numeric	Label
	15	1	correct
	2,085	.n	not tested
	718	.z	not attempted

---

**t1\_162\_feb** Eng. ORF Word 162 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,805/2,818

      tabulation: Freq.  Numeric  Label
                   13         1  correct
                   2,085       .n  not tested
                   720         .z  not attempted

```

---

**t1\_163\_feb** Eng. ORF Word 163 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,805/2,818

      tabulation: Freq.  Numeric  Label
                   13         1  correct
                   2,085       .n  not tested
                   720         .z  not attempted

```

---

**t1\_164\_feb** Eng. ORF Word 164 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,805/2,818

      tabulation: Freq.  Numeric  Label
                   13         1  correct
                   2,085       .n  not tested
                   720         .z  not attempted

```

---

**t1\_165\_feb** Eng. ORF Word 165 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,805/2,818

      tabulation: Freq.  Numeric  Label
                   13         1  correct
                   2,085       .n  not tested
                   720         .z  not attempted

```

---

**t1\_166\_feb** Eng. ORF Word 166 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,805/2,818

    tabulation: Freq.  Numeric  Label
                13         1  correct
                2,085      .n  not tested
                720         .z  not attempted

```

---

**t1\_167\_feb** **Eng. ORF Word 167 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,805/2,818

    tabulation: Freq.  Numeric  Label
                13         1  correct
                2,085      .n  not tested
                720         .z  not attempted

```

---

**t1\_168\_feb** **Eng. ORF Word 168 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,809/2,818

    tabulation: Freq.  Numeric  Label
                9         1  correct
                2,085      .n  not tested
                724         .z  not attempted

```

---

**t1\_169\_feb** **Eng. ORF Word 169 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,809/2,818

    tabulation: Freq.  Numeric  Label
                9         1  correct
                2,085      .n  not tested
                724         .z  not attempted

```

---

**t1\_170\_feb** **Eng. ORF Word 170 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,809/2,818

```



tabulation:	Freq.	Numeric	Label
	9	1	correct
	2,085	.n	not tested
	724	.z	not attempted

---

<b>t1_171_feb</b>	<b>Eng. ORF Word 171 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,809/2,818

tabulation:	Freq.	Numeric	Label
	9	1	correct
	2,085	.n	not tested
	724	.z	not attempted

---

<b>t1_172_feb</b>	<b>Eng. ORF Word 172 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,809/2,818

tabulation:	Freq.	Numeric	Label
	9	1	correct
	2,085	.n	not tested
	724	.z	not attempted

---

<b>t1_173_feb</b>	<b>Eng. ORF Word 173 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,809/2,818

tabulation:	Freq.	Numeric	Label
	9	1	correct
	2,085	.n	not tested
	724	.z	not attempted

---

<b>t1_174_feb</b>	<b>Eng. ORF Word 174 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
units:	1
missing .:	0/2,818
missing .*:	2,811/2,818

tabulation:	Freq.	Numeric	Label
	7	1	correct
	2,085	.n	not tested
	726	.z	not attempted

---

**t1\_175\_feb** Eng. ORF Word 175 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,812/2,818

      tabulation: Freq.  Numeric  Label
                   6         1  correct
                   2,085      .n  not tested
                   727      .z  not attempted

```

---

**t1\_176\_feb** Eng. ORF Word 176 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,812/2,818

      tabulation: Freq.  Numeric  Label
                   6         1  correct
                   2,085      .n  not tested
                   727      .z  not attempted

```

---

**t1\_177\_feb** Eng. ORF Word 177 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,812/2,818

      tabulation: Freq.  Numeric  Label
                   6         1  correct
                   2,085      .n  not tested
                   727      .z  not attempted

```

---

**t1\_178\_feb** Eng. ORF Word 178 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,812/2,818

      tabulation: Freq.  Numeric  Label
                   6         1  correct
                   2,085      .n  not tested
                   727      .z  not attempted

```

---

**t1\_179\_feb** Eng. ORF Word 179 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [0,1]                      units: 1
    unique values: 2                      missing .: 0/2,818
    unique mv codes: 2                  missing .*: 2,812/2,818

    tabulation: Freq.   Numeric   Label
                  1           0 incorrect
                  5           1 correct
                2,085         .n not tested
                  727         .z not attempted

```

---

**t1\_180\_feb** **Eng. ORF Word 180 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                  missing .*: 2,813/2,818

    tabulation: Freq.   Numeric   Label
                  5           1 correct
                2,085         .n not tested
                  728         .z not attempted

```

---

**t1\_181\_feb** **Eng. ORF Word 181 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                  missing .*: 2,813/2,818

    tabulation: Freq.   Numeric   Label
                  5           1 correct
                2,085         .n not tested
                  728         .z not attempted

```

---

**t1\_182\_feb** **Eng. ORF Word 182 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                  missing .*: 2,813/2,818

    tabulation: Freq.   Numeric   Label
                  5           1 correct
                2,085         .n not tested
                  728         .z not attempted

```

---

**t1\_183\_feb** **Eng. ORF Word 183 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 0/2,818
    unique mv codes: 2                  missing .*: 2,813/2,818

```

tabulation:	Freq.	Numeric	Label
	5	1	correct
	2,085	.n	not tested
	728	.z	not attempted

---

<b>t1_184_feb</b>	<b>Eng. ORF Word 184 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,813/2,818

  

tabulation:	Freq.	Numeric	Label
	5	1	correct
	2,085	.n	not tested
	728	.z	not attempted

---

<b>t1_185_feb</b>	<b>Eng. ORF Word 185 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,813/2,818

  

tabulation:	Freq.	Numeric	Label
	5	1	correct
	2,085	.n	not tested
	728	.z	not attempted

---

<b>t1_186_feb</b>	<b>Eng. ORF Word 186 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,813/2,818

  

tabulation:	Freq.	Numeric	Label
	5	1	correct
	2,085	.n	not tested
	728	.z	not attempted

---

<b>t1_187_feb</b>	<b>Eng. ORF Word 187 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,814/2,818

  

tabulation:	Freq.	Numeric	Label
	4	1	correct
	2,085	.n	not tested
	729	.z	not attempted

---

**t1\_188\_feb** **Eng. ORF Word 188 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,814/2,818

      tabulation: Freq.  Numeric  Label
                   4          1  correct
                   2,085      .n  not tested
                   729          .z  not attempted

```

---

**t1\_189\_feb** **Eng. ORF Word 189 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,815/2,818

      tabulation: Freq.  Numeric  Label
                   3          1  correct
                   2,085      .n  not tested
                   730          .z  not attempted

```

---

**t1\_190\_feb** **Eng. ORF Word 190 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,815/2,818

      tabulation: Freq.  Numeric  Label
                   3          1  correct
                   2,085      .n  not tested
                   730          .z  not attempted

```

---

**t1\_191\_feb** **Eng. ORF Word 191 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/2,818
unique mv codes: 2                    missing .*: 2,815/2,818

      tabulation: Freq.  Numeric  Label
                   3          1  correct
                   2,085      .n  not tested
                   730          .z  not attempted

```

---

**t1\_192\_feb** **Eng. ORF Word 192 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,815/2,818

    tabulation: Freq.  Numeric  Label
                  3          1 correct
                2,085      .n not tested
                  730      .z not attempted

```

---

**t1\_193\_feb** **Eng. ORF Word 193 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,815/2,818

    tabulation: Freq.  Numeric  Label
                  3          1 correct
                2,085      .n not tested
                  730      .z not attempted

```

---

**t1\_194\_feb** **Eng. ORF Word 194 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,815/2,818

    tabulation: Freq.  Numeric  Label
                  3          1 correct
                2,085      .n not tested
                  730      .z not attempted

```

---

**t1\_195\_feb** **Eng. ORF Word 195 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,815/2,818

    tabulation: Freq.  Numeric  Label
                  3          1 correct
                2,085      .n not tested
                  730      .z not attempted

```

---

**t1\_196\_feb** **Eng. ORF Word 196 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                units: 1
    unique values: 1                missing .: 0/2,818
    unique mv codes: 2            missing .*: 2,815/2,818

```

tabulation:	Freq.	Numeric	Label
	3	1	correct
	2,085	.n	not tested
	730	.z	not attempted

---

<b>t1_197_feb</b>	<b>Eng. ORF Word 197 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,815/2,818

  

tabulation:	Freq.	Numeric	Label
	3	1	correct
	2,085	.n	not tested
	730	.z	not attempted

---

<b>t1_198_feb</b>	<b>Eng. ORF Word 198 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,816/2,818

  

tabulation:	Freq.	Numeric	Label
	2	1	correct
	2,085	.n	not tested
	731	.z	not attempted

---

<b>t1_199_feb</b>	<b>Eng. ORF Word 199 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,816/2,818

  

tabulation:	Freq.	Numeric	Label
	2	1	correct
	2,085	.n	not tested
	731	.z	not attempted

---

<b>t1_200_feb</b>	<b>Eng. ORF Word 200 in passage read correctly==1</b>
-------------------	---

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	2
	units: 1
	missing .: 0/2,818
	missing .*: 2,816/2,818

  

tabulation:	Freq.	Numeric	Label
	2	1	correct
	2,085	.n	not tested
	731	.z	not attempted

---

**t1\_201\_feb** **Eng. ORF Word 201 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,816/2,818

      tabulation: Freq.   Numeric   Label
                   2         1   correct
                2,085       .n   not tested
                   731       .z   not attempted

```

---

**t1\_202\_feb** **Eng. ORF Word 202 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 2
                        units: 1
                        missing .: 0/2,818
                        missing .*: 2,816/2,818

      tabulation: Freq.   Numeric   Label
                   2         1   correct
                2,085       .n   not tested
                   731       .z   not attempted

```

---

**comp1\_feb** **Gr6. Eng ORF comp. pretest Q1 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,111/2,818

      tabulation: Freq.   Numeric   Label
                   46         0   incorrect
                   661        1   correct
                2,111        .

```

---

**comp2\_feb** **Gr6. Eng ORF comp. pretest Q2 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,175/2,818

      tabulation: Freq.   Numeric   Label
                   314         0   incorrect
                   329        1   correct
                2,175        .

```

---

**comp3\_feb** **Gr6. Eng ORF comp. pretest Q3 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,223/2,818

```



tabulation:	Freq.	Numeric	Label
	288	0	incorrect
	307	1	correct
	2,223	.	

---

**comp4\_feb** Gr6. Eng ORF comp. pretest Q4 correct==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units: 1	
unique values:	2	missing .: 2,436/2,818	
tabulation:	Freq.	Numeric	Label
	123	0	incorrect
	259	1	correct
	2,436	.	

---

**comp5\_feb** Gr6. Eng ORF comp. pretest Q5 correct==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units: 1	
unique values:	2	missing .: 2,556/2,818	
tabulation:	Freq.	Numeric	Label
	174	0	incorrect
	88	1	correct
	2,556	.	

---

**comp6\_feb** Gr6. Eng ORF comp. pretest Q6 correct==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units: 1	
unique values:	2	missing .: 2,689/2,818	
tabulation:	Freq.	Numeric	Label
	13	0	incorrect
	116	1	correct
	2,689	.	

---

**comp7\_feb** Gr6. Eng ORF comp. pretest Q7 correct==1


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units: 1	
unique values:	2	missing .: 2,805/2,818	
tabulation:	Freq.	Numeric	Label
	6	0	incorrect
	7	1	correct
	2,805	.	

---

**comp8\_feb** Gr6. Eng ORF comp. pretest Q8 correct==1


---

type:	numeric (byte)
label:	correct

```

range: [0,1]
unique values: 2
units: 1
missing .: 2,813/2,818

tabulation: Freq.  Numeric  Label
              2         0  incorrect
              3         1  correct
            2,813         .

```

---

**end\_time\_feb** **Time at end of Eng. ORF assessment pretest**

---

```

type: string (str8)
unique values: 2
missing "": 0/2,818

tabulation: Freq.  Value
              733  "1.49E+12"
            2,085  "NA"

```

---

**ORF\_ITEM\_AFR\_OCT** **AFRICAN ORF ITEM LEVEL RESULTS POST-TEST**

---

```

type: string (str1), but longest is str0
unique values: 0
missing "": 2,818/2,818

tabulation: Freq.  Value
            2,818  ""

```

---

**date\_assessed\_af\_oct** **Date of post-test assessment**

---

```

type: string (str10)
unique values: 15
missing "": 1/2,818

examples: "2017/10/31"
          "NA"
          "NA"
          "NA"

```

---

**start\_time\_af\_oct** **Time at start of Afr. lang ORF assessment posttest**

---

```

type: string (str11)
unique values: 30
missing "": 1/2,818

examples: "1.50944E+12"
          "NA"
          "NA"
          "NA"

```

---

**assess\_time\_af\_oct** **Total assessment time for African lang ORF post-test**

---

```

type: string (str8)
unique values: 231
missing "": 1/2,818

examples: "14:03:00"
          "NA"
          "NA"
          "NA"

```

---

**t1\_time\_remain\_af\_oct**                      **Time remaining on african lang ORF assessment posttest**


---

```

type: string (str2)
unique values: 6                               missing "": 1/2,818
tabulation: Freq. Value
              1      ""
              595    "0"
              1      "25"
              1      "30"
              1      "34"
              1      "35"
            2,218    "NA"

```

---

**t1\_attempted\_af\_oct**                      **Number of words attempted post-test**


---

```

type: numeric (int)
range: [1,166]                                units: 1
unique values: 103                            missing .: 1/2,818
unique mv codes: 2                            missing .*: 2,218/2,818

mean: 54.9232
std. dev: 28.5431

percentiles:      10%      25%      50%      75%      90%
                  27       34       51       66       86

```

---

**t1\_1\_af\_oct**                      **African lang. ORF Word 1 in passage read correctly==1**


---

```

type: numeric (byte)
label: correct
range: [0,1]                                units: 1
unique values: 2                            missing .: 1/2,818
unique mv codes: 2                            missing .*: 2,218/2,818

tabulation: Freq. Numeric Label
              106      0 incorrect
              493      1 correct
              1        .
            2,218      .n not tested

```

---

**t1\_2\_af\_oct**                      **African lang. ORF Word 2 in passage read correctly==1**


---

```

type: numeric (byte)
label: correct
range: [0,1]                                units: 1
unique values: 2                            missing .: 1/2,818
unique mv codes: 3                            missing .*: 2,219/2,818

tabulation: Freq. Numeric Label
              23      0 incorrect
              575      1 correct
              1        .
            2,218      .n not tested
              1        .z not attempted

```

---

**t1\_3\_af\_oct**                      **African lang. ORF Word 3 in passage read correctly==1**


---





```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,231/2,818

```

```

tabulation: Freq.   Numeric   Label
              29           0 incorrect
              557          1 correct
               1           .
            2,218          .n not tested
               13          .z not attempted

```

---

**t1\_12\_af\_oct**                      **African lang. ORF Word 12 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,234/2,818

```

```

tabulation: Freq.   Numeric   Label
              56           0 incorrect
              527          1 correct
               1           .
            2,218          .n not tested
               16          .z not attempted

```

---

**t1\_13\_af\_oct**                      **African lang. ORF Word 13 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,234/2,818

```

```

tabulation: Freq.   Numeric   Label
              41           0 incorrect
              542          1 correct
               1           .
            2,218          .n not tested
               16          .z not attempted

```

---

**t1\_14\_af\_oct**                      **African lang. ORF Word 14 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,236/2,818

```

```

tabulation: Freq.   Numeric   Label
              33           0 incorrect
              548          1 correct
               1           .
            2,218          .n not tested
               18          .z not attempted

```

---

**t1\_15\_af\_oct**                      **African lang. ORF Word 15 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,239/2,818

```

```

tabulation: Freq.   Numeric   Label
             68         0 incorrect
             510        1 correct
              1         .
            2,218        .n not tested
              21         .z not attempted

```

---

**t1\_16\_af\_oct**                      **African lang. ORF Word 16 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,241/2,818

```

```

tabulation: Freq.   Numeric   Label
             43         0 incorrect
             533        1 correct
              1         .
            2,218        .n not tested
              23         .z not attempted

```

---

**t1\_17\_af\_oct**                      **African lang. ORF Word 17 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,244/2,818

```

```

tabulation: Freq.   Numeric   Label
             10         0 incorrect
             563        1 correct
              1         .
            2,218        .n not tested
              26         .z not attempted

```

---

**t1\_18\_af\_oct**                      **African lang. ORF Word 18 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,248/2,818

```

```

tabulation: Freq.   Numeric   Label
             14         0 incorrect
             555        1 correct
              1         .
            2,218        .n not tested
              30         .z not attempted

```

---

**t1\_19\_af\_oct**                      **African lang. ORF Word 19 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,250/2,818

```

```

tabulation: Freq.   Numeric   Label
              35           0 incorrect
              532          1 correct
               1           .
            2,218          .n not tested
               32          .z not attempted

```

---

**t1\_20\_af\_oct**                      **African lang. ORF Word 20 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,255/2,818

```

```

tabulation: Freq.   Numeric   Label
              23           0 incorrect
              539          1 correct
               1           .
            2,218          .n not tested
               37          .z not attempted

```

---

**t1\_21\_af\_oct**                      **African lang. ORF Word 21 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,255/2,818

```

```

tabulation: Freq.   Numeric   Label
              27           0 incorrect
              535          1 correct
               1           .
            2,218          .n not tested
               37          .z not attempted

```

---

**t1\_22\_af\_oct**                      **African lang. ORF Word 22 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,255/2,818

```

```

tabulation: Freq.   Numeric   Label
              12           0 incorrect
              550          1 correct
               1           .
            2,218          .n not tested
               37          .z not attempted

```

---

**t1\_23\_af\_oct**                      **African lang. ORF Word 23 in passage read correctly==1**

---



```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,256/2,818

```

```

tabulation: Freq.   Numeric   Label
              17           0 incorrect
              544          1 correct
               1           .
            2,218          .n not tested
               38          .z not attempted

```

---

**t1\_24\_af\_oct**                      **African lang. ORF Word 24 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,260/2,818

```

```

tabulation: Freq.   Numeric   Label
              26           0 incorrect
              531          1 correct
               1           .
            2,218          .n not tested
               42          .z not attempted

```

---

**t1\_25\_af\_oct**                      **African lang. ORF Word 25 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,265/2,818

```

```

tabulation: Freq.   Numeric   Label
              36           0 incorrect
              516          1 correct
               1           .
            2,218          .n not tested
               47          .z not attempted

```

---

**t1\_26\_af\_oct**                      **African lang. ORF Word 26 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,266/2,818

```

```

tabulation: Freq.   Numeric   Label
              29           0 incorrect
              522          1 correct
               1           .
            2,218          .n not tested
               48          .z not attempted

```

---

**t1\_27\_af\_oct**                      **African lang. ORF Word 27 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,268/2,818

```

```

tabulation: Freq.   Numeric   Label
              49           0 incorrect
              500          1 correct
               1           .
            2,218          .n not tested
               50          .z not attempted

```

---

**t1\_28\_af\_oct**                      **African lang. ORF Word 28 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,278/2,818

```

```

tabulation: Freq.   Numeric   Label
              160           0 incorrect
              379          1 correct
               1           .
            2,218          .n not tested
               60          .z not attempted

```

---

**t1\_29\_af\_oct**                      **African lang. ORF Word 29 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,294/2,818

```

```

tabulation: Freq.   Numeric   Label
              97           0 incorrect
             426          1 correct
               1           .
            2,218          .n not tested
              76          .z not attempted

```

---

**t1\_30\_af\_oct**                      **African lang. ORF Word 30 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,305/2,818

```

```

tabulation: Freq.   Numeric   Label
              22           0 incorrect
             490          1 correct
               1           .
            2,218          .n not tested
              87          .z not attempted

```

---

**t1\_31\_af\_oct**                      **African lang. ORF Word 31 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,323/2,818

```

```

tabulation: Freq.   Numeric   Label
              39           0 incorrect
              455          1 correct
               1           .
            2,218          .n not tested
              105          .z not attempted

```

---

**t1\_32\_af\_oct**                      **African lang. ORF Word 32 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,339/2,818

```

```

tabulation: Freq.   Numeric   Label
              27           0 incorrect
              451          1 correct
               1           .
            2,218          .n not tested
              121          .z not attempted

```

---

**t1\_33\_af\_oct**                      **African lang. ORF Word 33 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,344/2,818

```

```

tabulation: Freq.   Numeric   Label
              11           0 incorrect
              462          1 correct
               1           .
            2,218          .n not tested
              126          .z not attempted

```

---

**t1\_34\_af\_oct**                      **African lang. ORF Word 34 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,353/2,818

```

```

tabulation: Freq.   Numeric   Label
              21           0 incorrect
              443          1 correct
               1           .
            2,218          .n not tested
              135          .z not attempted

```

---

**t1\_35\_af\_oct**                      **African lang. ORF Word 35 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,369/2,818

```

```

tabulation: Freq.   Numeric   Label
              10           0 incorrect
              438          1 correct
               1           .
            2,218          .n not tested
              151          .z not attempted

```

---

**t1\_36\_af\_oct**                      **African lang. ORF Word 36 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,381/2,818

```

```

tabulation: Freq.   Numeric   Label
              12           0 incorrect
              424          1 correct
               1           .
            2,218          .n not tested
              163          .z not attempted

```

---

**t1\_37\_af\_oct**                      **African lang. ORF Word 37 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,384/2,818

```

```

tabulation: Freq.   Numeric   Label
              16           0 incorrect
              417          1 correct
               1           .
            2,218          .n not tested
              166          .z not attempted

```

---

**t1\_38\_af\_oct**                      **African lang. ORF Word 38 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,393/2,818

```

```

tabulation: Freq.   Numeric   Label
               6           0 incorrect
              418          1 correct
               1           .
            2,218          .n not tested
              175          .z not attempted

```

---

**t1\_39\_af\_oct**                      **African lang. ORF Word 39 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,399/2,818

```

```

tabulation: Freq.   Numeric   Label
              7           0 incorrect
             411          1 correct
              1           .
            2,218          .n not tested
             181          .z not attempted

```

---

**t1\_40\_af\_oct**                      **African lang. ORF Word 40 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,404/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
             412          1 correct
              1           .
            2,218          .n not tested
             186          .z not attempted

```

---

**t1\_41\_af\_oct**                      **African lang. ORF Word 41 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,410/2,818

```

```

tabulation: Freq.   Numeric   Label
              5           0 incorrect
             402          1 correct
              1           .
            2,218          .n not tested
             192          .z not attempted

```

---

**t1\_42\_af\_oct**                      **African lang. ORF Word 42 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,414/2,818

```

```

tabulation: Freq.   Numeric   Label
              25           0 incorrect
             378          1 correct
              1           .
            2,218          .n not tested
             196          .z not attempted

```

---

**t1\_43\_af\_oct**                      **African lang. ORF Word 43 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,424/2,818

```

```

tabulation: Freq.   Numeric   Label
              44           0 incorrect
              349          1 correct
               1           .
            2,218          .n not tested
              206          .z not attempted

```

---

**t1\_44\_af\_oct**                      **African lang. ORF Word 44 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,432/2,818

```

```

tabulation: Freq.   Numeric   Label
              4           0 incorrect
              381          1 correct
               1           .
            2,218          .n not tested
              214          .z not attempted

```

---

**t1\_45\_af\_oct**                      **African lang. ORF Word 45 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,438/2,818

```

```

tabulation: Freq.   Numeric   Label
              18           0 incorrect
              361          1 correct
               1           .
            2,218          .n not tested
              220          .z not attempted

```

---

**t1\_46\_af\_oct**                      **African lang. ORF Word 46 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,458/2,818

```

```

tabulation: Freq.   Numeric   Label
              4           0 incorrect
              355          1 correct
               1           .
            2,218          .n not tested
              240          .z not attempted

```

---

**t1\_47\_af\_oct**                      **African lang. ORF Word 47 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,466/2,818

```

```

tabulation: Freq.   Numeric   Label
              4           0 incorrect
              347          1 correct
              1           .
            2,218          .n not tested
              248          .z not attempted

```

---

**t1\_48\_af\_oct**                      **African lang. ORF Word 48 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,477/2,818

```

```

tabulation: Freq.   Numeric   Label
              17           0 incorrect
              323          1 correct
              1           .
            2,218          .n not tested
              259          .z not attempted

```

---

**t1\_49\_af\_oct**                      **African lang. ORF Word 49 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,486/2,818

```

```

tabulation: Freq.   Numeric   Label
              3           0 incorrect
              328          1 correct
              1           .
            2,218          .n not tested
              268          .z not attempted

```

---

**t1\_50\_af\_oct**                      **African lang. ORF Word 50 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,492/2,818

```

```

tabulation: Freq.   Numeric   Label
              5           0 incorrect
              320          1 correct
              1           .
            2,218          .n not tested
              274          .z not attempted

```

---

**t1\_51\_af\_oct**                      **African lang. ORF Word 51 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,507/2,818

```

```

tabulation: Freq.  Numeric  Label
              5          0 incorrect
             305          1 correct
              1           .
            2,218          .n not tested
             289          .z not attempted

```

---

**t1\_52\_af\_oct**                      **African lang. ORF Word 52 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,520/2,818

```

```

tabulation: Freq.  Numeric  Label
              3          0 incorrect
             294          1 correct
              1           .
            2,218          .n not tested
             302          .z not attempted

```

---

**t1\_53\_af\_oct**                      **African lang. ORF Word 53 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,523/2,818

```

```

tabulation: Freq.  Numeric  Label
              6          0 incorrect
             288          1 correct
              1           .
            2,218          .n not tested
             305          .z not attempted

```

---

**t1\_54\_af\_oct**                      **African lang. ORF Word 54 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,536/2,818

```

```

tabulation: Freq.  Numeric  Label
              7          0 incorrect
             274          1 correct
              1           .
            2,218          .n not tested
             318          .z not attempted

```

---

**t1\_55\_af\_oct**                      **African lang. ORF Word 55 in passage read correctly==1**

---



```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,549/2,818

```

```

tabulation: Freq.   Numeric   Label
              5           0 incorrect
              263          1 correct
              1           .
            2,218          .n not tested
              331          .z not attempted

```

---

**t1\_56\_af\_oct**                      **African lang. ORF Word 56 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,551/2,818

```

```

tabulation: Freq.   Numeric   Label
              9           0 incorrect
             257          1 correct
              1           .
            2,218          .n not tested
             333          .z not attempted

```

---

**t1\_57\_af\_oct**                      **African lang. ORF Word 57 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,559/2,818

```

```

tabulation: Freq.   Numeric   Label
              4           0 incorrect
             254          1 correct
              1           .
            2,218          .n not tested
             341          .z not attempted

```

---

**t1\_58\_af\_oct**                      **African lang. ORF Word 58 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,571/2,818

```

```

tabulation: Freq.   Numeric   Label
             16           0 incorrect
             230          1 correct
              1           .
            2,218          .n not tested
             353          .z not attempted

```

---

**t1\_59\_af\_oct**                      **African lang. ORF Word 59 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,580/2,818

```

```

tabulation: Freq.   Numeric   Label
              7           0 incorrect
              230          1 correct
              1           .
            2,218          .n not tested
              362          .z not attempted

```

---

**t1\_60\_af\_oct**                      **African lang. ORF Word 60 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,601/2,818

```

```

tabulation: Freq.   Numeric   Label
              2           0 incorrect
             214          1 correct
              1           .
            2,218          .n not tested
             383          .z not attempted

```

---

**t1\_61\_af\_oct**                      **African lang. ORF Word 61 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,616/2,818

```

```

tabulation: Freq.   Numeric   Label
              7           0 incorrect
             194          1 correct
              1           .
            2,218          .n not tested
             398          .z not attempted

```

---

**t1\_62\_af\_oct**                      **African lang. ORF Word 62 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,624/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
             192          1 correct
              1           .
            2,218          .n not tested
             406          .z not attempted

```

---

**t1\_63\_af\_oct**                      **African lang. ORF Word 63 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,634/2,818

```

```

tabulation: Freq.   Numeric   Label
             11         0 incorrect
             172        1 correct
              1         .
            2,218        .n not tested
             416        .z not attempted

```

---

**t1\_64\_af\_oct**                      **African lang. ORF Word 64 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,651/2,818

```

```

tabulation: Freq.   Numeric   Label
             1         0 incorrect
            165        1 correct
              1         .
            2,218        .n not tested
             433        .z not attempted

```

---

**t1\_65\_af\_oct**                      **African lang. ORF Word 65 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,654/2,818

```

```

tabulation: Freq.   Numeric   Label
             1         0 incorrect
            162        1 correct
              1         .
            2,218        .n not tested
             436        .z not attempted

```

---

**t1\_66\_af\_oct**                      **African lang. ORF Word 66 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,665/2,818

```

```

tabulation: Freq.   Numeric   Label
             2         0 incorrect
            150        1 correct
              1         .
            2,218        .n not tested
             447        .z not attempted

```

---

**t1\_67\_af\_oct**                      **African lang. ORF Word 67 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,677/2,818

```

```

tabulation: Freq.   Numeric   Label
              4           0 incorrect
              136          1 correct
              1           .
            2,218          .n not tested
              459          .z not attempted

```

---

**t1\_68\_af\_oct**                      **African lang. ORF Word 68 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,686/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
              130          1 correct
              1           .
            2,218          .n not tested
              468          .z not attempted

```

---

**t1\_69\_af\_oct**                      **African lang. ORF Word 69 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,689/2,818

```

```

tabulation: Freq.   Numeric   Label
              2           0 incorrect
              126          1 correct
              1           .
            2,218          .n not tested
              471          .z not attempted

```

---

**t1\_70\_af\_oct**                      **African lang. ORF Word 70 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,689/2,818

```

```

tabulation: Freq.   Numeric   Label
              2           0 incorrect
              126          1 correct
              1           .
            2,218          .n not tested
              471          .z not attempted

```

---

**t1\_71\_af\_oct**                      **African lang. ORF Word 71 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,692/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
              124          1 correct
              1           .
            2,218          .n not tested
              474          .z not attempted

```

---

**t1\_72\_af\_oct**                      **African lang. ORF Word 72 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,696/2,818

```

```

tabulation: Freq.   Numeric   Label
              3           0 incorrect
              118          1 correct
              1           .
            2,218          .n not tested
              478          .z not attempted

```

---

**t1\_73\_af\_oct**                      **African lang. ORF Word 73 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,697/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
              119          1 correct
              1           .
            2,218          .n not tested
              479          .z not attempted

```

---

**t1\_74\_af\_oct**                      **African lang. ORF Word 74 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,697/2,818

```

```

tabulation: Freq.   Numeric   Label
              5           0 incorrect
              115          1 correct
              1           .
            2,218          .n not tested
              479          .z not attempted

```

---

**t1\_75\_af\_oct**                      **African lang. ORF Word 75 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,711/2,818

```

```

tabulation: Freq.  Numeric  Label
              3          0  incorrect
             103          1  correct
              1          .
            2,218          .n  not tested
             493          .z  not attempted

```

---

**t1\_76\_af\_oct**                      **African lang. ORF Word 76 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,719/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          0  incorrect
             97          1  correct
              1          .
            2,218          .n  not tested
             501          .z  not attempted

```

---

**t1\_77\_af\_oct**                      **African lang. ORF Word 77 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,725/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          0  incorrect
             91          1  correct
              1          .
            2,218          .n  not tested
             507          .z  not attempted

```

---

**t1\_78\_af\_oct**                      **African lang. ORF Word 78 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,725/2,818

```

```

tabulation: Freq.  Numeric  Label
              92          1  correct
              1          .
            2,218          .n  not tested
             507          .z  not attempted

```

---

**t1\_79\_af\_oct**                      **African lang. ORF Word 79 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,727/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
              89          1 correct
              1           .
            2,218         .n not tested
              509         .z not attempted

```

---

**t1\_80\_af\_oct**                      **African lang. ORF Word 80 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,733/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           0 incorrect
              83          1 correct
              1           .
            2,218         .n not tested
              515         .z not attempted

```

---

**t1\_81\_af\_oct**                      **African lang. ORF Word 81 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,736/2,818

```

```

tabulation: Freq.   Numeric   Label
              2           0 incorrect
              79          1 correct
              1           .
            2,218         .n not tested
              518         .z not attempted

```

---

**t1\_82\_af\_oct**                      **African lang. ORF Word 82 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,739/2,818

```

```

tabulation: Freq.   Numeric   Label
              78          1 correct
              1           .
            2,218         .n not tested
              521         .z not attempted

```

---

**t1\_83\_af\_oct**                      **African lang. ORF Word 83 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,749/2,818

```

```

tabulation: Freq.   Numeric   Label
              68           1 correct
              1           .
            2,218         .n not tested
              531         .z not attempted

```

---

**t1\_84\_af\_oct**                      **African lang. ORF Word 84 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,752/2,818

```

```

tabulation: Freq.   Numeric   Label
              65           1 correct
              1           .
            2,218         .n not tested
              534         .z not attempted

```

---

**t1\_85\_af\_oct**                      **African lang. ORF Word 85 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,753/2,818

```

```

tabulation: Freq.   Numeric   Label
              64           1 correct
              1           .
            2,218         .n not tested
              535         .z not attempted

```

---

**t1\_86\_af\_oct**                      **African lang. ORF Word 86 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,753/2,818

```

```

tabulation: Freq.   Numeric   Label
              64           1 correct
              1           .
            2,218         .n not tested
              535         .z not attempted

```

---

**t1\_87\_af\_oct**                      **African lang. ORF Word 87 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```



```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,759/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  58         1  correct
                  1         .
                2,218       .n  not tested
                  541       .z  not attempted

```

---

**t1\_88\_af\_oct**                      **African lang. ORF Word 88 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,759/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  58         1  correct
                  1         .
                2,218       .n  not tested
                  541       .z  not attempted

```

---

**t1\_89\_af\_oct**                      **African lang. ORF Word 89 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,760/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  57         1  correct
                  1         .
                2,218       .n  not tested
                  542       .z  not attempted

```

---

**t1\_90\_af\_oct**                      **African lang. ORF Word 90 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,762/2,818

```

```

    tabulation: Freq.  Numeric  Label
                  55         1  correct
                  1         .
                2,218       .n  not tested
                  544       .z  not attempted

```

---

**t1\_91\_af\_oct**                      **African lang. ORF Word 91 in passage read correctly==1**

---

```

    type: numeric (byte)
    label: correct

```

```

        range: [0,1]                      units: 1
    unique values: 2                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,765/2,818

```

tabulation:	Freq.	Numeric	Label
	<b>1</b>	<b>0</b>	incorrect
	<b>51</b>	<b>1</b>	correct
	<b>1</b>	<b>.</b>	
	<b>2,218</b>	<b>.</b>	not tested
	<b>547</b>	<b>.</b>	not attempted

```
t1 92 af oct      African lang. ORF Word 92 in passage read correctly==1
```

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
units: 1
missing .. 1/2,818
missing .*: 2,768/2,818

      tabulation: Freq.   Numeric   Label
                  49         1   correct
                  1         .
                2,218       .n not tested
                  550       .z not attempted

```

```
t1 93 af oct African lang. ORF Word 93 in passage read correctly==1
```

```

      type: numeric (byte)
      label: correct

      range: [1,1]                                units: 1
unique values: 1                                missing.: 1/2,818
unique mv codes: 3                            missing.*: 2,768/2,818

      tabulation: Freq.   Numeric   Label
                  49         1      correct
                  1         .
                  2,218       .n    not tested
                  550         .z    not attempted

```

```
t1 94 af oct      African lang. ORF Word 94 in passage read correctly==1
```

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing.: 1/2,818
                                missing.*: 2,770/2,818

      tabulation: Freq.      Numeric      Label
                   47          1      correct
                   1          .
                   2,218      .n      not tested
                   552      .z      not attempted

```

```
t1 95 af oct African lang. ORF Word 95 in passage read correctly==1
```

```

      type:  numeric (byte)
      label:  correct

      range:  [1,1]                                units:  1
unique values: 1                                missing .:  1/2,818
unique mv codes: 3                            missing .*:  2,771/2,818

```

```

tabulation:  Freq.  Numeric  Label
              46      1  correct
              1      .
            2,218    .n  not tested
              553    .z  not attempted

```

---

**t1\_96\_af\_oct**                      **African lang. ORF Word 96 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,771/2,818

tabulation:  Freq.  Numeric  Label
              46      1  correct
              1      .
            2,218    .n  not tested
              553    .z  not attempted

```

---

**t1\_97\_af\_oct**                      **African lang. ORF Word 97 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,772/2,818

tabulation:  Freq.  Numeric  Label
              45      1  correct
              1      .
            2,218    .n  not tested
              554    .z  not attempted

```

---

**t1\_98\_af\_oct**                      **African lang. ORF Word 98 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,774/2,818

tabulation:  Freq.  Numeric  Label
              43      1  correct
              1      .
            2,218    .n  not tested
              556    .z  not attempted

```

---

**t1\_99\_af\_oct**                      **African lang. ORF Word 99 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,777/2,818

```

tabulation:	Freq.	Numeric	Label
	40	1	correct
	1	.	
	2,218	.n	not tested
	559	.z	not attempted

---

**t1\_100\_af\_oct**                      **African lang. ORF Word 100 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,779/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	37	1	correct
	1	.	
	2,218	.n	not tested
	561	.z	not attempted

---

**t1\_101\_af\_oct**                      **African lang. ORF Word 101 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,779/2,818

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	35	1	correct
	1	.	
	2,218	.n	not tested
	561	.z	not attempted

---

**t1\_102\_af\_oct**                      **African lang. ORF Word 102 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,781/2,818

tabulation:	Freq.	Numeric	Label
	36	1	correct
	1	.	
	2,218	.n	not tested
	563	.z	not attempted

---

**t1\_103\_af\_oct**                      **African lang. ORF Word 103 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]	units:	1
unique values:	2	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,786/2,818

```

tabulation:  Freq.  Numeric  Label
              1         0  incorrect
              30         1  correct
              1          .
            2,218        .n  not tested
              568        .z  not attempted

```

---

**t1\_104\_af\_oct**                      **African lang. ORF Word 104 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]                      units: 1
unique values: 2                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,786/2,818

      tabulation:  Freq.  Numeric  Label
                   1         0  incorrect
                   30         1  correct
                   1          .
                 2,218        .n  not tested
                   568        .z  not attempted

```

---

**t1\_105\_af\_oct**                      **African lang. ORF Word 105 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,788/2,818

      tabulation:  Freq.  Numeric  Label
                   29         1  correct
                   1          .
                 2,218        .n  not tested
                   570        .z  not attempted

```

---

**t1\_106\_af\_oct**                      **African lang. ORF Word 106 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,788/2,818

      tabulation:  Freq.  Numeric  Label
                   29         1  correct
                   1          .
                 2,218        .n  not tested
                   570        .z  not attempted

```

---

**t1\_107\_af\_oct**                      **African lang. ORF Word 107 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,792/2,818

```

tabulation:	Freq.	Numeric	Label
	25	1	correct
	1	.	
	2,218	.n	not tested
	574	.z	not attempted

---

**t1\_108\_af\_oct**                      **African lang. ORF Word 108 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,794/2,818

tabulation:	Freq.	Numeric	Label
	23	1	correct
	1	.	
	2,218	.n	not tested
	576	.z	not attempted

---

**t1\_109\_af\_oct**                      **African lang. ORF Word 109 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,794/2,818

tabulation:	Freq.	Numeric	Label
	23	1	correct
	1	.	
	2,218	.n	not tested
	576	.z	not attempted

---

**t1\_110\_af\_oct**                      **African lang. ORF Word 110 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,794/2,818

tabulation:	Freq.	Numeric	Label
	23	1	correct
	1	.	
	2,218	.n	not tested
	576	.z	not attempted

---

**t1\_111\_af\_oct**                      **African lang. ORF Word 111 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,794/2,818

```

tabulation:  Freq.  Numeric  Label
              23      1  correct
              1      .
            2,218    .n  not tested
              576    .z  not attempted

```

---

**t1\_112\_af\_oct**                      **African lang. ORF Word 112 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,794/2,818

      tabulation:  Freq.  Numeric  Label
                   23      1  correct
                   1      .
                 2,218    .n  not tested
                   576    .z  not attempted

```

---

**t1\_113\_af\_oct**                      **African lang. ORF Word 113 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,794/2,818

      tabulation:  Freq.  Numeric  Label
                   23      1  correct
                   1      .
                 2,218    .n  not tested
                   576    .z  not attempted

```

---

**t1\_114\_af\_oct**                      **African lang. ORF Word 114 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,794/2,818

      tabulation:  Freq.  Numeric  Label
                   23      1  correct
                   1      .
                 2,218    .n  not tested
                   576    .z  not attempted

```

---

**t1\_115\_af\_oct**                      **African lang. ORF Word 115 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]                      units: 1
unique values: 2                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,795/2,818

```

```

tabulation:  Freq.  Numeric  Label
              1         0  incorrect
              21         1  correct
              1          .
            2,218        .n  not tested
              577        .z  not attempted

```

---

**t1\_116\_af\_oct**                      **African lang. ORF Word 116 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,796/2,818

      tabulation:  Freq.  Numeric  Label
                   21         1  correct
                   1          .
                2,218        .n  not tested
                   578        .z  not attempted

```

---

**t1\_117\_af\_oct**                      **African lang. ORF Word 117 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,796/2,818

      tabulation:  Freq.  Numeric  Label
                   21         1  correct
                   1          .
                2,218        .n  not tested
                   578        .z  not attempted

```

---

**t1\_118\_af\_oct**                      **African lang. ORF Word 118 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,796/2,818

      tabulation:  Freq.  Numeric  Label
                   21         1  correct
                   1          .
                2,218        .n  not tested
                   578        .z  not attempted

```

---

**t1\_119\_af\_oct**                      **African lang. ORF Word 119 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,797/2,818

```



tabulation:	Freq.	Numeric	Label
	20	1	correct
	1	.	
	2,218	.n	not tested
	579	.z	not attempted

---

t1_120_af_oct	African lang. ORF Word 120 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,798/2,818

tabulation:	Freq.	Numeric	Label
	19	1	correct
	1	.	
	2,218	.n	not tested
	580	.z	not attempted

---

t1_121_af_oct	African lang. ORF Word 121 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,798/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	18	1	correct
	1	.	
	2,218	.n	not tested
	580	.z	not attempted

---

t1_122_af_oct	African lang. ORF Word 122 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,798/2,818

tabulation:	Freq.	Numeric	Label
	19	1	correct
	1	.	
	2,218	.n	not tested
	580	.z	not attempted

---

t1_123_af_oct	African lang. ORF Word 123 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,798/2,818

tabulation:	Freq.	Numeric	Label
	19	1	correct
	1	.	
	2,218	.n	not tested
	580	.z	not attempted

---

**t1\_124\_af\_oct**                      **African lang. ORF Word 124 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,799/2,818

tabulation:	Freq.	Numeric	Label
	18	1	correct
	1	.	
	2,218	.n	not tested
	581	.z	not attempted

---

**t1\_125\_af\_oct**                      **African lang. ORF Word 125 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,799/2,818

tabulation:	Freq.	Numeric	Label
	18	1	correct
	1	.	
	2,218	.n	not tested
	581	.z	not attempted

---

**t1\_126\_af\_oct**                      **African lang. ORF Word 126 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,799/2,818

tabulation:	Freq.	Numeric	Label
	18	1	correct
	1	.	
	2,218	.n	not tested
	581	.z	not attempted

---

**t1\_127\_af\_oct**                      **African lang. ORF Word 127 in passage read correctly==1**


---

type:	numeric (byte)		
label:	correct		
range:	[1,1]	units:	1
unique values:	1	missing .:	1/2,818
unique mv codes:	3	missing .*:	2,800/2,818

```

tabulation:  Freq.  Numeric  Label
              17      1  correct
              1      .
            2,218    .n  not tested
              582    .z  not attempted

```

---

**t1\_128\_af\_oct**                      **African lang. ORF Word 128 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,800/2,818

      tabulation:  Freq.  Numeric  Label
                   17      1  correct
                   1      .
                 2,218    .n  not tested
                   582    .z  not attempted

```

---

**t1\_129\_af\_oct**                      **African lang. ORF Word 129 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,800/2,818

      tabulation:  Freq.  Numeric  Label
                   17      1  correct
                   1      .
                 2,218    .n  not tested
                   582    .z  not attempted

```

---

**t1\_130\_af\_oct**                      **African lang. ORF Word 130 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,800/2,818

      tabulation:  Freq.  Numeric  Label
                   17      1  correct
                   1      .
                 2,218    .n  not tested
                   582    .z  not attempted

```

---

**t1\_131\_af\_oct**                      **African lang. ORF Word 131 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,800/2,818

```

```

tabulation:  Freq.  Numeric  Label
              17      1  correct
              1      .
            2,218    .n  not tested
              582    .z  not attempted

```

---

**t1\_132\_af\_oct**                      **African lang. ORF Word 132 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,800/2,818

```

```

tabulation:  Freq.  Numeric  Label
              17      1  correct
              1      .
            2,218    .n  not tested
              582    .z  not attempted

```

---

**t1\_133\_af\_oct**                      **African lang. ORF Word 133 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,800/2,818

```

```

tabulation:  Freq.  Numeric  Label
              17      1  correct
              1      .
            2,218    .n  not tested
              582    .z  not attempted

```

---

**t1\_134\_af\_oct**                      **African lang. ORF Word 134 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,801/2,818

```

```

tabulation:  Freq.  Numeric  Label
              16      1  correct
              1      .
            2,218    .n  not tested
              583    .z  not attempted

```

---

**t1\_135\_af\_oct**                      **African lang. ORF Word 135 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,801/2,818

```

tabulation:	Freq.	Numeric	Label
	16	1	correct
	1	.	
	2,218	.n	not tested
	583	.z	not attempted

---

**t1\_136\_af\_oct**                      **African lang. ORF Word 136 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,801/2,818

tabulation:	Freq.	Numeric	Label
	16	1	correct
	1	.	
	2,218	.n	not tested
	583	.z	not attempted

---

**t1\_137\_af\_oct**                      **African lang. ORF Word 137 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,801/2,818

tabulation:	Freq.	Numeric	Label
	16	1	correct
	1	.	
	2,218	.n	not tested
	583	.z	not attempted

---

**t1\_138\_af\_oct**                      **African lang. ORF Word 138 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,801/2,818

tabulation:	Freq.	Numeric	Label
	16	1	correct
	1	.	
	2,218	.n	not tested
	583	.z	not attempted

---

**t1\_139\_af\_oct**                      **African lang. ORF Word 139 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,801/2,818

```

tabulation:  Freq.  Numeric  Label
              16         1  correct
              1         .
            2,218        .n  not tested
              583        .z  not attempted

```

---

**t1\_140\_af\_oct**                      **African lang. ORF Word 140 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,801/2,818

```

```

tabulation:  Freq.  Numeric  Label
              16         1  correct
              1         .
            2,218        .n  not tested
              583        .z  not attempted

```

---

**t1\_141\_af\_oct**                      **African lang. ORF Word 141 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,801/2,818

```

```

tabulation:  Freq.  Numeric  Label
              16         1  correct
              1         .
            2,218        .n  not tested
              583        .z  not attempted

```

---

**t1\_142\_af\_oct**                      **African lang. ORF Word 142 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,802/2,818

```

```

tabulation:  Freq.  Numeric  Label
              15         1  correct
              1         .
            2,218        .n  not tested
              584        .z  not attempted

```

---

**t1\_143\_af\_oct**                      **African lang. ORF Word 143 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_144\_af\_oct**                      **African lang. ORF Word 144 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_145\_af\_oct**                      **African lang. ORF Word 145 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_146\_af\_oct**                      **African lang. ORF Word 146 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_147\_af\_oct**                      **African lang. ORF Word 147 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_148\_af\_oct**                      **African lang. ORF Word 148 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_149\_af\_oct**                      **African lang. ORF Word 149 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_150\_af\_oct**                      **African lang. ORF Word 150 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,803/2,818

```

```

tabulation:  Freq.  Numeric  Label
              14      1  correct
              1      .
            2,218    .n  not tested
              585    .z  not attempted

```

---

**t1\_151\_af\_oct**                      **African lang. ORF Word 151 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,803/2,818

```



tabulation:	Freq.	Numeric	Label
	14	1	correct
	1	.	
	2,218	.n	not tested
	585	.z	not attempted

---

t1_152_af_oct	African lang. ORF Word 152 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,803/2,818

tabulation:	Freq.	Numeric	Label
	14	1	correct
	1	.	
	2,218	.n	not tested
	585	.z	not attempted

---

t1_153_af_oct	African lang. ORF Word 153 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,803/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	13	1	correct
	1	.	
	2,218	.n	not tested
	585	.z	not attempted

---

t1_154_af_oct	African lang. ORF Word 154 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,803/2,818

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	13	1	correct
	1	.	
	2,218	.n	not tested
	585	.z	not attempted

---

t1_155_af_oct	African lang. ORF Word 155 in passage read correctly==1
---------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,803/2,818

tabulation:	Freq.	Numeric	Label
	14	1	correct
	1	.	
	2,218	.n	not tested
	585	.z	not attempted

---

**t1\_156\_af\_oct**                      **African lang. ORF Word 156 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,803/2,818

tabulation:	Freq.	Numeric	Label
	14	1	correct
	1	.	
	2,218	.n	not tested
	585	.z	not attempted

---

**t1\_157\_af\_oct**                      **African lang. ORF Word 157 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,805/2,818

tabulation:	Freq.	Numeric	Label
	12	1	correct
	1	.	
	2,218	.n	not tested
	587	.z	not attempted

---

**t1\_158\_af\_oct**                      **African lang. ORF Word 158 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,805/2,818

tabulation:	Freq.	Numeric	Label
	12	1	correct
	1	.	
	2,218	.n	not tested
	587	.z	not attempted

---

**t1\_159\_af\_oct**                      **African lang. ORF Word 159 in passage read correctly==1**


---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,805/2,818

```

tabulation:  Freq.  Numeric  Label
              12      1  correct
              1      .
            2,218    .n  not tested
              587    .z  not attempted

```

---

**t1\_160\_af\_oct**                      **African lang. ORF Word 160 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

      tabulation:  Freq.  Numeric  Label
                   10      1  correct
                   1      .
                 2,218    .n  not tested
                   589    .z  not attempted

```

---

**t1\_161\_af\_oct**                      **African lang. ORF Word 161 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

      tabulation:  Freq.  Numeric  Label
                   10      1  correct
                   1      .
                 2,218    .n  not tested
                   589    .z  not attempted

```

---

**t1\_162\_af\_oct**                      **African lang. ORF Word 162 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

      tabulation:  Freq.  Numeric  Label
                   10      1  correct
                   1      .
                 2,218    .n  not tested
                   589    .z  not attempted

```

---

**t1\_163\_af\_oct**                      **African lang. ORF Word 163 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

```

```

tabulation:  Freq.  Numeric  Label
              10         1  correct
              1         .
            2,218        .n  not tested
              589        .z  not attempted

```

---

**t1\_164\_af\_oct**                      **African lang. ORF Word 164 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

      tabulation:  Freq.  Numeric  Label
                   10         1  correct
                   1         .
                 2,218        .n  not tested
                   589        .z  not attempted

```

---

**t1\_165\_af\_oct**                      **African lang. ORF Word 165 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

      tabulation:  Freq.  Numeric  Label
                   10         1  correct
                   1         .
                 2,218        .n  not tested
                   589        .z  not attempted

```

---

**t1\_166\_af\_oct**                      **African lang. ORF Word 166 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,807/2,818

      tabulation:  Freq.  Numeric  Label
                   10         1  correct
                   1         .
                 2,218        .n  not tested
                   589        .z  not attempted

```

---

**t1\_167\_af\_oct**                      **African lang. ORF Word 167 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]                      units: .
unique values: 0                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,817/2,818

```

```

tabulation:  Freq.  Numeric  Label
              1          .
            2,218      .n not tested
              599      .z not attempted

```

---

**t1\_168\_af\_oct**                      **African lang. ORF Word 168 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_169\_af\_oct**                      **African lang. ORF Word 169 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_170\_af\_oct**                      **African lang. ORF Word 170 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_171\_af\_oct**                      **African lang. ORF Word 171 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_172\_af\_oct** African lang. ORF Word 172 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_173\_af\_oct** African lang. ORF Word 173 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_174\_af\_oct** African lang. ORF Word 174 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_175\_af\_oct** African lang. ORF Word 175 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_176\_af\_oct** African lang. ORF Word 176 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

      range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_177\_af\_oct**                      **African lang. ORF Word 177 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_178\_af\_oct**                      **African lang. ORF Word 178 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_179\_af\_oct**                      **African lang. ORF Word 179 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_180\_af\_oct**                      **African lang. ORF Word 180 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_181\_af\_oct**                      **African lang. ORF Word 181 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218       .n not tested
                    599       .z not attempted

```

---

**t1\_182\_af\_oct**                      **African lang. ORF Word 182 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218       .n not tested
                    599       .z not attempted

```

---

**t1\_183\_af\_oct**                      **African lang. ORF Word 183 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218       .n not tested
                    599       .z not attempted

```

---

**t1\_184\_af\_oct**                      **African lang. ORF Word 184 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218       .n not tested
                    599       .z not attempted

```



---

**t1\_185\_af\_oct** African lang. ORF Word 185 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_186\_af\_oct** African lang. ORF Word 186 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_187\_af\_oct** African lang. ORF Word 187 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_188\_af\_oct** African lang. ORF Word 188 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_189\_af\_oct** African lang. ORF Word 189 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_190\_af\_oct**                      **African lang. ORF Word 190 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_191\_af\_oct**                      **African lang. ORF Word 191 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_192\_af\_oct**                      **African lang. ORF Word 192 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_193\_af\_oct**                      **African lang. ORF Word 193 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.  Numeric  Label
              1          .
            2,218      .n not tested
              599      .z not attempted

```

---

**t1\_194\_af\_oct**                      **African lang. ORF Word 194 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_195\_af\_oct**                      **African lang. ORF Word 195 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_196\_af\_oct**                      **African lang. ORF Word 196 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_197\_af\_oct**                      **African lang. ORF Word 197 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_198\_af\_oct** African lang. ORF Word 198 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_199\_af\_oct** African lang. ORF Word 199 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_200\_af\_oct** African lang. ORF Word 200 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_201\_af\_oct** African lang. ORF Word 201 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_202\_af\_oct** African lang. ORF Word 202 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_203\_af\_oct**                      **African lang. ORF Word 203 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_204\_af\_oct**                      **African lang. ORF Word 204 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_205\_af\_oct**                      **African lang. ORF Word 205 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_206\_af\_oct**                      **African lang. ORF Word 206 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_207\_af\_oct**                      **African lang. ORF Word 207 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_208\_af\_oct**                      **African lang. ORF Word 208 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_209\_af\_oct**                      **African lang. ORF Word 209 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_210\_af\_oct**                      **African lang. ORF Word 210 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_211\_af\_oct**                      **African lang. ORF Word 211 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_212\_af\_oct**                      **African lang. ORF Word 212 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_213\_af\_oct**                      **African lang. ORF Word 213 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_214\_af\_oct**                      **African lang. ORF Word 214 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_215\_af\_oct**                      **African lang. ORF Word 215 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_216\_af\_oct**                      **African lang. ORF Word 216 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_217\_af\_oct**                      **African lang. ORF Word 217 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_218\_af\_oct**                      **African lang. ORF Word 218 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_219\_af\_oct**                      **African lang. ORF Word 219 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```



```

tabulation:  Freq.  Numeric  Label
              1          .
            2,218      .n not tested
              599      .z not attempted

```

---

**t1\_220\_af\_oct**                      **African lang. ORF Word 220 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_221\_af\_oct**                      **African lang. ORF Word 221 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_222\_af\_oct**                      **African lang. ORF Word 222 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_223\_af\_oct**                      **African lang. ORF Word 223 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.  Numeric  Label
                    1          .
                  2,218      .n not tested
                    599      .z not attempted

```

---

**t1\_224\_af\_oct** African lang. ORF Word 224 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_225\_af\_oct** African lang. ORF Word 225 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_226\_af\_oct** African lang. ORF Word 226 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_227\_af\_oct** African lang. ORF Word 227 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_228\_af\_oct** African lang. ORF Word 228 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_229\_af\_oct**                      **African lang. ORF Word 229 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_230\_af\_oct**                      **African lang. ORF Word 230 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_231\_af\_oct**                      **African lang. ORF Word 231 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_232\_af\_oct**                      **African lang. ORF Word 232 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_233\_af\_oct**                      **African lang. ORF Word 233 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_234\_af\_oct**                      **African lang. ORF Word 234 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_235\_af\_oct**                      **African lang. ORF Word 235 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_236\_af\_oct**                      **African lang. ORF Word 236 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_237\_af\_oct** African lang. ORF Word 237 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_238\_af\_oct** African lang. ORF Word 238 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_239\_af\_oct** African lang. ORF Word 239 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_240\_af\_oct** African lang. ORF Word 240 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_241\_af\_oct** African lang. ORF Word 241 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

      range: [,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                  1         .
                2,218      .n not tested
                  599      .z not attempted

```

---

**t1\_242\_af\_oct**                      **African lang. ORF Word 242 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                  1         .
                2,218      .n not tested
                  599      .z not attempted

```

---

**t1\_243\_af\_oct**                      **African lang. ORF Word 243 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                  1         .
                2,218      .n not tested
                  599      .z not attempted

```

---

**t1\_244\_af\_oct**                      **African lang. ORF Word 244 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                  1         .
                2,218      .n not tested
                  599      .z not attempted

```

---

**t1\_245\_af\_oct**                      **African lang. ORF Word 245 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

```

```

tabulation:  Freq.    Numeric    Label
              1          .
            2,218        .n not tested
              599        .z not attempted

```

---

**t1\_246\_af\_oct**                      **African lang. ORF Word 246 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_247\_af\_oct**                      **African lang. ORF Word 247 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_248\_af\_oct**                      **African lang. ORF Word 248 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_249\_af\_oct**                      **African lang. ORF Word 249 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_250\_af\_oct African lang. ORF Word 250 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_251\_af\_oct African lang. ORF Word 251 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_252\_af\_oct African lang. ORF Word 252 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_253\_af\_oct African lang. ORF Word 253 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_254\_af\_oct African lang. ORF Word 254 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```



```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_255\_af\_oct**                      **African lang. ORF Word 255 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_256\_af\_oct**                      **African lang. ORF Word 256 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_257\_af\_oct**                      **African lang. ORF Word 257 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_258\_af\_oct**                      **African lang. ORF Word 258 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_259\_af\_oct**                      **African lang. ORF Word 259 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_260\_af\_oct**                      **African lang. ORF Word 260 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_261\_af\_oct**                      **African lang. ORF Word 261 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_262\_af\_oct**                      **African lang. ORF Word 262 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3

                        units: .
                    missing .: 1/2,818
                    missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_263\_af\_oct** African lang. ORF Word 263 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_264\_af\_oct** African lang. ORF Word 264 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_265\_af\_oct** African lang. ORF Word 265 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_266\_af\_oct** African lang. ORF Word 266 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_267\_af\_oct** African lang. ORF Word 267 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1
              .
            2,218   .n not tested
              599   .z not attempted

```

---

**t1\_268\_af\_oct**                      **African lang. ORF Word 268 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1
              .
            2,218   .n not tested
              599   .z not attempted

```

---

**t1\_269\_af\_oct**                      **African lang. ORF Word 269 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1
              .
            2,218   .n not tested
              599   .z not attempted

```

---

**t1\_270\_af\_oct**                      **African lang. ORF Word 270 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1
              .
            2,218   .n not tested
              599   .z not attempted

```

---

**t1\_271\_af\_oct**                      **African lang. ORF Word 271 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.    Numeric    Label
              1          .
            2,218        .n not tested
              599        .z not attempted

```

---

**t1\_272\_af\_oct**                      **African lang. ORF Word 272 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_273\_af\_oct**                      **African lang. ORF Word 273 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_274\_af\_oct**                      **African lang. ORF Word 274 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_275\_af\_oct**                      **African lang. ORF Word 275 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]          units: .
unique values: 0          missing .: 1/2,818
unique mv codes: 3        missing .*: 2,817/2,818

      tabulation:  Freq.    Numeric    Label
                    1          .
                  2,218        .n not tested
                    599        .z not attempted

```

---

**t1\_276\_af\_oct** African lang. ORF Word 276 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_277\_af\_oct** African lang. ORF Word 277 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_278\_af\_oct** African lang. ORF Word 278 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_279\_af\_oct** African lang. ORF Word 279 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

**t1\_280\_af\_oct** African lang. ORF Word 280 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_281\_af\_oct**                      **African lang. ORF Word 281 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_282\_af\_oct**                      **African lang. ORF Word 282 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_283\_af\_oct**                      **African lang. ORF Word 283 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_284\_af\_oct**                      **African lang. ORF Word 284 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_285\_af\_oct**                      **African lang. ORF Word 285 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_286\_af\_oct**                      **African lang. ORF Word 286 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_287\_af\_oct**                      **African lang. ORF Word 287 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_288\_af\_oct**                      **African lang. ORF Word 288 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```



---

**t1\_289\_af\_oct** African lang. ORF Word 289 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_290\_af\_oct** African lang. ORF Word 290 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_291\_af\_oct** African lang. ORF Word 291 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_292\_af\_oct** African lang. ORF Word 292 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_293\_af\_oct** African lang. ORF Word 293 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_294\_af\_oct**                      **African lang. ORF Word 294 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_295\_af\_oct**                      **African lang. ORF Word 295 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_296\_af\_oct**                      **African lang. ORF Word 296 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

tabulation: Freq.   Numeric   Label
              1           .
            2,218       .n not tested
              599       .z not attempted

```

---

**t1\_297\_af\_oct**                      **African lang. ORF Word 297 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [,.]
unique values: 0
unique mv codes: 3
units: .
missing .: 1/2,818
missing .*: 2,817/2,818

```

```

tabulation:  Freq.   Numeric   Label
              1           .
            2,218         .n not tested
              599         .z not attempted

```

---

**t1\_298\_af\_oct**                      **African lang. ORF Word 298 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_299\_af\_oct**                      **African lang. ORF Word 299 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_300\_af\_oct**                      **African lang. ORF Word 300 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_301\_af\_oct**                      **African lang. ORF Word 301 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]           units: .
unique values: 0           missing .: 1/2,818
unique mv codes: 3         missing .*: 2,817/2,818

      tabulation:  Freq.   Numeric   Label
                    1           .
                  2,218         .n not tested
                    599         .z not attempted

```

---

**t1\_302\_af\_oct African lang. ORF Word 302 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_303\_af\_oct African lang. ORF Word 303 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_304\_af\_oct African lang. ORF Word 304 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_305\_af\_oct African lang. ORF Word 305 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [.,.]
unique values: 0
unique mv codes: 3
units: .
missing ..: 1/2,818
missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218         .n not tested
                   599         .z not attempted

```

---

**t1\_306\_af\_oct African lang. ORF Word 306 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```

```

range:      [,.]
unique values: 0
unique mv codes: 3
units:      .
missing .:  1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          .
            2,218      .n not tested
              599      .z not attempted

```

---

**t1\_307\_af\_oct**                      **African lang. ORF Word 307 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

range:      [,.]
unique values: 0
unique mv codes: 3
units:      .
missing .:  1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          .
            2,218      .n not tested
              599      .z not attempted

```

---

**t1\_308\_af\_oct**                      **African lang. ORF Word 308 in passage read correctly==1**

---

```

type: numeric (byte)
label: correct

```

```

range:      [,.]
unique values: 0
unique mv codes: 3
units:      .
missing .:  1/2,818
missing .*: 2,817/2,818

```

```

tabulation: Freq.  Numeric  Label
              1          .
            2,218      .n not tested
              599      .z not attempted

```

---

**discontinued\_af\_oct**                      **Discontinued English ORF posttest assessment**

---

```

type: numeric (byte)
label: discontinue

```

```

range:      [0,1]
unique values: 2
unique mv codes: 2
units:      1
missing .:  1/2,818
missing .*: 2,218/2,818

```

```

tabulation: Freq.  Numeric  Label
              582      0 not discontinued
              17      1 Discontinued assessment
              1          .
            2,218      .n not tested

```

---

**compl\_af\_oct**                      **Gr6. Afr. ORF comp. posttest Q1 correct==1**

---

```

type: numeric (byte)
label: correct

```

```

range:      [0,1]
unique values: 2
units:      1
missing .:  2,239/2,818

```

tabulation:	Freq.	Numeric	Label
	228	0	incorrect
	351	1	correct
	2,239	.	

---

**comp2\_af\_oct** **Gr6. Afr. ORF comp. posttest Q2 correct==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]		units: 1
unique values:	2		missing .: 2,260/2,818
tabulation:	Freq.	Numeric	Label
	63	0	incorrect
	495	1	correct
	2,260	.	

---

**comp3\_af\_oct** **Gr6. Afr. ORF comp. posttest Q3 correct==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]		units: 1
unique values:	2		missing .: 2,390/2,818
tabulation:	Freq.	Numeric	Label
	80	0	incorrect
	348	1	correct
	2,390	.	

---

**comp4\_af\_oct** **Gr6. Afr. ORF comp. posttest Q4 correct==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]		units: 1
unique values:	2		missing .: 2,430/2,818
tabulation:	Freq.	Numeric	Label
	45	0	incorrect
	343	1	correct
	2,430	.	

---

**comp5\_af\_oct** **Gr6. Afr. ORF comp. posttest Q5 correct==1**


---

type:	numeric (byte)		
label:	correct		
range:	[0,1]		units: 1
unique values:	2		missing .: 2,519/2,818
tabulation:	Freq.	Numeric	Label
	148	0	incorrect
	151	1	correct
	2,519	.	

---

**comp6\_af\_oct** **Gr6. Afr. ORF comp. posttest Q6 correct==1**


---

type:	numeric (byte)
label:	correct

```

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 2,755/2,818

        tabulation: Freq.   Numeric   Label
                     13         0   incorrect
                     50         1   correct
                     2,755       .

```

---

**comp7\_af\_oct** **Gr6. Afr. ORF comp. posttest Q7 correct==1**

---

```

        type: numeric (byte)
        label: correct

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 2,809/2,818

        tabulation: Freq.   Numeric   Label
                     3         0   incorrect
                     6         1   correct
                     2,809       .

```

---

**comp8\_af\_oct** **Gr6. Afr. ORF comp. posttest Q8 correct==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]
unique values: 1
                                units: 1
                                missing .: 2,808/2,818

        tabulation: Freq.   Numeric   Label
                     10         1   correct
                     2,808       .

```

---

**comp9\_af\_oct** **Gr6. Afr. ORF comp. posttest Q9 correct==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]
unique values: 1
                                units: 1
                                missing .: 2,808/2,818

        tabulation: Freq.   Numeric   Label
                     10         1   correct
                     2,808       .

```

---

**comp10\_af\_oct** **Gr6. Afr. ORF comp. posttest Q10 correct==1**

---

```

        type: numeric (byte)
        label: correct

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 2,808/2,818

        tabulation: Freq.   Numeric   Label
                     1         0   incorrect
                     9         1   correct
                     2,808       .

```

---

**end\_time\_af\_oct** **Time at end of Afr. lang ORF assessment posttest**

---

```

        type: string (str11)

```

unique values: 28 missing "": 1/2,818

examples: "1.50944E+12"  
"NA"  
"NA"  
"NA"

---

<b>ORF_ITEM_ENG_OCT</b>	<b>ENG ORF ITEM LEVEL RESULTS POST-TEST</b>
-------------------------	---

---

type: string (**str1**), but longest is str0

unique values: 0 missing "": 2,818/2,818

tabulation: Freq. Value  
2,818 ""

---

<b>date_assessed_eng_oct</b>	<b>Date of assessment posttest</b>
------------------------------	------------------------------------

---

type: string (**str10**)

unique values: 15 missing "": 1/2,818

examples: "2017/10/31"  
"NA"  
"NA"  
"NA"

---

<b>fieldworker_code_oct</b>	<b>ORF Fieldworker code october</b>
-----------------------------	-------------------------------------

---

type: numeric (**float**)

range:	[1,14]	units:	1
unique values:	12	missing .:	1/2,818
unique mv codes:	2	missing .*:	2,218/2,818

mean: 6.9616  
std. dev: 3.60929

percentiles:	10%	25%	50%	75%	90%
	2	4	7	11	12

---

<b>fieldworker_code_feb</b>	<b>ORF Fieldworker code february</b>
-----------------------------	--------------------------------------

---

type: string (**str2**)

unique values: 11 missing "": 0/2,818

examples: "6"  
"NA"  
"NA"  
"NA"

---

<b>start_time_eng_oct</b>	<b>Time at start of Afr. lang ORF assessment pretest</b>
---------------------------	--

---

type: string (**str11**)

unique values: 29 missing "": 1/2,818



```
examples: "1.50944E+12"
           "NA"
           "NA"
           "NA"
```

---

<b>assess_time_eng_oct</b>	<b>Total assessment time for English post-test</b>
----------------------------	--

---

```
type: string (str8)
unique values: 242 missing "": 1/2,818
examples: "14:33:00"
           "NA"
           "NA"
           "NA"
```

---

<b>class_eng_oct</b>	<b>Class name if letter</b>
----------------------	-----------------------------

---

```
type: string (str5)
unique values: 6 missing "": 1/2,818
tabulation: Freq. Value
              1 ""
            2,221 "NA"
              381 "a"
              153 "b"
               35 "c"
               15 "d"
               12 "other"
```

---

<b>class_other_eng_oct</b>	<b>Other Class name</b>
----------------------------	-------------------------

---

```
type: string (str2)
unique values: 2 missing "": 1/2,818
tabulation: Freq. Value
              1 ""
            2,805 "NA"
               12 "k"
```

---

<b>t1_time_remain_eng_oct</b>	<b>Time remaining on Eng lang ORF assessment posttest</b>
-------------------------------	---

---

```
type: numeric (byte)
label: t1_time_remain_eng_oct, but 5 nonmissing values are not label
> ed
```

```
range: [0,34] units: 1
unique values: 5 missing .: 1/2,818
unique mv codes: 2 missing .*: 2,218/2,818
tabulation: Freq. Numeric Label
              595 0
               1 12
               1 19
               1 26
               1 34
               1 .
            2,218 .n not tested
```

---

**t1\_attempted\_eng\_oct** **Number of words in passage attempted - Post-test**


---

```

      type: numeric (int)
      label: na, but 146 nonmissing values are not labeled

      range: [1,193]
unique values: 146
unique mv codes: 2
      units: 1
      missing .: 1/2,818
      missing .*: 2,218/2,818

      examples: 156
                .n not tested
                .n not tested
                .n not tested

```

---

**t1\_1\_eng\_oct** **Eng. ORF Word 1 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 2
      units: 1
      missing .: 1/2,818
      missing .*: 2,218/2,818

      tabulation: Freq.   Numeric   Label
                  65         0 incorrect
                  534        1 correct
                   1         .
                2,218        .n not tested

```

---

**t1\_2\_eng\_oct** **Eng. ORF Word 2 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
      units: 1
      missing .: 1/2,818
      missing .*: 2,221/2,818

      tabulation: Freq.   Numeric   Label
                  17         0 incorrect
                  579        1 correct
                   1         .
                2,218        .n not tested
                   3         .z not attempted

```

---

**t1\_3\_eng\_oct** **Eng. ORF Word 3 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
      units: 1
      missing .: 1/2,818
      missing .*: 2,221/2,818

      tabulation: Freq.   Numeric   Label
                  23         0 incorrect
                  573        1 correct
                   1         .
                2,218        .n not tested
                   3         .z not attempted

```

---

**t1\_4\_eng\_oct** **Eng. ORF Word 4 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,222/2,818

      tabulation: Freq.   Numeric   Label
                   15         0   incorrect
                   580        1   correct
                   1         .
                2,218        .n   not tested
                   4         .z   not attempted

```

---

**t1\_5\_eng\_oct** **Eng. ORF Word 5 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,222/2,818

      tabulation: Freq.   Numeric   Label
                   14         0   incorrect
                   581        1   correct
                   1         .
                2,218        .n   not tested
                   4         .z   not attempted

```

---

**t1\_6\_eng\_oct** **Eng. ORF Word 6 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,224/2,818

      tabulation: Freq.   Numeric   Label
                   63         0   incorrect
                   530        1   correct
                   1         .
                2,218        .n   not tested
                   6         .z   not attempted

```

---

**t1\_7\_eng\_oct** **Eng. ORF Word 7 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,224/2,818

      tabulation: Freq.   Numeric   Label
                   78         0   incorrect
                   515        1   correct
                   1         .
                2,218        .n   not tested
                   6         .z   not attempted

```

---

**t1\_8\_eng\_oct** **Eng. ORF Word 8 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,225/2,818

      tabulation: Freq.   Numeric   Label
                   98         0   incorrect
                   494        1   correct
                   1         .
                2,218        .n   not tested
                   7         .z   not attempted

```

---

**t1\_9\_eng\_oct** **Eng. ORF Word 9 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,227/2,818

      tabulation: Freq.   Numeric   Label
                   30         0   incorrect
                   560        1   correct
                   1         .
                2,218        .n   not tested
                   9         .z   not attempted

```

---

**t1\_10\_eng\_oct** **Eng. ORF Word 10 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,227/2,818

      tabulation: Freq.   Numeric   Label
                   90         0   incorrect
                   500        1   correct
                   1         .
                2,218        .n   not tested
                   9         .z   not attempted

```

---

**t1\_11\_eng\_oct** **Eng. ORF Word 11 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,227/2,818

      tabulation: Freq.   Numeric   Label
                   57         0   incorrect
                   533        1   correct
                   1         .
                2,218        .n   not tested
                   9         .z   not attempted

```

---

**t1\_12\_eng\_oct** **Eng. ORF Word 12 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,230/2,818

      tabulation: Freq.   Numeric   Label
                   63         0   incorrect
                   524        1   correct
                   1         .
                2,218        .n   not tested
                   12         .z   not attempted

```

---

**t1\_13\_eng\_oct** **Eng. ORF Word 13 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,233/2,818

      tabulation: Freq.   Numeric   Label
                   73         0   incorrect
                   511        1   correct
                   1         .
                2,218        .n   not tested
                   15         .z   not attempted

```

---

**t1\_14\_eng\_oct** **Eng. ORF Word 14 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,234/2,818

      tabulation: Freq.   Numeric   Label
                   11         0   incorrect
                   572        1   correct
                   1         .
                2,218        .n   not tested
                   16         .z   not attempted

```

---

**t1\_15\_eng\_oct** **Eng. ORF Word 15 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,234/2,818

      tabulation: Freq.   Numeric   Label
                   24         0   incorrect
                   559        1   correct
                   1         .
                2,218        .n   not tested
                   16         .z   not attempted

```

---

**t1\_16\_eng\_oct** **Eng. ORF Word 16 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,236/2,818

      tabulation: Freq.   Numeric   Label
                   87         0   incorrect
                   494         1   correct
                     1         .
                   2,218       .n   not tested
                     18         .z  not attempted

```

---

**t1\_17\_eng\_oct** **Eng. ORF Word 17 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,237/2,818

      tabulation: Freq.   Numeric   Label
                   21         0   incorrect
                   559         1   correct
                     1         .
                   2,218       .n   not tested
                     19         .z  not attempted

```

---

**t1\_18\_eng\_oct** **Eng. ORF Word 18 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,237/2,818

      tabulation: Freq.   Numeric   Label
                   22         0   incorrect
                   558         1   correct
                     1         .
                   2,218       .n   not tested
                     19         .z  not attempted

```

---

**t1\_19\_eng\_oct** **Eng. ORF Word 19 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,238/2,818

      tabulation: Freq.   Numeric   Label
                   26         0   incorrect
                   553         1   correct
                     1         .
                   2,218       .n   not tested
                     20         .z  not attempted

```

---

**t1\_20\_eng\_oct** **Eng. ORF Word 20 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,238/2,818

      tabulation: Freq.   Numeric   Label
                  27         0   incorrect
                  552        1   correct
                   1         .
                2,218        .n   not tested
                   20        .z   not attempted

```

---

**t1\_21\_eng\_oct** **Eng. ORF Word 21 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,241/2,818

      tabulation: Freq.   Numeric   Label
                  27         0   incorrect
                  549        1   correct
                   1         .
                2,218        .n   not tested
                   23        .z   not attempted

```

---

**t1\_22\_eng\_oct** **Eng. ORF Word 22 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,241/2,818

      tabulation: Freq.   Numeric   Label
                  56         0   incorrect
                  520        1   correct
                   1         .
                2,218        .n   not tested
                   23        .z   not attempted

```

---

**t1\_23\_eng\_oct** **Eng. ORF Word 23 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,242/2,818

      tabulation: Freq.   Numeric   Label
                  103        0   incorrect
                  472        1   correct
                   1         .
                2,218        .n   not tested
                   24        .z   not attempted

```

---

**t1\_24\_eng\_oct** **Eng. ORF Word 24 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,245/2,818

      tabulation: Freq.   Numeric   Label
                   8           0   incorrect
                   564          1   correct
                   1           .
                2,218          .n   not tested
                   27          .z   not attempted

```

---

**t1\_25\_eng\_oct** **Eng. ORF Word 25 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,247/2,818

      tabulation: Freq.   Numeric   Label
                   136          0   incorrect
                   434          1   correct
                   1           .
                2,218          .n   not tested
                   29          .z   not attempted

```

---

**t1\_26\_eng\_oct** **Eng. ORF Word 26 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,248/2,818

      tabulation: Freq.   Numeric   Label
                   7           0   incorrect
                   562          1   correct
                   1           .
                2,218          .n   not tested
                   30          .z   not attempted

```

---

**t1\_27\_eng\_oct** **Eng. ORF Word 27 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,249/2,818

      tabulation: Freq.   Numeric   Label
                   32           0   incorrect
                   536          1   correct
                   1           .
                2,218          .n   not tested
                   31          .z   not attempted

```



---

**t1\_28\_eng\_oct** **Eng. ORF Word 28 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,250/2,818

      tabulation: Freq.   Numeric   Label
                   62         0   incorrect
                   505        1   correct
                   1         .
                2,218        .n   not tested
                   32        .z   not attempted

```

---

**t1\_29\_eng\_oct** **Eng. ORF Word 29 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,253/2,818

      tabulation: Freq.   Numeric   Label
                   9         0   incorrect
                   555        1   correct
                   1         .
                2,218        .n   not tested
                   35        .z   not attempted

```

---

**t1\_30\_eng\_oct** **Eng. ORF Word 30 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,255/2,818

      tabulation: Freq.   Numeric   Label
                   33         0   incorrect
                   529        1   correct
                   1         .
                2,218        .n   not tested
                   37        .z   not attempted

```

---

**t1\_31\_eng\_oct** **Eng. ORF Word 31 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,255/2,818

      tabulation: Freq.   Numeric   Label
                   23         0   incorrect
                   539        1   correct
                   1         .
                2,218        .n   not tested
                   37        .z   not attempted

```

---

**t1\_32\_eng\_oct** **Eng. ORF Word 32 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,257/2,818

      tabulation: Freq.  Numeric  Label
                  13         0  incorrect
                  547         1  correct
                   1         .
                 2,218        .n  not tested
                   39         .z  not attempted

```

---

**t1\_33\_eng\_oct** **Eng. ORF Word 33 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,258/2,818

      tabulation: Freq.  Numeric  Label
                  21         0  incorrect
                  538         1  correct
                   1         .
                 2,218        .n  not tested
                   40         .z  not attempted

```

---

**t1\_34\_eng\_oct** **Eng. ORF Word 34 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,258/2,818

      tabulation: Freq.  Numeric  Label
                  27         0  incorrect
                  532         1  correct
                   1         .
                 2,218        .n  not tested
                   40         .z  not attempted

```

---

**t1\_35\_eng\_oct** **Eng. ORF Word 35 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,262/2,818

      tabulation: Freq.  Numeric  Label
                  24         0  incorrect
                  531         1  correct
                   1         .
                 2,218        .n  not tested
                   44         .z  not attempted

```

---

t1\_36\_eng\_oct Eng. ORF Word 36 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,263/2,818

      tabulation: Freq.  Numeric  Label
                   55         0  incorrect
                   499         1  correct
                     1         .
                   2,218       .n  not tested
                     45         .z  not attempted

```

---

t1\_37\_eng\_oct Eng. ORF Word 37 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,264/2,818

      tabulation: Freq.  Numeric  Label
                   23         0  incorrect
                   530         1  correct
                     1         .
                   2,218       .n  not tested
                     46         .z  not attempted

```

---

t1\_38\_eng\_oct Eng. ORF Word 38 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,264/2,818

      tabulation: Freq.  Numeric  Label
                   2         0  incorrect
                   551         1  correct
                     1         .
                   2,218       .n  not tested
                     46         .z  not attempted

```

---

t1\_39\_eng\_oct Eng. ORF Word 39 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,264/2,818

      tabulation: Freq.  Numeric  Label
                   7         0  incorrect
                   546         1  correct
                     1         .
                   2,218       .n  not tested
                     46         .z  not attempted

```

---

**t1\_40\_eng\_oct** **Eng. ORF Word 40 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,264/2,818

      tabulation: Freq.   Numeric   Label
                   37         0   incorrect
                   516        1   correct
                   1         .
                2,218        .n   not tested
                   46         .z   not attempted

```

---

**t1\_41\_eng\_oct** **Eng. ORF Word 41 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,266/2,818

      tabulation: Freq.   Numeric   Label
                   58         0   incorrect
                   493        1   correct
                   1         .
                2,218        .n   not tested
                   48         .z   not attempted

```

---

**t1\_42\_eng\_oct** **Eng. ORF Word 42 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,267/2,818

      tabulation: Freq.   Numeric   Label
                   9         0   incorrect
                   541        1   correct
                   1         .
                2,218        .n   not tested
                   49         .z   not attempted

```

---

**t1\_43\_eng\_oct** **Eng. ORF Word 43 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,268/2,818

      tabulation: Freq.   Numeric   Label
                   25         0   incorrect
                   524        1   correct
                   1         .
                2,218        .n   not tested
                   50         .z   not attempted

```

---

**t1\_44\_eng\_oct** **Eng. ORF Word 44 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,268/2,818

      tabulation: Freq.   Numeric   Label
                   57         0   incorrect
                   492        1   correct
                     1         .
                   2,218       .n   not tested
                     50        .z   not attempted

```

---

**t1\_45\_eng\_oct** **Eng. ORF Word 45 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,272/2,818

      tabulation: Freq.   Numeric   Label
                   13         0   incorrect
                   532        1   correct
                     1         .
                   2,218       .n   not tested
                     54        .z   not attempted

```

---

**t1\_46\_eng\_oct** **Eng. ORF Word 46 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,273/2,818

      tabulation: Freq.   Numeric   Label
                   7         0   incorrect
                   537        1   correct
                     1         .
                   2,218       .n   not tested
                     55        .z   not attempted

```

---

**t1\_47\_eng\_oct** **Eng. ORF Word 47 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,275/2,818

      tabulation: Freq.   Numeric   Label
                   41         0   incorrect
                   501        1   correct
                     1         .
                   2,218       .n   not tested
                     57        .z   not attempted

```

---

**t1\_48\_eng\_oct** **Eng. ORF Word 48 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,277/2,818

      tabulation: Freq.   Numeric   Label
                   35         0   incorrect
                   505        1   correct
                   1         .
                2,218        .n   not tested
                   59        .z   not attempted

```

---

**t1\_49\_eng\_oct** **Eng. ORF Word 49 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,281/2,818

      tabulation: Freq.   Numeric   Label
                   71         0   incorrect
                   465        1   correct
                   1         .
                2,218        .n   not tested
                   63        .z   not attempted

```

---

**t1\_50\_eng\_oct** **Eng. ORF Word 50 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,283/2,818

      tabulation: Freq.   Numeric   Label
                   22         0   incorrect
                   512        1   correct
                   1         .
                2,218        .n   not tested
                   65        .z   not attempted

```

---

**t1\_51\_eng\_oct** **Eng. ORF Word 51 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,283/2,818

      tabulation: Freq.   Numeric   Label
                   6         0   incorrect
                   528        1   correct
                   1         .
                2,218        .n   not tested
                   65        .z   not attempted

```

---

**t1\_52\_eng\_oct** **Eng. ORF Word 52 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,286/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   530       1   correct
                   1         .
                2,218       .n   not tested
                   68       .z   not attempted

```

---

**t1\_53\_eng\_oct** **Eng. ORF Word 53 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,286/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   529       1   correct
                   1         .
                2,218       .n   not tested
                   68       .z   not attempted

```

---

**t1\_54\_eng\_oct** **Eng. ORF Word 54 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,286/2,818

      tabulation: Freq.   Numeric   Label
                   17         0   incorrect
                   514       1   correct
                   1         .
                2,218       .n   not tested
                   68       .z   not attempted

```

---

**t1\_55\_eng\_oct** **Eng. ORF Word 55 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,287/2,818

      tabulation: Freq.   Numeric   Label
                   25         0   incorrect
                   505       1   correct
                   1         .
                2,218       .n   not tested
                   69       .z   not attempted

```

---

**t1\_56\_eng\_oct** **Eng. ORF Word 56 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,291/2,818

      tabulation: Freq.   Numeric   Label
                   11         0   incorrect
                   515        1   correct
                   1          .
                2,218        .n   not tested
                   73         .z   not attempted

```

---

**t1\_57\_eng\_oct** **Eng. ORF Word 57 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,293/2,818

      tabulation: Freq.   Numeric   Label
                   25         0   incorrect
                   499        1   correct
                   1          .
                2,218        .n   not tested
                   75         .z   not attempted

```

---

**t1\_58\_eng\_oct** **Eng. ORF Word 58 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,293/2,818

      tabulation: Freq.   Numeric   Label
                   24         0   incorrect
                   500        1   correct
                   1          .
                2,218        .n   not tested
                   75         .z   not attempted

```

---

**t1\_59\_eng\_oct** **Eng. ORF Word 59 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,296/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   520        1   correct
                   1          .
                2,218        .n   not tested
                   78         .z   not attempted

```



---

**t1\_60\_eng\_oct** Eng. ORF Word 60 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,296/2,818

      tabulation: Freq.   Numeric   Label
                   23         0   incorrect
                   498        1   correct
                   1         .
                2,218        .n   not tested
                   78         .z   not attempted

```

---

**t1\_61\_eng\_oct** Eng. ORF Word 61 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,300/2,818

      tabulation: Freq.   Numeric   Label
                   47         0   incorrect
                   470        1   correct
                   1         .
                2,218        .n   not tested
                   82         .z   not attempted

```

---

**t1\_62\_eng\_oct** Eng. ORF Word 62 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,308/2,818

      tabulation: Freq.   Numeric   Label
                   47         0   incorrect
                   462        1   correct
                   1         .
                2,218        .n   not tested
                   90         .z   not attempted

```

---

**t1\_63\_eng\_oct** Eng. ORF Word 63 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,313/2,818

      tabulation: Freq.   Numeric   Label
                   41         0   incorrect
                   463        1   correct
                   1         .
                2,218        .n   not tested
                   95         .z   not attempted

```

---

**t1\_64\_eng\_oct** **Eng. ORF Word 64 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,317/2,818

      tabulation: Freq.   Numeric   Label
                   8         0   incorrect
                   492        1   correct
                   1         .
                2,218        .n   not tested
                   99        .z   not attempted

```

---

**t1\_65\_eng\_oct** **Eng. ORF Word 65 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,321/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   494        1   correct
                   1         .
                2,218        .n   not tested
                   103       .z   not attempted

```

---

**t1\_66\_eng\_oct** **Eng. ORF Word 66 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,323/2,818

      tabulation: Freq.   Numeric   Label
                   77         0   incorrect
                   417        1   correct
                   1         .
                2,218        .n   not tested
                   105       .z   not attempted

```

---

**t1\_67\_eng\_oct** **Eng. ORF Word 67 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,328/2,818

      tabulation: Freq.   Numeric   Label
                   5         0   incorrect
                   484        1   correct
                   1         .
                2,218        .n   not tested
                   110       .z   not attempted

```

---

**t1\_68\_eng\_oct** **Eng. ORF Word 68 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,329/2,818

      tabulation: Freq.   Numeric   Label
                   6         0   incorrect
                   482        1   correct
                   1         .
                2,218        .n   not tested
                   111        .z   not attempted

```

---

**t1\_69\_eng\_oct** **Eng. ORF Word 69 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,332/2,818

      tabulation: Freq.   Numeric   Label
                   58         0   incorrect
                   427        1   correct
                   1         .
                2,218        .n   not tested
                   114        .z   not attempted

```

---

**t1\_70\_eng\_oct** **Eng. ORF Word 70 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,339/2,818

      tabulation: Freq.   Numeric   Label
                   74         0   incorrect
                   404        1   correct
                   1         .
                2,218        .n   not tested
                   121        .z   not attempted

```

---

**t1\_71\_eng\_oct** **Eng. ORF Word 71 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,352/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   463        1   correct
                   1         .
                2,218        .n   not tested
                   134        .z   not attempted

```

---

**t1\_72\_eng\_oct** **Eng. ORF Word 72 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,354/2,818

      tabulation: Freq.   Numeric   Label
                   9         0   incorrect
                   454        1   correct
                   1         .
                2,218        .n   not tested
                   136        .z   not attempted

```

---

**t1\_73\_eng\_oct** **Eng. ORF Word 73 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,361/2,818

      tabulation: Freq.   Numeric   Label
                   10         0   incorrect
                   446        1   correct
                   1         .
                2,218        .n   not tested
                   143        .z   not attempted

```

---

**t1\_74\_eng\_oct** **Eng. ORF Word 74 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,361/2,818

      tabulation: Freq.   Numeric   Label
                   10         0   incorrect
                   446        1   correct
                   1         .
                2,218        .n   not tested
                   143        .z   not attempted

```

---

**t1\_75\_eng\_oct** **Eng. ORF Word 75 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,367/2,818

      tabulation: Freq.   Numeric   Label
                   54         0   incorrect
                   396        1   correct
                   1         .
                2,218        .n   not tested
                   149        .z   not attempted

```

---

**t1\_76\_eng\_oct** **Eng. ORF Word 76 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,374/2,818

      tabulation: Freq.  Numeric  Label
                   7         0  incorrect
                   436        1  correct
                   1         .
                2,218        .n  not tested
                   156        .z  not attempted

```

---

**t1\_77\_eng\_oct** **Eng. ORF Word 77 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,379/2,818

      tabulation: Freq.  Numeric  Label
                   39         0  incorrect
                   399        1  correct
                   1         .
                2,218        .n  not tested
                   161        .z  not attempted

```

---

**t1\_78\_eng\_oct** **Eng. ORF Word 78 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,382/2,818

      tabulation: Freq.  Numeric  Label
                   13         0  incorrect
                   422        1  correct
                   1         .
                2,218        .n  not tested
                   164        .z  not attempted

```

---

**t1\_79\_eng\_oct** **Eng. ORF Word 79 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing ..: 1/2,818
missing .*: 2,383/2,818

      tabulation: Freq.  Numeric  Label
                   12         0  incorrect
                   422        1  correct
                   1         .
                2,218        .n  not tested
                   165        .z  not attempted

```

---

**t1\_80\_eng\_oct** Eng. ORF Word 80 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,389/2,818

      tabulation: Freq.   Numeric   Label
                   36         0   incorrect
                   392        1   correct
                     1         .
                2,218        .n   not tested
                   171        .z   not attempted

```

---

**t1\_81\_eng\_oct** Eng. ORF Word 81 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,393/2,818

      tabulation: Freq.   Numeric   Label
                   29         0   incorrect
                   395        1   correct
                     1         .
                2,218        .n   not tested
                   175        .z   not attempted

```

---

**t1\_82\_eng\_oct** Eng. ORF Word 82 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,399/2,818

      tabulation: Freq.   Numeric   Label
                   7         0   incorrect
                   411        1   correct
                     1         .
                2,218        .n   not tested
                   181        .z   not attempted

```

---

**t1\_83\_eng\_oct** Eng. ORF Word 83 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,400/2,818

      tabulation: Freq.   Numeric   Label
                   6         0   incorrect
                   411        1   correct
                     1         .
                2,218        .n   not tested
                   182        .z   not attempted

```

---

**t1\_84\_eng\_oct** **Eng. ORF Word 84 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,416/2,818

      tabulation: Freq.  Numeric  Label
                   14         0  incorrect
                   387        1  correct
                     1         .
                   2,218       .n  not tested
                   198        .z  not attempted

```

---

**t1\_85\_eng\_oct** **Eng. ORF Word 85 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,426/2,818

      tabulation: Freq.  Numeric  Label
                   12         0  incorrect
                   379        1  correct
                     1         .
                   2,218       .n  not tested
                   208        .z  not attempted

```

---

**t1\_86\_eng\_oct** **Eng. ORF Word 86 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,428/2,818

      tabulation: Freq.  Numeric  Label
                   97         0  incorrect
                   292        1  correct
                     1         .
                   2,218       .n  not tested
                   210        .z  not attempted

```

---

**t1\_87\_eng\_oct** **Eng. ORF Word 87 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,440/2,818

      tabulation: Freq.  Numeric  Label
                   4         0  incorrect
                   373        1  correct
                     1         .
                   2,218       .n  not tested
                   222        .z  not attempted

```

---

**t1\_88\_eng\_oct** **Eng. ORF Word 88 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,445/2,818

      tabulation: Freq.   Numeric   Label
                   19         0   incorrect
                   353        1   correct
                   1         .
                2,218        .n   not tested
                   227        .z   not attempted

```

---

**t1\_89\_eng\_oct** **Eng. ORF Word 89 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,451/2,818

      tabulation: Freq.   Numeric   Label
                   6         0   incorrect
                   360        1   correct
                   1         .
                2,218        .n   not tested
                   233        .z   not attempted

```

---

**t1\_90\_eng\_oct** **Eng. ORF Word 90 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,453/2,818

      tabulation: Freq.   Numeric   Label
                   28         0   incorrect
                   336        1   correct
                   1         .
                2,218        .n   not tested
                   235        .z   not attempted

```

---

**t1\_91\_eng\_oct** **Eng. ORF Word 91 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,457/2,818

      tabulation: Freq.   Numeric   Label
                   8         0   incorrect
                   352        1   correct
                   1         .
                2,218        .n   not tested
                   239        .z   not attempted

```



---

**t1\_92\_eng\_oct** **Eng. ORF Word 92 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,474/2,818

      tabulation: Freq.   Numeric   Label
                   10         0   incorrect
                   333        1   correct
                   1         .
                2,218        .n   not tested
                   256        .z   not attempted

```

---

**t1\_93\_eng\_oct** **Eng. ORF Word 93 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,479/2,818

      tabulation: Freq.   Numeric   Label
                   10         0   incorrect
                   328        1   correct
                   1         .
                2,218        .n   not tested
                   261        .z   not attempted

```

---

**t1\_94\_eng\_oct** **Eng. ORF Word 94 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,484/2,818

      tabulation: Freq.   Numeric   Label
                   4         0   incorrect
                   329        1   correct
                   1         .
                2,218        .n   not tested
                   266        .z   not attempted

```

---

**t1\_95\_eng\_oct** **Eng. ORF Word 95 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,488/2,818

      tabulation: Freq.   Numeric   Label
                   6         0   incorrect
                   323        1   correct
                   1         .
                2,218        .n   not tested
                   270        .z   not attempted

```

---

**t1\_96\_eng\_oct** **Eng. ORF Word 96 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,491/2,818

      tabulation: Freq.   Numeric   Label
                   9         0   incorrect
                   317        1   correct
                   1         .
                2,218        .n   not tested
                   273        .z   not attempted

```

---

**t1\_97\_eng\_oct** **Eng. ORF Word 97 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,494/2,818

      tabulation: Freq.   Numeric   Label
                   9         0   incorrect
                   314        1   correct
                   1         .
                2,218        .n   not tested
                   276        .z   not attempted

```

---

**t1\_98\_eng\_oct** **Eng. ORF Word 98 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,495/2,818

      tabulation: Freq.   Numeric   Label
                   7         0   incorrect
                   315        1   correct
                   1         .
                2,218        .n   not tested
                   277        .z   not attempted

```

---

**t1\_99\_eng\_oct** **Eng. ORF Word 99 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,499/2,818

      tabulation: Freq.   Numeric   Label
                   4         0   incorrect
                   314        1   correct
                   1         .
                2,218        .n   not tested
                   281        .z   not attempted

```

---

**t1\_100\_eng\_oct** Eng. ORF Word 100 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,513/2,818

      tabulation: Freq.  Numeric  Label
                   4         0  incorrect
                   300        1  correct
                   1         .
                2,218        .n  not tested
                   295        .z  not attempted

```

---

**t1\_101\_eng\_oct** Eng. ORF Word 101 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,514/2,818

      tabulation: Freq.  Numeric  Label
                   17         0  incorrect
                   286        1  correct
                   1         .
                2,218        .n  not tested
                   296        .z  not attempted

```

---

**t1\_102\_eng\_oct** Eng. ORF Word 102 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,514/2,818

      tabulation: Freq.  Numeric  Label
                   14         0  incorrect
                   289        1  correct
                   1         .
                2,218        .n  not tested
                   296        .z  not attempted

```

---

**t1\_103\_eng\_oct** Eng. ORF Word 103 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,532/2,818

      tabulation: Freq.  Numeric  Label
                   12         0  incorrect
                   273        1  correct
                   1         .
                2,218        .n  not tested
                   314        .z  not attempted

```

---

**t1\_104\_eng\_oct** Eng. ORF Word 104 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,537/2,818

      tabulation: Freq.   Numeric   Label
                   6         0   incorrect
                   274       1   correct
                   1         .
                2,218       .n   not tested
                   319       .z   not attempted

```

---

**t1\_105\_eng\_oct** Eng. ORF Word 105 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,542/2,818

      tabulation: Freq.   Numeric   Label
                   8         0   incorrect
                   267       1   correct
                   1         .
                2,218       .n   not tested
                   324       .z   not attempted

```

---

**t1\_106\_eng\_oct** Eng. ORF Word 106 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,544/2,818

      tabulation: Freq.   Numeric   Label
                   12         0   incorrect
                   261       1   correct
                   1         .
                2,218       .n   not tested
                   326       .z   not attempted

```

---

**t1\_107\_eng\_oct** Eng. ORF Word 107 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,548/2,818

      tabulation: Freq.   Numeric   Label
                   13         0   incorrect
                   256       1   correct
                   1         .
                2,218       .n   not tested
                   330       .z   not attempted

```

---

**t1\_108\_eng\_oct** Eng. ORF Word 108 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,551/2,818

      tabulation: Freq.   Numeric   Label
                   53         0   incorrect
                   213        1   correct
                   1         .
                2,218        .n   not tested
                   333        .z   not attempted

```

---

**t1\_109\_eng\_oct** Eng. ORF Word 109 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,554/2,818

      tabulation: Freq.   Numeric   Label
                   3         0   incorrect
                   260        1   correct
                   1         .
                2,218        .n   not tested
                   336        .z   not attempted

```

---

**t1\_110\_eng\_oct** Eng. ORF Word 110 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,563/2,818

      tabulation: Freq.   Numeric   Label
                   3         0   incorrect
                   251        1   correct
                   1         .
                2,218        .n   not tested
                   345        .z   not attempted

```

---

**t1\_111\_eng\_oct** Eng. ORF Word 111 in passage read correctly==1


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,567/2,818

      tabulation: Freq.   Numeric   Label
                   4         0   incorrect
                   246        1   correct
                   1         .
                2,218        .n   not tested
                   349        .z   not attempted

```

---

**t1\_112\_eng\_oct** **Eng. ORF Word 112 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,570/2,818

      tabulation: Freq.  Numeric  Label
                   3         0  incorrect
                   244        1  correct
                   1         .
                2,218        .n  not tested
                   352        .z  not attempted

```

---

**t1\_113\_eng\_oct** **Eng. ORF Word 113 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,583/2,818

      tabulation: Freq.  Numeric  Label
                   9         0  incorrect
                   225        1  correct
                   1         .
                2,218        .n  not tested
                   365        .z  not attempted

```

---

**t1\_114\_eng\_oct** **Eng. ORF Word 114 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,584/2,818

      tabulation: Freq.  Numeric  Label
                   5         0  incorrect
                   228        1  correct
                   1         .
                2,218        .n  not tested
                   366        .z  not attempted

```

---

**t1\_115\_eng\_oct** **Eng. ORF Word 115 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,588/2,818

      tabulation: Freq.  Numeric  Label
                   5         0  incorrect
                   224        1  correct
                   1         .
                2,218        .n  not tested
                   370        .z  not attempted

```

---

**t1\_116\_eng\_oct** Eng. ORF Word 116 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,592/2,818

      tabulation: Freq.   Numeric   Label
                   9         0   incorrect
                   216        1   correct
                   1         .
                2,218        .n   not tested
                   374        .z   not attempted

```

---

**t1\_117\_eng\_oct** Eng. ORF Word 117 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,602/2,818

      tabulation: Freq.   Numeric   Label
                   13         0   incorrect
                   202        1   correct
                   1         .
                2,218        .n   not tested
                   384        .z   not attempted

```

---

**t1\_118\_eng\_oct** Eng. ORF Word 118 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,609/2,818

      tabulation: Freq.   Numeric   Label
                   4         0   incorrect
                   204        1   correct
                   1         .
                2,218        .n   not tested
                   391        .z   not attempted

```

---

**t1\_119\_eng\_oct** Eng. ORF Word 119 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,613/2,818

      tabulation: Freq.   Numeric   Label
                   17         0   incorrect
                   187        1   correct
                   1         .
                2,218        .n   not tested
                   395        .z   not attempted

```

---

**t1\_120\_eng\_oct** Eng. ORF Word 120 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,638/2,818

      tabulation: Freq.  Numeric  Label
                   1         0  incorrect
                   178        1  correct
                   1         .
                2,218        .n  not tested
                   420        .z  not attempted

```

---

**t1\_121\_eng\_oct** Eng. ORF Word 121 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,639/2,818

      tabulation: Freq.  Numeric  Label
                   2         0  incorrect
                   176        1  correct
                   1         .
                2,218        .n  not tested
                   421        .z  not attempted

```

---

**t1\_122\_eng\_oct** Eng. ORF Word 122 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,641/2,818

      tabulation: Freq.  Numeric  Label
                   8         0  incorrect
                   168        1  correct
                   1         .
                2,218        .n  not tested
                   423        .z  not attempted

```

---

**t1\_123\_eng\_oct** Eng. ORF Word 123 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,649/2,818

      tabulation: Freq.  Numeric  Label
                   5         0  incorrect
                   163        1  correct
                   1         .
                2,218        .n  not tested
                   431        .z  not attempted

```



---

**t1\_124\_eng\_oct** **Eng. ORF Word 124 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,655/2,818

      tabulation: Freq.  Numeric  Label
                   5         0  incorrect
                   157        1  correct
                   1         .
                2,218        .n  not tested
                   437        .z  not attempted

```

---

**t1\_125\_eng\_oct** **Eng. ORF Word 125 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,660/2,818

      tabulation: Freq.  Numeric  Label
                   1         0  incorrect
                   156        1  correct
                   1         .
                2,218        .n  not tested
                   442        .z  not attempted

```

---

**t1\_126\_eng\_oct** **Eng. ORF Word 126 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,661/2,818

      tabulation: Freq.  Numeric  Label
                   1         0  incorrect
                   155        1  correct
                   1         .
                2,218        .n  not tested
                   443        .z  not attempted

```

---

**t1\_127\_eng\_oct** **Eng. ORF Word 127 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,684/2,818

      tabulation: Freq.  Numeric  Label
                   2         0  incorrect
                   131        1  correct
                   1         .
                2,218        .n  not tested
                   466        .z  not attempted

```

---

**t1\_128\_eng\_oct** **Eng. ORF Word 128 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,689/2,818

      tabulation: Freq.   Numeric   Label
                   1         0 incorrect
                   127        1 correct
                   1         .
                2,218        .n not tested
                   471        .z not attempted

```

---

**t1\_129\_eng\_oct** **Eng. ORF Word 129 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,691/2,818

      tabulation: Freq.   Numeric   Label
                   1         0 incorrect
                   125        1 correct
                   1         .
                2,218        .n not tested
                   473        .z not attempted

```

---

**t1\_130\_eng\_oct** **Eng. ORF Word 130 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,693/2,818

      tabulation: Freq.   Numeric   Label
                   1         0 incorrect
                   123        1 correct
                   1         .
                2,218        .n not tested
                   475        .z not attempted

```

---

**t1\_131\_eng\_oct** **Eng. ORF Word 131 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,694/2,818

      tabulation: Freq.   Numeric   Label
                   123        1 correct
                   1         .
                2,218        .n not tested
                   476        .z not attempted

```

---

**t1\_132\_eng\_oct** Eng. ORF Word 132 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,698/2,818

      tabulation: Freq.  Numeric  Label
                   119      1  correct
                   1       .
                2,218      .n  not tested
                   480      .z  not attempted

```

---

**t1\_133\_eng\_oct** Eng. ORF Word 133 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,699/2,818

      tabulation: Freq.  Numeric  Label
                   118      1  correct
                   1       .
                2,218      .n  not tested
                   481      .z  not attempted

```

---

**t1\_134\_eng\_oct** Eng. ORF Word 134 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]                      units: 1
unique values: 1                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,699/2,818

      tabulation: Freq.  Numeric  Label
                   118      1  correct
                   1       .
                2,218      .n  not tested
                   481      .z  not attempted

```

---

**t1\_135\_eng\_oct** Eng. ORF Word 135 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]                      units: 1
unique values: 2                      missing .: 1/2,818
unique mv codes: 3                    missing .*: 2,716/2,818

      tabulation: Freq.  Numeric  Label
                   6       0  incorrect
                   95      1  correct
                   1       .
                2,218      .n  not tested
                   498      .z  not attempted

```

---

**t1\_136\_eng\_oct** **Eng. ORF Word 136 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,725/2,818

      tabulation: Freq.   Numeric   Label
                   92         1   correct
                   1         .
                2,218       .n   not tested
                   507       .z   not attempted

```

---

**t1\_137\_eng\_oct** **Eng. ORF Word 137 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,726/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   89         1   correct
                   1         .
                2,218       .n   not tested
                   508       .z   not attempted

```

---

**t1\_138\_eng\_oct** **Eng. ORF Word 138 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,729/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   86         1   correct
                   1         .
                2,218       .n   not tested
                   511       .z   not attempted

```

---

**t1\_139\_eng\_oct** **Eng. ORF Word 139 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,734/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   82         1   correct
                   1         .
                2,218       .n   not tested
                   516       .z   not attempted

```

---

**t1\_140\_eng\_oct** **Eng. ORF Word 140 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,735/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   80         1   correct
                   1         .
                2,218       .n   not tested
                   517       .z   not attempted

```

---

**t1\_141\_eng\_oct** **Eng. ORF Word 141 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,737/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   79         1   correct
                   1         .
                2,218       .n   not tested
                   519       .z   not attempted

```

---

**t1\_142\_eng\_oct** **Eng. ORF Word 142 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,742/2,818

      tabulation: Freq.   Numeric   Label
                   4         0   incorrect
                   71         1   correct
                   1         .
                2,218       .n   not tested
                   524       .z   not attempted

```

---

**t1\_143\_eng\_oct** **Eng. ORF Word 143 in passage read correctly==1**


---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,744/2,818

      tabulation: Freq.   Numeric   Label
                   3         0   incorrect
                   70         1   correct
                   1         .
                2,218       .n   not tested
                   526       .z   not attempted

```

---

**t1\_144\_eng\_oct** Eng. ORF Word 144 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,752/2,818

      tabulation: Freq.   Numeric   Label
                   3         0   incorrect
                   62        1   correct
                   1         .
                2,218       .n   not tested
                   534       .z   not attempted

```

---

**t1\_145\_eng\_oct** Eng. ORF Word 145 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,752/2,818

      tabulation: Freq.   Numeric   Label
                   2         0   incorrect
                   63        1   correct
                   1         .
                2,218       .n   not tested
                   534       .z   not attempted

```

---

**t1\_146\_eng\_oct** Eng. ORF Word 146 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,753/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   63        1   correct
                   1         .
                2,218       .n   not tested
                   535       .z   not attempted

```

---

**t1\_147\_eng\_oct** Eng. ORF Word 147 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,754/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   62        1   correct
                   1         .
                2,218       .n   not tested
                   536       .z   not attempted

```

---

**t1\_148\_eng\_oct** **Eng. ORF Word 148 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,766/2,818

      tabulation: Freq.   Numeric   Label
                   5         0   incorrect
                   46         1   correct
                   1         .
                2,218       .n   not tested
                   548       .z   not attempted

```

---

**t1\_149\_eng\_oct** **Eng. ORF Word 149 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,768/2,818

      tabulation: Freq.   Numeric   Label
                   49         1   correct
                   1         .
                2,218       .n   not tested
                   550       .z   not attempted

```

---

**t1\_150\_eng\_oct** **Eng. ORF Word 150 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,769/2,818

      tabulation: Freq.   Numeric   Label
                   48         1   correct
                   1         .
                2,218       .n   not tested
                   551       .z   not attempted

```

---

**t1\_151\_eng\_oct** **Eng. ORF Word 151 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,770/2,818

      tabulation: Freq.   Numeric   Label
                   47         1   correct
                   1         .
                2,218       .n   not tested
                   552       .z   not attempted

```

---

**t1\_152\_eng\_oct** **Eng. ORF Word 152 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,774/2,818

      tabulation: Freq.  Numeric  Label
                   43      1 correct
                   1      .
                2,218      .n not tested
                   556      .z not attempted

```

---

**t1\_153\_eng\_oct** **Eng. ORF Word 153 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,774/2,818

      tabulation: Freq.  Numeric  Label
                   1      0 incorrect
                   42      1 correct
                   1      .
                2,218      .n not tested
                   556      .z not attempted

```

---

**t1\_154\_eng\_oct** **Eng. ORF Word 154 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,777/2,818

      tabulation: Freq.  Numeric  Label
                   40      1 correct
                   1      .
                2,218      .n not tested
                   559      .z not attempted

```

---

**t1\_155\_eng\_oct** **Eng. ORF Word 155 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,777/2,818

      tabulation: Freq.  Numeric  Label
                   1      0 incorrect
                   39      1 correct
                   1      .
                2,218      .n not tested
                   559      .z not attempted

```



---

**t1\_156\_eng\_oct** **Eng. ORF Word 156 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,779/2,818

      tabulation: Freq.   Numeric   Label
                   38         1   correct
                   1         .
                2,218       .n   not tested
                   561       .z   not attempted

```

---

**t1\_157\_eng\_oct** **Eng. ORF Word 157 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,781/2,818

      tabulation: Freq.   Numeric   Label
                   1         0   incorrect
                   35         1   correct
                   1         .
                2,218       .n   not tested
                   563       .z   not attempted

```

---

**t1\_158\_eng\_oct** **Eng. ORF Word 158 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,782/2,818

      tabulation: Freq.   Numeric   Label
                   35         1   correct
                   1         .
                2,218       .n   not tested
                   564       .z   not attempted

```

---

**t1\_159\_eng\_oct** **Eng. ORF Word 159 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                        units: 1
                        missing .: 1/2,818
                        missing .*: 2,787/2,818

      tabulation: Freq.   Numeric   Label
                   30         1   correct
                   1         .
                2,218       .n   not tested
                   569       .z   not attempted

```

---

**t1\_160\_eng\_oct** Eng. ORF Word 160 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,789/2,818

      tabulation: Freq.   Numeric   Label
                   28         1   correct
                   1         .
                2,218       .n   not tested
                   571       .z   not attempted

```

---

**t1\_161\_eng\_oct** Eng. ORF Word 161 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,791/2,818

      tabulation: Freq.   Numeric   Label
                   26         1   correct
                   1         .
                2,218       .n   not tested
                   573       .z   not attempted

```

---

**t1\_162\_eng\_oct** Eng. ORF Word 162 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,795/2,818

      tabulation: Freq.   Numeric   Label
                   22         1   correct
                   1         .
                2,218       .n   not tested
                   577       .z   not attempted

```

---

**t1\_163\_eng\_oct** Eng. ORF Word 163 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
                                units: 1
                                missing .: 1/2,818
                                missing .*: 2,795/2,818

      tabulation: Freq.   Numeric   Label
                   22         1   correct
                   1         .
                2,218       .n   not tested
                   577       .z   not attempted

```

---

**t1\_164\_eng\_oct** Eng. ORF Word 164 in passage read correctly==1

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,796/2,818

```

```

tabulation: Freq.  Numeric  Label
              21         1  correct
              1         .
            2,218        .n  not tested
              578        .z  not attempted

```

---

**t1\_165\_eng\_oct** **Eng. ORF Word 165 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,796/2,818

```

```

tabulation: Freq.  Numeric  Label
              1         0  incorrect
              20         1  correct
              1         .
            2,218        .n  not tested
              578        .z  not attempted

```

---

**t1\_166\_eng\_oct** **Eng. ORF Word 166 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,796/2,818

```

```

tabulation: Freq.  Numeric  Label
              21         1  correct
              1         .
            2,218        .n  not tested
              578        .z  not attempted

```

---

**t1\_167\_eng\_oct** **Eng. ORF Word 167 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [1,1]
unique values: 1
unique mv codes: 3
units: 1
missing .: 1/2,818
missing .*: 2,797/2,818

```

```

tabulation: Freq.  Numeric  Label
              20         1  correct
              1         .
            2,218        .n  not tested
              579        .z  not attempted

```

---

**t1\_168\_eng\_oct** **Eng. ORF Word 168 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```

```

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,803/2,818

    tabulation: Freq.  Numeric  Label
                  14         1  correct
                  1         .
                2,218       .n  not tested
                  585       .z  not attempted

```

---

**t1\_169\_eng\_oct** **Eng. ORF Word 169 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,806/2,818

    tabulation: Freq.  Numeric  Label
                  11         1  correct
                  1         .
                2,218       .n  not tested
                  588       .z  not attempted

```

---

**t1\_170\_eng\_oct** **Eng. ORF Word 170 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,806/2,818

    tabulation: Freq.  Numeric  Label
                  11         1  correct
                  1         .
                2,218       .n  not tested
                  588       .z  not attempted

```

---

**t1\_171\_eng\_oct** **Eng. ORF Word 171 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,809/2,818

    tabulation: Freq.  Numeric  Label
                  8         1  correct
                  1         .
                2,218       .n  not tested
                  591       .z  not attempted

```

---

**t1\_172\_eng\_oct** **Eng. ORF Word 172 in passage read correctly==1**

---

```

        type: numeric (byte)
        label: correct

        range: [1,1]                      units: 1
    unique values: 1                      missing .: 1/2,818
    unique mv codes: 3                    missing .*: 2,811/2,818

```

tabulation:	Freq.	Numeric	Label
	6	1	correct
	1	.	
	2,218	.n	not tested
	593	.z	not attempted

---

<b>t1_173_eng_oct</b>	<b>Eng. ORF Word 173 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,811/2,818

tabulation:	Freq.	Numeric	Label
	6	1	correct
	1	.	
	2,218	.n	not tested
	593	.z	not attempted

---

<b>t1_174_eng_oct</b>	<b>Eng. ORF Word 174 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,813/2,818

tabulation:	Freq.	Numeric	Label
	4	1	correct
	1	.	
	2,218	.n	not tested
	595	.z	not attempted

---

<b>t1_175_eng_oct</b>	<b>Eng. ORF Word 175 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,813/2,818

tabulation:	Freq.	Numeric	Label
	4	1	correct
	1	.	
	2,218	.n	not tested
	595	.z	not attempted

---

<b>t1_176_eng_oct</b>	<b>Eng. ORF Word 176 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,813/2,818

tabulation:	Freq.	Numeric	Label
	4	1	correct
	1	.	
	2,218	.n	not tested
	595	.z	not attempted

---

t1_177_eng_oct	Eng. ORF Word 177 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,813/2,818

tabulation:	Freq.	Numeric	Label
	4	1	correct
	1	.	
	2,218	.n	not tested
	595	.z	not attempted

---

t1_178_eng_oct	Eng. ORF Word 178 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,813/2,818

tabulation:	Freq.	Numeric	Label
	4	1	correct
	1	.	
	2,218	.n	not tested
	595	.z	not attempted

---

t1_179_eng_oct	Eng. ORF Word 179 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,813/2,818

tabulation:	Freq.	Numeric	Label
	4	1	correct
	1	.	
	2,218	.n	not tested
	595	.z	not attempted

---

t1_180_eng_oct	Eng. ORF Word 180 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,814/2,818

tabulation:	Freq.	Numeric	Label
	3	1	correct
	1	.	
	2,218	.n	not tested
	596	.z	not attempted

---

t1_181_eng_oct	Eng. ORF Word 181 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,814/2,818

tabulation:	Freq.	Numeric	Label
	3	1	correct
	1	.	
	2,218	.n	not tested
	596	.z	not attempted

---

t1_182_eng_oct	Eng. ORF Word 182 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,814/2,818

tabulation:	Freq.	Numeric	Label
	3	1	correct
	1	.	
	2,218	.n	not tested
	596	.z	not attempted

---

t1_183_eng_oct	Eng. ORF Word 183 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,814/2,818

tabulation:	Freq.	Numeric	Label
	3	1	correct
	1	.	
	2,218	.n	not tested
	596	.z	not attempted

---

t1_184_eng_oct	Eng. ORF Word 184 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,815/2,818

tabulation:	Freq.	Numeric	Label
	2	1	correct
	1	.	
	2,218	.n	not tested
	597	.z	not attempted

---

<b>t1_185_eng_oct</b>	<b>Eng. ORF Word 185 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

<b>t1_186_eng_oct</b>	<b>Eng. ORF Word 186 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

<b>t1_187_eng_oct</b>	<b>Eng. ORF Word 187 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

<b>t1_188_eng_oct</b>	<b>Eng. ORF Word 188 in passage read correctly==1</b>
-----------------------	---

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818



tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

t1_189_eng_oct	Eng. ORF Word 189 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

t1_190_eng_oct	Eng. ORF Word 190 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

t1_191_eng_oct	Eng. ORF Word 191 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

t1_192_eng_oct	Eng. ORF Word 192 in passage read correctly==1
----------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[1,1]	units: 1
unique values:	1	missing .: 1/2,818
unique mv codes:	3	missing .*: 2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

t1_193_eng_oct	Eng. ORF Word 193 in passage read correctly==1
----------------	--

---

type:	numeric (byte)
label:	correct
range:	[1,1]
unique values:	1
unique mv codes:	3
units:	1
missing .:	1/2,818
missing .*:	2,816/2,818

tabulation:	Freq.	Numeric	Label
	1	1	correct
	1	.	
	2,218	.n	not tested
	598	.z	not attempted

---

t1_194_eng_oct	Eng. ORF Word 194 in passage read correctly==1
----------------	--

---

type:	numeric (byte)
label:	correct
range:	[.,.]
unique values:	0
unique mv codes:	3
units:	.
missing .:	1/2,818
missing .*:	2,817/2,818

tabulation:	Freq.	Numeric	Label
	1	.	
	2,218	.n	not tested
	599	.z	not attempted

---

t1_195_eng_oct	Eng. ORF Word 195 in passage read correctly==1
----------------	--

---

type:	numeric (byte)
label:	correct
range:	[.,.]
unique values:	0
unique mv codes:	3
units:	.
missing .:	1/2,818
missing .*:	2,817/2,818

tabulation:	Freq.	Numeric	Label
	1	.	
	2,218	.n	not tested
	599	.z	not attempted

---

t1_196_eng_oct	Eng. ORF Word 196 in passage read correctly==1
----------------	--

---

type:	numeric (byte)
label:	correct
range:	[.,.]
unique values:	0
unique mv codes:	3
units:	.
missing .:	1/2,818
missing .*:	2,817/2,818

tabulation:	Freq.	Numeric	Label
	1	.	
	2,218	.n	not tested
	599	.z	not attempted

---

**t1\_197\_eng\_oct** **Eng. ORF Word 197 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [...]
unique values: 0
unique mv codes: 3
                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation: Freq.  Numeric  Label
                   1      .
                   2,218  .n not tested
                   599   .z not attempted

```

---

**t1\_198\_eng\_oct** **Eng. ORF Word 198 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [...]
unique values: 0
unique mv codes: 3
                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation: Freq.  Numeric  Label
                   1      .
                   2,218  .n not tested
                   599   .z not attempted

```

---

**t1\_199\_eng\_oct** **Eng. ORF Word 199 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [...]
unique values: 0
unique mv codes: 3
                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation: Freq.  Numeric  Label
                   1      .
                   2,218  .n not tested
                   599   .z not attempted

```

---

**t1\_200\_eng\_oct** **Eng. ORF Word 200 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

      range: [...]
unique values: 0
unique mv codes: 3
                        units: .
                        missing .: 1/2,818
                        missing .*: 2,817/2,818

      tabulation: Freq.  Numeric  Label
                   1      .
                   2,218  .n not tested
                   599   .z not attempted

```

---

**t1\_201\_eng\_oct** **Eng. ORF Word 201 in passage read correctly==1**

---

```

      type: numeric (byte)
      label: correct

```

```

      range: [,.]
unique values: 0
unique mv codes: 3
      units: .
      missing .: 1/2,818
      missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

<b>t1_202_eng_oct</b>	<b>Eng. ORF Word 202 in passage read correctly==1</b>
-----------------------	---

---

```

      type: numeric (byte)
      label: correct

      range: [,.]
unique values: 0
unique mv codes: 3
      units: .
      missing .: 1/2,818
      missing .*: 2,817/2,818

      tabulation: Freq.   Numeric   Label
                   1           .
                2,218       .n not tested
                   599       .z not attempted

```

---

<b>discontinued_eng_oct</b>	<b>Discontinued English ORF posttest assessment</b>
-----------------------------	---

---

```

      type: numeric (byte)
      label: discontinued

      range: [0,1]
unique values: 2
unique mv codes: 2
      units: 1
      missing .: 1/2,818
      missing .*: 2,218/2,818

      tabulation: Freq.   Numeric   Label
                   580         0 not discontinued
                   19         1 Discontinued assessment
                   1           .
                2,218       .n not tested

```

---

<b>compl_eng_oct</b>	<b>Gr6. Eng ORF comp. posttest Q1 correct==1</b>
----------------------	--

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,235/2,818

      tabulation: Freq.   Numeric   Label
                   18         0 incorrect
                   565        1 correct
                2,235         .

```

---

<b>comp2_eng_oct</b>	<b>Gr6. Eng ORF comp. posttest Q2 correct==1</b>
----------------------	--

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
      units: 1
      missing .: 2,270/2,818

      tabulation: Freq.   Numeric   Label
                   274         0 incorrect
                   274         1 correct
                2,270         .

```

---

**comp3\_eng\_oct** **Gr6. Eng ORF comp. posttest Q3 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,299/2,818

      tabulation: Freq.   Numeric   Label
                  188       0   incorrect
                  331       1   correct
                  2,299      .

```

---

**comp4\_eng\_oct** **Gr6. Eng ORF comp. posttest Q4 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,418/2,818

      tabulation: Freq.   Numeric   Label
                  96       0   incorrect
                  304       1   correct
                  2,418      .

```

---

**comp5\_eng\_oct** **Gr6. Eng ORF comp. posttest Q5 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,515/2,818

      tabulation: Freq.   Numeric   Label
                  180       0   incorrect
                  123       1   correct
                  2,515      .

```

---

**comp6\_eng\_oct** **Gr6. Eng ORF comp. posttest Q6 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,639/2,818

      tabulation: Freq.   Numeric   Label
                  18       0   incorrect
                  161       1   correct
                  2,639      .

```

---

**comp7\_eng\_oct** **Gr6. Eng ORF comp. posttest Q7 correct==1**

---

```

      type: numeric (byte)
      label: correct

      range: [0,1]
unique values: 2
                        units: 1
                        missing .: 2,796/2,818

```

tabulation:	Freq.	Numeric	Label
	3	0	incorrect
	19	1	correct
	2,796	.	

---

<b>comp8_eng_oct</b>	<b>Gr6. Eng ORF comp. posttest Q8 correct==1</b>
----------------------	--

---

type:	numeric (byte)	
label:	correct	
range:	[0,1]	units: 1
unique values:	2	missing .: 2,815/2,818

  

tabulation:	Freq.	Numeric	Label
	1	0	incorrect
	2	1	correct
	2,815	.	

---

<b>end_time_eng_oct</b>	<b>Time at end of Eng. lang ORF assessment pretest</b>
-------------------------	--

---

type:	string (str11)	
unique values:	28	missing "": 1/2,818
examples:	"1.50944E+12"	
	"NA"	
	"NA"	
	"NA"	

---

<b>enumerator_code_af_oct</b>	<b>Fieldworker code post-test</b>
-------------------------------	-----------------------------------

---

type:	numeric (float)	
range:	[1,12]	units: 1
unique values:	12	missing .: 2,219/2,818
mean:	6.33389	
std. dev:	2.86579	

  

percentiles:	10%	25%	50%	75%	90%
	2	4	6	9	10