

SP_detection

Field	Question	Answer																
generated_note_name_7	Detection of SPs																	
fieldworker (required)	FIELDWORKER - please select your name:	<table border="1"> <tr><td>1</td><td>Nthabiseng Mabelane</td></tr> <tr><td>2</td><td>Thembelihle Tshabalala</td></tr> <tr><td>3</td><td>Mothabane Modupe</td></tr> <tr><td>4</td><td>Tlangelani Makamu</td></tr> </table>	1	Nthabiseng Mabelane	2	Thembelihle Tshabalala	3	Mothabane Modupe	4	Tlangelani Makamu								
1	Nthabiseng Mabelane																	
2	Thembelihle Tshabalala																	
3	Mothabane Modupe																	
4	Tlangelani Makamu																	
private (required)	Is the provider you are calling a private GP or a public provider?	<table border="1"> <tr><td>1</td><td>a private GP</td></tr> <tr><td>2</td><td>a public clinic</td></tr> </table>	1	a private GP	2	a public clinic												
1	a private GP																	
2	a public clinic																	
Provider search options																		
searchtype (required)	Choose how you want to search the name of the provider:	<table border="1"> <tr><td>contains</td><td>Contains</td></tr> <tr><td>startswith</td><td>Starts with</td></tr> </table>	contains	Contains	startswith	Starts with												
contains	Contains																	
startswith	Starts with																	
searchtext (required)	Enter a few letters from the clinic or provider's name to start your search, then go to the next screen to find the possible matches:																	
pvid (required)	Select a matching provider name:	<table border="1"> <tr><td>provider_id</td><td>name</td></tr> </table>	provider_id	name														
provider_id	name																	
Confirm_private	To CONFIRM: you are calling [name] with the following GP practice phone number: [phone] If this is not the correct GP name, check that you did not select a wrong name. If the problem persists, finish the form and contact your supervisor immediately. Question relevant when: selected(\${private} , '1')																	
Confirm_public	To CONFIRM: you are calling [name] with the following clinic phone number: [phone] If this is not the correct provider name, check that you did not select a wrong name. If the problem persists, finish the form and contact your supervisor immediately. Question relevant when: selected(\${private} , '2')																	
start_call	Now please call the provider you've named, and follow the script specified in the following pages of this questionnaire.																	
sp_seen (required)	Hi there/Good day Doctor, my name is [fw_name]. I am assisting Wits University with the follow-up of a study that you agreed to participate in, the study is on Primary Health Care Clinical Decision-Making. For this study our fieldworkers, acting as a sick patient, came for a consultation with you between June and August this year. We are now conducting the post fieldwork survey to check the detection of our fieldworkers. Did you notice any of your patients behaving suspiciously or suspect that they were not real patients between June and August of this year?	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No												
1	Yes																	
0	No																	
sp_details																		
Group relevant when: \${sp_seen} =1																		
nr (required)	How many patients were you suspicious of? Response constrained to: .>0																	
generated_note_name_26	Now, I am going to ask you some details about the [nr] patients for whom you had some suspicions. Question relevant when: \${nr} <5																	
generated_note_name_27	Now, I am going to ask you some details about 5 patients for whom you had some suspicions. Question relevant when: \${nr} >=5																	
Patient 1																		
Group relevant when: \${nr} >=1																		
generated_note_name_29	Let's start with the FIRST patient																	
Patient 1 > g1_p1																		
sex_p1 (required)	Do you remember if it was a man or a woman?	<table border="1"> <tr><td>1</td><td>Man</td></tr> <tr><td>2</td><td>Woman</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Man	2	Woman	-99	Can't remember										
1	Man																	
2	Woman																	
-99	Can't remember																	
age_p1 (required)	Do you remember their age (roughly)? FIELDWORKER: enter 99 if they cannot remember. Response constrained to: .>0 and .<=100																	
date_p1 (required)	Do you remember when this person came to see you (month/week)? FIELDWORKER: read out the list, if the doctor struggles to remember	<table border="1"> <tr><td>1</td><td>Early June</td></tr> <tr><td>2</td><td>Late June</td></tr> <tr><td>3</td><td>Early July</td></tr> <tr><td>4</td><td>Late July</td></tr> <tr><td>5</td><td>Early August</td></tr> <tr><td>6</td><td>Late August</td></tr> <tr><td>7</td><td>Other</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Early June	2	Late June	3	Early July	4	Late July	5	Early August	6	Late August	7	Other	-99	Can't remember
1	Early June																	
2	Late June																	
3	Early July																	
4	Late July																	
5	Early August																	
6	Late August																	
7	Other																	
-99	Can't remember																	
Patient 1 > g2_p1																		
symptoms_rec1 (required)	Can you remember the patient's complaint and symptoms?	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No												
1	Yes																	
0	No																	
symptoms_p1 (required)	What were the patient's symptoms? FIELDWORKER: write down the symptoms, separated by commas. If the doctor cannot remember, enter 99. Question relevant when: \${symptoms_rec1} =1																	

Field	Question	Answer																				
symptoms_select_p1 (required)	FIELDWORKER: select the symptoms in the list FIELDWORKER: DO NOT READ the list out. Question relevant when: \${symptoms_rec1} =1	<table border="1"> <tr><td>1</td><td>Cough</td></tr> <tr><td>2</td><td>Fever</td></tr> <tr><td>3</td><td>TB</td></tr> <tr><td>4</td><td>Cold</td></tr> <tr><td>5</td><td>Breathing problems</td></tr> <tr><td>97</td><td>Other</td></tr> <tr><td>99</td><td>Can't remember</td></tr> </table>	1	Cough	2	Fever	3	TB	4	Cold	5	Breathing problems	97	Other	99	Can't remember						
1	Cough																					
2	Fever																					
3	TB																					
4	Cold																					
5	Breathing problems																					
97	Other																					
99	Can't remember																					
note_symptoms1 (required)	Please go back and check your previous choices: You cannot select "Can't remember" with another choice. Question relevant when: (selected(\${symptoms_select_p1} , '1') and selected(\${symptoms_select_p1} , '99')) or (selected(\${symptoms_select_p1} , '2') and selected(\${symptoms_select_p1} , '99')) or (selected(\${symptoms_select_p1} , '3') and selected(\${symptoms_select_p1} , '99')) or (selected(\${symptoms_select_p1} , '4') and selected(\${symptoms_select_p1} , '99')) or (selected(\${symptoms_select_p1} , '5') and selected(\${symptoms_select_p1} , '99')) or (selected(\${symptoms_select_p1} , '97') and selected(\${symptoms_select_p1} , '99'))																					
Patient 1 > g3_p1																						
time_p1 (required)	When did you start being suspicious of the patient? FIELDWORKER: read out the list.	<table border="1"> <tr><td>1</td><td>During the consultation</td></tr> <tr><td>2</td><td>After the consultation</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	During the consultation	2	After the consultation	-99	Can't remember														
1	During the consultation																					
2	After the consultation																					
-99	Can't remember																					
why_p1 (required)	Why were you suspicious? FIELDWORKER: DO NOT READ the list out.	<table border="1"> <tr><td>1</td><td>They had the same story/symptoms as a previous patient</td></tr> <tr><td>2</td><td>The patient did not have any visible symptoms</td></tr> <tr><td>3</td><td>It was obvious that the patient was acting / the patient did not seem real</td></tr> <tr><td>4</td><td>The patient's story / responses were not convincing / not consistent</td></tr> <tr><td>5</td><td>The patient had a weird story about their medical aid / savings</td></tr> <tr><td>6</td><td>The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms</td></tr> <tr><td>7</td><td>The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.</td></tr> <tr><td>8</td><td>The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.</td></tr> <tr><td>9</td><td>The patient had some story about their friend/family working at a pharmacy.</td></tr> <tr><td>10</td><td>Other</td></tr> </table>	1	They had the same story/symptoms as a previous patient	2	The patient did not have any visible symptoms	3	It was obvious that the patient was acting / the patient did not seem real	4	The patient's story / responses were not convincing / not consistent	5	The patient had a weird story about their medical aid / savings	6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms	7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.	8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.	9	The patient had some story about their friend/family working at a pharmacy.	10	Other
1	They had the same story/symptoms as a previous patient																					
2	The patient did not have any visible symptoms																					
3	It was obvious that the patient was acting / the patient did not seem real																					
4	The patient's story / responses were not convincing / not consistent																					
5	The patient had a weird story about their medical aid / savings																					
6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms																					
7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.																					
8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.																					
9	The patient had some story about their friend/family working at a pharmacy.																					
10	Other																					
why_other_p1	Was there anything else that made you suspicious? FIELDWORKER: write down any other reasons, separated by commas. Question relevant when: \${why_p1} =7																					
Patient 2																						
Group relevant when: \${nr} >=2																						
generated_note_name_48	For the SECOND patient you were suspicious of..																					
Patient 2 > g1_p2																						
sex_p2 (required)	Do you remember if it was a man or a woman?	<table border="1"> <tr><td>1</td><td>Man</td></tr> <tr><td>2</td><td>Woman</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Man	2	Woman	-99	Can't remember														
1	Man																					
2	Woman																					
-99	Can't remember																					
age_p2 (required)	Do you remember their age (roughly)? FIELDWORKER: enter 99 if they cannot remember Response constrained to: .>0 and .<=100																					

Field	Question	Answer
date_p2 (required)	Do you remember when this person came to see you (month/week)? FIELDWORKER: read out the list, if the doctor struggles to remember	1 Early June
		2 Late June
		3 Early July
		4 Late July
		5 Early August
		6 Late August
		7 Other
		-99 Can't remember
Patient 2 > g2_p2		
symptoms_rec2 (required)	Can you remember the patient's complaint and symptoms?	1 Yes
		0 No
symptoms_p2 (required)	What were the patient's symptoms? FIELDWORKER: write down the symptoms, separated by commas. If the doctor cannot remember, enter 99. Question relevant when: \${symptoms_rec2} =1	
symptoms_select_p2 (required)	FIELDWORKER: select the symptoms in the list FIELDWORKER: DO NOT READ the list out. Question relevant when: \${symptoms_rec2} =1	1 Cough
		2 Fever
		3 TB
		4 Cold
		5 Breathing problems
		97 Other
		99 Can't remember
note_symptoms2 (required)	Please go back and check your previous choices: You cannot select "Can't remember" with another choice. Question relevant when: (selected(\${symptoms_select_p2} , '1') and selected(\${symptoms_select_p2} , '99')) or (selected(\${symptoms_select_p2} , '2') and selected(\${symptoms_select_p2} , '99')) or (selected(\${symptoms_select_p2} , '3') and selected(\${symptoms_select_p2} , '99')) or (selected(\${symptoms_select_p2} , '4') and selected(\${symptoms_select_p2} , '99')) or (selected(\${symptoms_select_p2} , '5') and selected(\${symptoms_select_p2} , '99')) or (selected(\${symptoms_select_p2} , '97') and selected(\${symptoms_select_p2} , '99'))	
Patient 2 > g3_p2		
time_p2 (required)	When did you start being suspicious of the patient? FIELDWORKER: read out the list.	1 During the consultation
		2 After the consultation
		-99 Can't remember
why_p2 (required)	Why were you suspicious? FIELDWORKER: DO NOT READ the list out.	1 They had the same story/symptoms as a previous patient
		2 The patient did not have any visible symptoms
		3 It was obvious that the patient was acting / the patient did not seem real
		4 The patient's story / responses were not convincing / not consistent
		5 The patient had a weird story about their medical aid / savings
		6 The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms
		7 The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.
		8 The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.
		9 The patient had some story about their friend/family working at a pharmacy.
		10 Other
why_other_p2	Was there anything else that made you suspicious? FIELDWORKER: write down any other reasons, separated by commas. Question relevant when: \${why_p2} =7	
Patient 3		
Group relevant when: \${nr} >=3		
generated_note_name_67	For the THIRD patient you were suspicious of..	

Field	Question	Answer
Patient 3 > g1_p3		
sex_p3 (required)	Do you remember if it was a man or a woman?	1 Man
		2 Woman
		-99 Can't remember
age_p3 (required)	Do you remember their age (roughly)? FIELDWORKER: enter 99 if they cannot remember Response constrained to: .>0 and .<=100	
date_p3 (required)	Do you remember when this person came to see you (month/week)? FIELDWORKER: read out the list, if the doctor struggles to remember	1 Early June
		2 Late June
		3 Early July
		4 Late July
		5 Early August
		6 Late August
		7 Other
		-99 Can't remember
Patient 3 > g2_p3		
symptoms_rec3 (required)	Can you remember the patient's complaint and symptoms?	1 Yes
		0 No
symptoms_p3 (required)	What were the patient's symptoms? FIELDWORKER: write down the symptoms, separated by commas. If the doctor cannot remember, enter 99. Question relevant when: \${symptoms_rec3} =1	
symptoms_select_p3 (required)	FIELDWORKER: select the symptoms in the list FIELDWORKER: DO NOT READ the list out. Question relevant when: \${symptoms_rec3} =1	1 Cough
		2 Fever
		3 TB
		4 Cold
		5 Breathing problems
		97 Other
		99 Can't remember
note_symptoms3 (required)	Please go back and check your previous choices: You cannot select "Can't remember" with another choice. Question relevant when: (selected(\${symptoms_select_p3} , '1') and selected(\${symptoms_select_p3} , '99')) or (selected(\${symptoms_select_p3} , '2') and selected(\${symptoms_select_p3} , '99')) or (selected(\${symptoms_select_p3} , '3') and selected(\${symptoms_select_p3} , '99')) or (selected(\${symptoms_select_p3} , '4') and selected(\${symptoms_select_p3} , '99')) or (selected(\${symptoms_select_p3} , '5') and selected(\${symptoms_select_p3} , '99')) or (selected(\${symptoms_select_p3} , '97') and selected(\${symptoms_select_p3} , '99'))	
Patient 3 > g3_p3		
time_p3 (required)	When did you start being suspicious of the patient? FIELDWORKER: read out the list.	1 During the consultation
		2 After the consultation
		-99 Can't remember

Field	Question	Answer																				
why_p3 (required)	Why were you suspicious? FIELDWORKER: DO NOT READ the list out.	<table border="1"> <tr><td>1</td><td>They had the same story/symptoms as a previous patient</td></tr> <tr><td>2</td><td>The patient did not have any visible symptoms</td></tr> <tr><td>3</td><td>It was obvious that the patient was acting / the patient did not seem real</td></tr> <tr><td>4</td><td>The patient's story / responses were not convincing / not consistent</td></tr> <tr><td>5</td><td>The patient had a weird story about their medical aid / savings</td></tr> <tr><td>6</td><td>The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms</td></tr> <tr><td>7</td><td>The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.</td></tr> <tr><td>8</td><td>The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.</td></tr> <tr><td>9</td><td>The patient had some story about their friend/family working at a pharmacy.</td></tr> <tr><td>10</td><td>Other</td></tr> </table>	1	They had the same story/symptoms as a previous patient	2	The patient did not have any visible symptoms	3	It was obvious that the patient was acting / the patient did not seem real	4	The patient's story / responses were not convincing / not consistent	5	The patient had a weird story about their medical aid / savings	6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms	7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.	8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.	9	The patient had some story about their friend/family working at a pharmacy.	10	Other
1	They had the same story/symptoms as a previous patient																					
2	The patient did not have any visible symptoms																					
3	It was obvious that the patient was acting / the patient did not seem real																					
4	The patient's story / responses were not convincing / not consistent																					
5	The patient had a weird story about their medical aid / savings																					
6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms																					
7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.																					
8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.																					
9	The patient had some story about their friend/family working at a pharmacy.																					
10	Other																					
why_other_p3	Was there anything else that made you suspicious? FIELDWORKER: write down any other reasons, separated by commas. Question relevant when: \${why_p3} =7																					
Patient 4 Group relevant when: \${nr} >=4																						
generated_note_name_86	For the FOURTH patient you were suspicious of..																					
Patient 4 > g1_p4																						
sex_p4 (required)	Do you remember if it was a man or a woman?	<table border="1"> <tr><td>1</td><td>Man</td></tr> <tr><td>2</td><td>Woman</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Man	2	Woman	-99	Can't remember														
1	Man																					
2	Woman																					
-99	Can't remember																					
age_p4 (required)	Do you remember their age (roughly)? FIELDWORKER: enter 99 if they cannot remember Response constrained to: .>0 and .<=100																					
date_p4 (required)	Do you remember when this person came to see you (month/week)? FIELDWORKER: read out the list, if the doctor struggles to remember	<table border="1"> <tr><td>1</td><td>Early June</td></tr> <tr><td>2</td><td>Late June</td></tr> <tr><td>3</td><td>Early July</td></tr> <tr><td>4</td><td>Late July</td></tr> <tr><td>5</td><td>Early August</td></tr> <tr><td>6</td><td>Late August</td></tr> <tr><td>7</td><td>Other</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Early June	2	Late June	3	Early July	4	Late July	5	Early August	6	Late August	7	Other	-99	Can't remember				
1	Early June																					
2	Late June																					
3	Early July																					
4	Late July																					
5	Early August																					
6	Late August																					
7	Other																					
-99	Can't remember																					
Patient 4 > g2_p4																						
symptoms_rec4 (required)	Can you remember the patient's complaint and symptoms?	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No																
1	Yes																					
0	No																					
symptoms_p4 (required)	What were the patient's symptoms? FIELDWORKER: write down the symptoms, separated by commas. If the doctor cannot remember, enter 99. Question relevant when: \${symptoms_rec4} =1																					
symptoms_select_p4 (required)	FIELDWORKER: select the symptoms in the list FIELDWORKER: DO NOT READ the list out. Question relevant when: \${symptoms_rec4} =1	<table border="1"> <tr><td>1</td><td>Cough</td></tr> <tr><td>2</td><td>Fever</td></tr> <tr><td>3</td><td>TB</td></tr> <tr><td>4</td><td>Cold</td></tr> <tr><td>5</td><td>Breathing problems</td></tr> <tr><td>97</td><td>Other</td></tr> <tr><td>99</td><td>Can't remember</td></tr> </table>	1	Cough	2	Fever	3	TB	4	Cold	5	Breathing problems	97	Other	99	Can't remember						
1	Cough																					
2	Fever																					
3	TB																					
4	Cold																					
5	Breathing problems																					
97	Other																					
99	Can't remember																					

Field	Question	Answer																				
note_symptoms4 (required)	<p>Please go back and check your previous choices:</p> <p>You cannot select "Can't remember" with another choice.</p> <p>Question relevant when: (selected(\${symptoms_select_p4} , '1') and selected(\${symptoms_select_p4} , '99')) or (selected(\${symptoms_select_p4} , '2') and selected(\${symptoms_select_p4} , '99')) or (selected(\${symptoms_select_p4} , '3') and selected(\${symptoms_select_p4} , '99')) or (selected(\${symptoms_select_p4} , '4') and selected(\${symptoms_select_p4} , '99')) or (selected(\${symptoms_select_p4} , '5') and selected(\${symptoms_select_p4} , '99')) or (selected(\${symptoms_select_p4} , '97') and selected(\${symptoms_select_p4} , '99'))</p>																					
Patient 4 > g3_p4																						
time_p4 (required)	<p>When did you start being suspicious of the patient?</p> <p>FIELDWORKER: read out the list.</p>	<table border="1"> <tr><td>1</td><td>During the consultation</td></tr> <tr><td>2</td><td>After the consultation</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	During the consultation	2	After the consultation	-99	Can't remember														
1	During the consultation																					
2	After the consultation																					
-99	Can't remember																					
why_p4 (required)	<p>Why were you suspicious?</p> <p>FIELDWORKER: DO NOT READ the list out.</p>	<table border="1"> <tr><td>1</td><td>They had the same story/symptoms as a previous patient</td></tr> <tr><td>2</td><td>The patient did not have any visible symptoms</td></tr> <tr><td>3</td><td>It was obvious that the patient was acting / the patient did not seem real</td></tr> <tr><td>4</td><td>The patient's story / responses were not convincing / not consistent</td></tr> <tr><td>5</td><td>The patient had a weird story about their medical aid / savings</td></tr> <tr><td>6</td><td>The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms</td></tr> <tr><td>7</td><td>The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.</td></tr> <tr><td>8</td><td>The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.</td></tr> <tr><td>9</td><td>The patient had some story about their friend/family working at a pharmacy.</td></tr> <tr><td>10</td><td>Other</td></tr> </table>	1	They had the same story/symptoms as a previous patient	2	The patient did not have any visible symptoms	3	It was obvious that the patient was acting / the patient did not seem real	4	The patient's story / responses were not convincing / not consistent	5	The patient had a weird story about their medical aid / savings	6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms	7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.	8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.	9	The patient had some story about their friend/family working at a pharmacy.	10	Other
1	They had the same story/symptoms as a previous patient																					
2	The patient did not have any visible symptoms																					
3	It was obvious that the patient was acting / the patient did not seem real																					
4	The patient's story / responses were not convincing / not consistent																					
5	The patient had a weird story about their medical aid / savings																					
6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms																					
7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.																					
8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.																					
9	The patient had some story about their friend/family working at a pharmacy.																					
10	Other																					
why_other_p4	<p>Was there anything else that made you suspicious?</p> <p>FIELDWORKER: write down any other reasons, separated by commas.</p> <p>Question relevant when: \${why_p4} =7</p>																					
Patient 5																						
Group relevant when: \${nr} >=5																						
generated_note_name_105	For the FIFTH patient you were suspicious of..																					
Patient 5 > g1_p5																						
sex_p5 (required)	Do you remember if it was a man or a woman?	<table border="1"> <tr><td>1</td><td>Man</td></tr> <tr><td>2</td><td>Woman</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Man	2	Woman	-99	Can't remember														
1	Man																					
2	Woman																					
-99	Can't remember																					
age_p5 (required)	<p>Do you remember their age (roughly)?</p> <p>FIELDWORKER: enter 99 if they cannot remember</p> <p>Response constrained to: .>0 and .<=100</p>																					
date_p5 (required)	<p>Do you remember when this person came to see you (month/week)?</p> <p>FIELDWORKER: read out the list, if the doctor struggles to remember</p>	<table border="1"> <tr><td>1</td><td>Early June</td></tr> <tr><td>2</td><td>Late June</td></tr> <tr><td>3</td><td>Early July</td></tr> <tr><td>4</td><td>Late July</td></tr> <tr><td>5</td><td>Early August</td></tr> <tr><td>6</td><td>Late August</td></tr> <tr><td>7</td><td>Other</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	Early June	2	Late June	3	Early July	4	Late July	5	Early August	6	Late August	7	Other	-99	Can't remember				
1	Early June																					
2	Late June																					
3	Early July																					
4	Late July																					
5	Early August																					
6	Late August																					
7	Other																					
-99	Can't remember																					
Patient 5 > g2_p5																						
symptoms_rec5 (required)	Can you remember the patient's complaint and symptoms?	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table>	1	Yes	0	No																
1	Yes																					
0	No																					
symptoms_p5 (required)	<p>What were the patient's symptoms?</p> <p>FIELDWORKER: write down the symptoms, separated by commas. If the doctor cannot remember, enter 99.</p> <p>Question relevant when: \${symptoms_rec5} =1</p>																					

Field	Question	Answer																				
symptoms_select_p5 (required)	FIELDWORKER: select the symptoms in the list FIELDWORKER: DO NOT READ the list out. Question relevant when: \${symptoms_rec5} =1	<table border="1"> <tr><td>1</td><td>Cough</td></tr> <tr><td>2</td><td>Fever</td></tr> <tr><td>3</td><td>TB</td></tr> <tr><td>4</td><td>Cold</td></tr> <tr><td>5</td><td>Breathing problems</td></tr> <tr><td>97</td><td>Other</td></tr> <tr><td>99</td><td>Can't remember</td></tr> </table>	1	Cough	2	Fever	3	TB	4	Cold	5	Breathing problems	97	Other	99	Can't remember						
1	Cough																					
2	Fever																					
3	TB																					
4	Cold																					
5	Breathing problems																					
97	Other																					
99	Can't remember																					
note_symptoms5 (required)	Please go back and check your previous choices: You cannot select "Can't remember" with another choice. Question relevant when: (selected(\${symptoms_select_p5} , '1') and selected(\${symptoms_select_p5} , '99')) or (selected(\${symptoms_select_p5} , '2') and selected(\${symptoms_select_p5} , '99')) or (selected(\${symptoms_select_p5} , '3') and selected(\${symptoms_select_p5} , '99')) or (selected(\${symptoms_select_p5} , '4') and selected(\${symptoms_select_p5} , '99')) or (selected(\${symptoms_select_p5} , '5') and selected(\${symptoms_select_p5} , '99')) or (selected(\${symptoms_select_p5} , '97') and selected(\${symptoms_select_p5} , '99'))																					
Patient 5 > g3_p5																						
time_p5 (required)	When did you start being suspicious of the patient? FIELDWORKER: read out the list.	<table border="1"> <tr><td>1</td><td>During the consultation</td></tr> <tr><td>2</td><td>After the consultation</td></tr> <tr><td>-99</td><td>Can't remember</td></tr> </table>	1	During the consultation	2	After the consultation	-99	Can't remember														
1	During the consultation																					
2	After the consultation																					
-99	Can't remember																					
why_p5 (required)	Why were you suspicious? FIELDWORKER: DO NOT READ the list out.	<table border="1"> <tr><td>1</td><td>They had the same story/symptoms as a previous patient</td></tr> <tr><td>2</td><td>The patient did not have any visible symptoms</td></tr> <tr><td>3</td><td>It was obvious that the patient was acting / the patient did not seem real</td></tr> <tr><td>4</td><td>The patient's story / responses were not convincing / not consistent</td></tr> <tr><td>5</td><td>The patient had a weird story about their medical aid / savings</td></tr> <tr><td>6</td><td>The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms</td></tr> <tr><td>7</td><td>The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.</td></tr> <tr><td>8</td><td>The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.</td></tr> <tr><td>9</td><td>The patient had some story about their friend/family working at a pharmacy.</td></tr> <tr><td>10</td><td>Other</td></tr> </table>	1	They had the same story/symptoms as a previous patient	2	The patient did not have any visible symptoms	3	It was obvious that the patient was acting / the patient did not seem real	4	The patient's story / responses were not convincing / not consistent	5	The patient had a weird story about their medical aid / savings	6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms	7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.	8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.	9	The patient had some story about their friend/family working at a pharmacy.	10	Other
1	They had the same story/symptoms as a previous patient																					
2	The patient did not have any visible symptoms																					
3	It was obvious that the patient was acting / the patient did not seem real																					
4	The patient's story / responses were not convincing / not consistent																					
5	The patient had a weird story about their medical aid / savings																					
6	The patient's medical records / the patient's Health ID showed that they had been to see other doctors with the same symptoms																					
7	The patient had a weird story about googling when to take antibiotics/said that they did not want antibiotics.																					
8	The patient didn't want drugs even though it was included in the fee. They insisted on getting a script.																					
9	The patient had some story about their friend/family working at a pharmacy.																					
10	Other																					
why_other_p5	Was there anything else that made you suspicious? FIELDWORKER: write down any other reasons, separated by commas. Question relevant when: \${why_p5} =7																					
generated_note_name_123	Ok, thank you for your time doctor. Good bye.																					
comments	FIELDWORKER: Please write here any COMMENT or UNCERTAINTY you might want to raise																					